

2025

New Products



ABOUT US

Company Profile

We are Guangzhou Dangui Technology Co., LTD., focusing on the sales of high quality mobile Phone accessories, its "Phone Planet" brand positioning high-end mobile phone accessories, We are committed to providing customers with cost-effective products, including data cables, chargers, power banks, cases, screen protectors, and holders. All these products have stylish design and stable and reliable quality.

We mainly produce data cables and chargers, data cables include USB2.0-USB4, with different materials such as PVC, TPE,PP yarn weaving, etc. We will extend the life of data cables to 2-3 years by adding nylon wire to the inner core of data cables, using tinned copper and exclusive internal molding technology. Our full line of data cable products are widely used in mobile phone charging, gaming (connected to VR glass), video and audio transmission;

This charger adopts GaN technology with main control chip of Navitas(USA). It can achieve fast charging without heating or noise. It IS widely used in charging mobile phones, lpads, laptops, earphones, game stations and other small appliances etc.

Our own factory has collaborated with brands such as "Ugreen" and "Baseus". With 20 years of industry experience and technical knowledge, our team is capable of providing professional consultancy sales solutions and a warranty of over 1 year.

Currently, we are recruiting brand agents and dealers. By choosing us, you will gain an exclusive market opportunity for a new brand, absolute bargaining power, a complete set of promotional materials, and local social media marketing resources to achieve rapid growth in performance. Please feel free to contact us to receive free samples.

Why Choose Us

Multiple Advantages





Experiences

20 Years
Professional team service

New Opportunity

Exclusive Market
Opportunity for a new brand

Affordable Prices

2 Brands' absolute bargaining power



Decoration Support

Subsidies for decoration costs

365 Days Warranty

Local return and exchange service


Advocacy Resources

All product's promotional materials and resources

New Brand Looking for Global Agency



Let Phone Planet Go Out To Spread All Of the World



Our Certificate
























Data Cable Series































































PP-CCL-016 USB 2.0 2 IN 1 PD 100W Fast Charging/Data Transfer Cable Length 1.2m Colour Product Name Electric Parameters Product Features PP-CCL-016 Type-C to Type-C/Lightning 20V/SA (100W) Plane Retardant Materials • Tinckened Timed Copper • In-Shell injection Molding • 30,000 Times Bending • 48 Hours Salt Resistance Test



















PP-AUXC Type-C to 3.5mm Audio Cable Length 1.2m Colour Product Name Electric Parameters Product Features PP-AUXC-120 Type-C to DC 3.5MM Embedded DAC Decoder Clap Excellent Sound Resolutione Low Distantion Rate Low University Supplies Length 1.2m Product Features Product Features











PP-EC-LAUX Lightning to Aux Audio Audio Cable Length 12cm Colour Product Name Electric Parameters Product Features PP-EC-LAUX-12-GY Lightning to 3.5F Cable PP Braided cable In:Shell Injection Molding 3.0,000 Times Bending 4.68 Nours Salt Resistance Test



PP-CC-019-120-BE 60W

Phone Lanyard Cable

Type-C to Type-C Cable (Braided Cable)

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CC-019-120-BE	• 2-in-1 Data Cable
Material:	Aluminum Alloy shell	High-Density Braided Cable Frees Both Hands
Output:	20V/3A (60W)	Can't be Shaken Off Charging And Data Transmission
Length	1.2M	• 2-in-1
Color:	Blue	
Description:	PD60W mobile phone lanyard data cable, lanyard + data cable 2-in-1	



PP-CL-019-120-BE 27W Phone Lanyard Cable

Type-C to Lightning Cable (Braided Cable)

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CL-019-120-BE	• 2-in-1 Data Cable
Material:	Aluminum Alloy shell	High-Density Braided Cable Frees Both Hands
Output:	15V/2A (27W)	Can't be Shaken Off Charging And Data Transmission
Length	1.2M	• 2-in-1
Color:	Blue	
Description:	PD27W mobile phone lanyard data cable, lanyard + data cable 2-in-1	



PP-CC-019-120-PK 60W Phone Lanyard Cable

Type-C to Type-C Cable (Braided Cable)

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CC-019-120-PK	• 2-in-1 Data Cable
Material:	Aluminum Alloy shell	High-Density Braided Cable Frees Both Hands
Output:	20V/3A (60W)	Can't be Shaken Off Charging And Data Transmission
Length	1.2M	• 2-in-1
Color:	Pink	
Description:	PD60W mobile phone lanyard data cable, lanyard + data cable 2-in-1	



PP-CL-019-120-PK 27W Phone Lanyard Cable

Type-C to Lightning Cable (Braided Cable)



Product Name	Electric Parameters	Product Features
Model:	PP-CL-019-120-PK	• 2-in-1 Data Cable
Material:	Aluminum Alloy shell	High-Density Braided Cable Frees Both Hands
Output:	15V/2A (27W)	Can't be Shaken Off Charging And Data Transmission
Length	1.2M	2-in-1
Color:	Pink	
Description:	PD27W mobile phone lanyard data cable, lanyard + data cable 2-in-1	



PP-CLC-017-120-GY 60W

3 IN 1 Cable

Type-C to Lightning or Type-C

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CLC-017-120-GY	Support PD Fast Charge Protocol
		Bending Resistant Fashion
Material:	Aluminum Alloy shell	SR Net tail Design
0.44		Multi-in-one Multi-Function
Output:	15V/2A (60W)	
Type-C to	15V/2A (60W)	
Type-C:	15V/2A (60VV)	
Type-C to	30W	
Lightning :		
Length	1.2M	
Color:	Gray	



PP-ACCL-018-120-GY 60W

4 IN 1 Cable

USB-A/Type-C to Lightning or Type-C



Product Name	Electric Parameters	Product Features
Model:	PP-ACCL-018-120-GY	Support PD Fast Charge Protocol Bending Resistant Fashion
Material:	Aluminum Alloy shell	SR Net tail Design
Output:	15V/2A (60W)	Multi-in-one Multi-Function
Type-C to Type-C :	60W	
Type-C to Lightning :	30W	
USB-A to Type-C :	18W	
Color:	Gray	
Length	1.2M	



PP-CHDMI01 4K



USB-C to HDMI

High Definition Transmission Cable

Length

1.8m



Product Name	Electric Parameters	Product Features
Model:	PP-CHDMI01	4K*2K@60Hz UHD Resolution Video & Audio Simultaneously
Material:	Aluminum + PVC	Plug & Play Driver-FreeDurable & FlexibleWide Compatibility Smartphones
Function:	USB-C to HDMI HD Video Cable	
Resolution:	4K*2K@60Hz	
Colour:	Dark Grey	



PP-LHDMI02 1080P


Lightning to HDMI

High Definition Transmission Cable

Length 1.8m



Product Name	Electric Parameters	Product Features
Model:	PP-LHDMI02	• 1920x1080@60Hz/1280x720@60Hz • Video & Audio Simultaneously
Material:	Aluminum + PVC	 Plug & Play Driver-Free Durable & Flexible Simultaneous charging of
Function:	Lightning to HDMI HD Video Cable	mobile phones
Resolution:	1920x108060Hz 1280x720 60Hz	Certification
Colour:	Dark Grey	



PP-EC-LL Lightning

Audio Dual Function

Lightning Audio + Charge RockStar

Length 15cm



Product Name	Electric Parameters	Product Features
Model:	PP-EC-LLL-15-GY	Allows you to listen to music,watch
Material:	Aluminum + TPE	videos, use audio navigationor take calls while still charging your phone at maximum speed.
Function:	Supports Charging + Audio Calls	at maximum opposit
Power:	5V/2A	



PP-EC-CCC Type-C

Audio Dual Function

Type-C Audio + Charge

Length 15cm Colour

Product Name	Electric Parameters	Product Features
Model:	PP-EC-CCC-15-GY	Allows you to listen to music,watch
Material:	Aluminum + TPE	videos, use audio navigationor take calls while still charging your phone at maximum speed.
Function:	Supports Charging + Audio Calls	
Power:	20V/3A,PD 60W	



PP-EC-LLAUX Lightning



Audio Dual Function

3.5mm Audio + Charge RockStar

Length 15cm

Product Name	Electric Parameters	Product Features
Model:	PP-EC-LLAUX-15-GY	Allows you to listen to music,watch
Material:	Aluminum + TPE	videos, use audio navigationor take calls while still charging your phone
Function:	Supports Charging + Audio Calls	at maximum speed.
Power:	5V/2A	



PP-DS01 7-IN-1




USB-C HUB

4K & 60Hz

Length 20cm




Product Name	Electric Parameters	Product Features
Model:	PP-DS01	HDMI Supports 3840X2160@30HZ Ultra HD Resolution It Can Be Connected To An External
Material:	Aluminum Shell	Display Via An HDMI Port One USB3.0 And One USB2.0 Port Data Transfer Speeds Up T 5Gbps
Function:	Supports 4K & 60Hz	(USB3.0)/480Mbps(USB2.0) Are Supported Support USB 2.0 SD/TF Data Transfer
Power:	PD 60W	
USB3.0	5Gbps	



Wall Charger Series







20W Built-in Data Cable



USB-L & USB-C Charger

PD20W Charger + C to L Cable Set

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-20WCL-UK	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.5A	technology for L to C reverse
Total Output:	20W(Max)	charging for all mobile phone
USB-C:	5V/3A,9V/2.22A,12V/1.67A	models on oy market, with constant charging power.
USB-L:	9V/2.22A,5V/3A	Certification
Material:	PC Flame Retardant	CETTIFICATION ROHS
Color:	Black	
Plug:	uĸ	REACH UK CB



30W Built-in Data Cable



USB-L+1C+1A Port Charger

PD30W Charger + C to L Cable Set

Colour



Product Name	Electric Parameters
Model:	PP-30WCL-UK
Input:	100-240V~ 50-60Hz 0.8A
Total Output:	30W(Max)
USB-C:	5V/3A,9V/3A,12V/2.5A
USB-L:	9V/2.22A,5V/3A
USB-A:	5V/3A,9V/2A,12V/1.5A
PPS:	5V-11V/2.7A
Plug:	UK

;	Product Features
	Having exclusive patented
١.	technology for L to C reverse
	charging, it basically supports fast
	charging for all mobile phone
	models on oy market, with
	constant charging power.
	Certification













45W Built-in Data Cable UK



USB-L+1C+1A Port Charger

PD45W Charger + C to L Cable Set

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-45WACL-UK	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse
Total Output:	45W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,20.0V/2.25A 45W(Max)	models on oy market, with constant charging power.
USB-L:	5V/3A,20.0V/2.25A 45W(Max)	0.45
USB-A:	5V/3A,9V/2A,12V/1.5A 30W(Max)	Certification RoHS
PPS:	5V-11V/2.4A	
Plug:	uĸ	REACH CA CB



30W Built-in Data Cable US



USB-L+1C+1A Port Charger

PD30W Charger + C to L Cable Set



Product Name	Electric Parameters	Product Features
Model:	PP-30WACL-UK	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse
Total Output:	30W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,9V/3A,12V/2.5A	models on oy market, with constant charging power.
USB-L:	9V/2.22A,5V/3A	Out!Footion
USB-A:	5V/3A,9V/2A,12V/1.5A	Certification RoHS
PPS:	5V-11V/2.7A	TO TO KOHS
Plug:	us	REACH





USB-A+2C Port Charger

PD20W Charger + C to C Cable Set

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-20WACC-UK	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.5A	technology for L to C reverse
Total Output:	20W(Max)	charging, it basically supports tast
USB-C:	5V/3A,9V/2.22A,12V/1.67A	models on oy market, with constant charging power.
USB-C	9V/2.22A,5V/3A	Certification
Material:	PC Flame Retardant	CE FC ROHS
Color:	Black	
Plug:	uĸ	REACH UK CB



30W Built-in Data Cable



USB-A+2C Port Charger

PD30W Charger + C to C Cable Set

Colour



Product Name	Electric Parameters
Model:	PP-30WACC-UK
Input:	100-240V~ 50-60Hz 0.8A
Total Output:	30W(Max)
USB-C:	5V/3A,9V/2.22A,12V/1.67A
USB-C	9V/2.22A,5V/3A
USB-A:	5V/3A,9V/2A,12V/1.5A
PPS:	5V-11V/2.7A
Plug:	UK

Product Features

Certification















USB-A+2C Port Charger

PD45W Charger + C to C Cable Set

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-45WACC-UK	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse
Total Output:	45W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,20.0V/2.25A 45W(Max)	models on oy market, with constant charging power.
USB-C	5V/3A,20.0V/2.25A 45W(Max)	
USB-A:	5V/3A,9V/2A,12V/1.5A 30W(Max)	Certification
PPS:	5V-11V/2.4A	CE FC ROHS
Plug:	UK	REACH UK CB



20W Built-in Data Cable



USB-L & USB-C Charger

PD20W Charger + C to L Cable Set



Product Name	Electric Parameters	Product Features
Model:	PP-20WCLEUCL	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.5A	technology for L to C reverse
Total Output:	20W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,9V/2.22A,12V/1.67A	models on oy market, with constant charging power.
USB-L:	9V/2.22A,5V/3A	Certification
Material:	PC Flame Retardant	CE FC ROHS
Color:	Black	REACH
Plug:	EU	







USB-A & USB-C Charger

PD20W Charger + C to C Cable Set

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-20WACEUCC	• Small size
Input:	100-240V~ 50-60Hz 0.5A	Intelligent fast charging Environmentally friendly materials
Total Output:	20W(Max)	High temperature resistant shell Better heat dissipation
USB-C:	5V/3A,9V/2.22A,12V/1.67A	Better neat dissipation
USB-A:	6V/3A, 9V/2A, 12V/1.5A	
Material:	PC Flame Retardant	
Color:	Black	
Plug:	EU	



20W Built-in Data Cable



USB-A & USB-C Charger

PD20W Charger + C to L Cable Set

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-20WACEUCC	Small size
Input:	100-240V~ 50-60Hz 0.5A	Intelligent fast charging Environmentally friendly materials
Total Output:	20W(Max)	High temperature resistant shell Better heat dissipation
USB-C:	5V/3A,9V/3A,12V/1.67A	C Setter near dissipation
USB-A:	6V/3A, 9V/2A, 12V/1.5A	
Material:	PC Flame Retardant	
Color:	Black	
Plug:	EU	



30W Built-in Data Cable



USB-L+1C+1A Port Charger

PD30W Charger + C to L Cable Set

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-30WACLEU	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse
Total Output:	30W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,9V/3A,12V/2.5A	models on oy market, with constant charging power.
USB-L:	9V/2.22A,5V/3A	Out!!institut
USB-A:	5V/3A,9V/2A,12V/1.5A	Certification RoHS
PPS:	5V-11V/2.7A	G (G) Kons
Plug:	EU	REACH



45W Built-in Data Cable



USB-L+1C+1A Port Charger

PD45W Charger + C to L Cable Set



Product Name	Electric Parameters	Product Features
Model:	PP-45WACLEUCL	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse
Total Output:	45W(Max)	charging for all mobile phone
USB-C:	5V/3A,20.0V/2.25A 45W(Max)	models on oy market, with constant charging power.
USB-L:	5V/3A,20.0V/2.25A 45W(Max)	2 117 11
USB-A:	5V/3A,9V/2A,12V/1.5A 30W(Max)	Certification
PPS:	5V-11V/2.4A	(E) F© ROHS
Plug:	EU	REACH



20W



USB-A & USB-C Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-20WAC-UK	Small size
Input:	100-240V~ 50-60Hz 0.5A	Intelligent fast charging Environmentally friendly materials
Total Output:	20W(Max)	High temperature resistant shell Better heat dissipation
USB-C:	5V/3A,9V/2.22A,12V/1.67A	Better neat dissipation
USB-A:	6V/3A, 9V/2A, 12V/1.5A	
Material:	PC Flame Retardant	
Color:	Black	
Plug:	uĸ	





USB-A & USB-C Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-30WAC-UK	Small size
Input:	100-240V~ 50-60Hz 0.5A	Intelligent fast charging Environmentally friendly materia
Total Output:	30W(Max)	High temperature resistant shell Better heat dissipation
USB-C:	5V/3A,9V/3A,12V/2.5A	Better neat dissipation
USB-A:	6V/3A, 9V/2A, 12V/1.5A	
Material:	PC Flame Retardant	
Color:	Black	
Plug:	UK	



45W



USB-A & USB-C Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-45WAC-UK	Small size
Input:	100-240V~ 50-60Hz 0.5A	Intelligent fast charging Environmentally friendly materials
Total Output:	30W(Max)	High temperature resistant shell
USB-C:	5V/3A,20.0V/2.25A 45W(Max)	Better heat dissipation
USB-A:	6V/3A, 9V/2A, 12V/1.5A	
Material:	PC Flame Retardant	
Color:	Black	
Plug:	ик	



43 CE 19

65W



2C+1A Port Charger

Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-60W2-GaN-UK	GaN chip
Input:	100-240V~ 50-60Hz 1.5A	Lightweight design Fast charging
Total Output:	65W(Max)	GaN Technology Low temperature fast charging
USB-C:	20V/3.25A,9V/3A,12V/3A	Compatible with PD/SCP/PPS
USB-A:	9V/3A,5V/3A,12V/3A	Multi-protocol
PPS:	3.3V-11V/5A	Certification
Color:	Black	
		RoHS CB







Phone Planet

12W



2*USB-A Port Charger

Fast Charging

Colour



Electric Parameters	Product Features
PP-12WAA-UK	• Small size
100-240V~ 50-60Hz 0.8A	Intelligent fast charging Environmentally friendly materials
12W(Max)	High temperature resistant shell Better heat dissipation
ик	
	Certification
	PP-12WAA-UK 100-240V- 50-60Hz 0.8A 12W(Max)



24W



2*USB-A Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-12WAA-UK	Small size
Input:	100-240V~ 50-60Hz 0.8A	Intelligent fast charging Environmentally friendly materials
Total Output:	24W(Max)	High temperature resistant shell Better heat dissipation
Plug:	UK	
		Certification (F RoHS REACH UK CB











USB-A*2 Port Charger

Fast Charging

Colour







24W UK **USB-A *2 Port Charger**

Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-12W-UK	Small size
Input:	100-240V~ 50-60Hz 0.3A	Intelligent fast charging
Total Output:	12W(Max)	Environmentally friendly materials High temperature resistant shell
USB-A1:	5V/2.4A 12W	Better heat dissipation
USB-A2:	5V/2.4A 12W	
Material:	PC Flame Retardant	Certification
Color:	Black	CF FC CB
Plug:	uk	



30W

USB-C & USB-A Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-30W-PDQCUK/EU	
Input:	100-240V~ 50-60Hz 0.8A	Small size Intelligent fast charging
Total Output:	PD 30W & QC3.0	Environmentally friendly materials High temperature resistant shell
USB-C:	5V/3A,9V/3A,12V/2.5A	Better heat dissipation
USB-A:	6V/3A, 9V/2A, 12V/1.5A	
PPS:	3.3V-11V/3A	Certification
Material:	PC Flame Retardant	(FC) RoHS
Plug:	UK/EU	REACH CB
		(1)



38W



USB-C & USB-A Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-38WPDQCUK	
Input:	100-240V~ 50-60Hz 1.0A	Small size Intelligent fast charging
put.	100 2-101 00 00112 1107	Dual port fast charging
Total Output:	USB-C+USB-A=38W(Max)	Fully compatible
USB-C:	5V/3A,9V/3A,12V/2.5A	Better heat dissipation
USB-A:	9V/2A,12V/1.5A	
		Certification
Material:	PC Flame Retardant	
Color:	Black	СВ
Plug:	uĸ	



20W

USB-C Port Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-20W-PDUK/US/EU	
Input:	100-240V~ 50-60Hz 0.5A	Small size Intelligent fast charging
Total Output:	PD 20W & QC3.0	Fully compatible Better heat dissipation Certification
USB-C:	5V/3A,9V/2.25A,12V/1.5A	
Material:	PC Flame Retardant	
Color:	Black/White	
Plug:	UK/US/EU	CE FC ROHS
		REACH LK CB



20W

USB-C & USB-A Charger


Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-20W-PDQCUK/US/EU	
Input:	100-240V~ 50-60Hz 0.5A	Small size Intelligent fast charging
Total Output:	PD 20W & QC3.0	Dual port output Fully compatible
USB-C:	5V/3A,9V/2.25A,12V/1.5A	Better heat dissipation
USB-A:	9V/2A,12V/1.5A	
Material:	PC Flame Retardant	Certification (6) FC ROHS
Color:	Black/White	
Plug:	UK/US/EU	REACH UK CB







100W GaN



2C+1A Port Charger

Fast Charging

Colour



Product Name	Electric Parameters
Model:	PP-100W GaN-UK
Input:	100-240V~ 50-60Hz 2.5A
Total Output:	100W(Max)
USB-C1:	20V/5A,9V/3A,12V/3A
USB-C2:	20V/3.25A,9V/3A,12V/3A
USB-A:	4.5V/5A,5V/4.5A,9V/3A
Color:	Black
Plug:	uk

s	Product Features
	Navitas Chip
	Lightweight Design
Α	● Fast Charging
	GaN Technology
	Low Temperature Fast Charging
	Compatible with PD/SCP/PPS
	Multi-protocol
Α	
	Certification















Material:

Color:

Plug:



Certification

(FC ROHS

REACH UK CB



2C+1A Port Charger

PC Flame Retardant

Black/White

UK/US/EU

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-60W GaN-UK/US/EU	Navitas chip
Input:	100-240V~ 50-60Hz 1.5A	Lightweight design Fast charging
Total Output:	65W(Max)	GaN Technology Low temperature fast charging
USB-C:	20V/3.25A,9V/3A,12V/3A	Compatible with PD/SCP/PPS
USB-A:	4.5V/5A,5V/4.5A	Multi-protocol
PPS:	3.3V-11V/5A	Certification RoHS
Color:	Black/White	
Plug:	UK/US/EU	REACH CE CB



100W GaN



2C+1A Port Charger

Fast Charging

Product Name Electric Parameters Model: PP-100W GaN-EU Input: 100-240V- 50-60Hz 2.5A Total Output: 100W(Max) USB-C1: 20V/5A,9V/3A,12V/3A USB-C2: 20V/3.25A,9V/3A,12V/3A USB-A: 4.5V/5A,5V/4.5A,9V/3A Color: White		
Input: 100-240V- 50-60Hz 2.5A Total Output: 100W(Max) USB-C1: 20V/5A,9V/3A,12V/3A USB-C2: 20V/3.25A,9V/3A,12V/3A USB-A: 4.5V/5A,5V/4.5A,9V/3A Color: White	Product Name	Electric Parameters
Total Output: 100W(Max) USB-C1: 20V/5A,9V/3A,12V/3A USB-C2: 20V/3.25A,9V/3A,12V/3A USB-A: 4.5V/5A,5V/4.5A,9V/3A Color: White	Model:	PP-100W GaN-EU
USB-C1: 20V/5A,9V/3A,12V/3A USB-C2: 20V/3.25A,9V/3A,12V/3A USB-A: 4.5V/5A,5V/4.5A,9V/3A Color: White	Input:	100-240V~ 50-60Hz 2.5A
USB-C2: 20V/3.25A,9V/3A,12V/3A USB-A: 4.5V/5A,5V/4.5A,9V/3A Color: White	Total Output:	100W(Max)
USB-A: 4.5V/5A,5V/4.5A,9V/3A Color: White	USB-C1:	20V/5A,9V/3A,12V/3A
Color: White	USB-C2:	20V/3.25A,9V/3A,12V/3A
	USB-A:	4.5V/5A,5V/4.5A,9V/3A
Plug: EU	Color:	White
•	Plug:	EU















65W GaN3

Ultra Slim Charger

Fast Charging

Colour



Electric Parameters	Product Features
PP-65W GaN3-UK	Biscuit Shape, Small Size
100-240V~ 50-60Hz 2.5A	65W High Power Foldable Pins
65W(Max)	Allocate Power Intelligently Simultaneous Fast Charging
20V/5A,9V/3A,12V/3A	
20V/5A,9V/3A,12V/3A	Certification
45W+20W	CE FC ROHS
Black	
uĸ	REACH CB
	PP-65W GaN3-UK 100-240V~ 50-60Hz 2.5A 65W(Max) 20V/5A,9V/3A,12V/3A 20V/5A,9V/3A,12V/3A 45W+20W Black



45W



Ultra Slim Charger

Fast Charging

Colour



Product Name	Electric Parameters	P
Model:	PP-45W GaN-UK	• Bi
Input:	100-240V~ 50-60Hz 2.5A	• 65 • Fo
Total Output:	45W(Max)	• Al
USB-C1:	20V/2.25A,9V/3A,12V/3A	
USB-C2:	20V/2.25A,9V/3A,12V/3A	
USB-C1+C2:	25W+20W	
Color:	Black	
Plug:	UK	RE/





roduct Features

locate Power Intelligently nultaneous Fast Charging









Travel Charger Series







PP-SC011 PD45W 2000W Max

2C+2A Travel Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-SC011	• 2000W High Power
Input:	100-250V~ 50-60Hz 1.25A	Simultaneous use of 6 devices Meet different national standards
Total Output:	250V/8A 2000W(Max) 100V/8A 800W(Max)	Compact and portable Dual Fuse Eight protection
USB-C:	5V/3A,9V/2A,20V/2.25A 45W(Max)	
USB-A:	9V/2A,5V/3A,12V/1.5A 18W(Max)	Certification
USB Output:	5V/3A(Total)	Certification
Color:	Black	•
Plug:	UK/EU/AUS/US	



PP-SC012 PD20W 2000W Max



2C+2A Travel Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-SC012	• 2000W High Power
Input:	100-250V~ 50-60Hz 1.25A	Simultaneous use of 5 device Meet different national stands
Total Output:	250V/8A 2000W(Max) 110V/8A 880W(Max)	Compact and portable Dual Fuse Eight protection
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-A:	9V/2A,5V/3A,12V/1.5A	Certification
USB Output:	5V/3A(Total)	CE UK
Color:	Black	CA CA
Plug:	UK/EU/AUS/US	





PP-SC013 PD20W 3520W Max

1C+2A Port Charger Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-SC013	• 3250W High Power
Input:	100-250V~ 50-60Hz 1.25A	Simultaneous use of 6 devices Multiple Outputs Expansion
Total Output:	250V/13A 3250W(Max)	Compact and portable Dual Fuse Eight protection
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-A:	9V/2A,5V/3A,12V/1.5A	
USB Output:	5V/3A(Total)	Certification
Color:	Black	
Plua:	UK	



PP-SC014 PD45W 1840W Max

2C+2A Travel Charger

Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-SC014	• 1840W High Power
Input:	100-250V~ 50-60Hz 1.25A	Simultaneous use of 5 devices Meet different national standards
Total Output:	230V/8A 1840W(Max) 110V/8A 880W(Max)	Compact and portable Dual Fuse Eight protection
USB-C:	15V/3A,9V/3A,20V/2.25A	
USB-A:	9V/2A,5V/3A,12V/1.5A	Certification
USB Output:	45W(Max)	
Color:	Black	CE US FC
Plug:	UK/EU/AUS/US	



PP-SC010 PD20W 3250W Max



Multi-Function Plug

Fast Charging

Product Name	Electric Parameters	Product Features
Model:	PP-SC010	• 3250W High Power
Socket Current:	13A	Simultaneous use of 8 devices3M Cable
Total Output:	250V @ 3250W(Max)	Overload ProtectionProtects Against Power Surges
USB-C:	15V/3A,9V/2.22A,12V/1.5A	
USB-A1/A2:	5V/2.4A	Certification
USB-A3:	5V/3A,9V2A,12V/1.5A	
Color:	White	RoHS
Plug:	UK	



Car Charger Series







PP-CC03 38W

1C+1A Car Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CC03	Mini Size
Input:	DC 12-24V	Dual USB-A Safe Charging
Total Output:	38W(Max)	Current Overvoltage Protection
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-A:	3.6-6.5V/3A,9V/2A	Certification
Material:	PC Flame Retardant	Certification (E) F© RoHS
Color:	Black	CO (FO ROMS
Size:	35*26*61mm	



PP-CC04




2C+1A Car Charger

Fast Charging

Colour



Model: PP-CC04 PFast charging on every port MacBook & Ipad & IPhone MacBook & Ipad & IPhone MacBook & Ipad & IPhone Input: 60W(Max) USB-C1: 5V/3A,9V-3A,20V/1.5A USB-A: 4.5V/5A,9V-1.5A,V/3A Certification PPS: 3.3-11V/3A Certification PPS: 3.3-11V/3A Certification PPS: 3.3-11V/3A PPS			
Input: DC 12-24V	Product Name	Electric Parameters	Product Features
Input: DC 12-24V	Model:	PP-CC04	
USB-C1: 5V/3A,9V-3A,20V/1.5A USB-A: 4.5V/5A,9V-1.5A,V/3A PPS: 3.3-11V/3A Color: Black	Input:	DC 12-24V	
USB-A: 4.5V/5A,9V-1.5A,V/3A	Total Output:	60W(Max)	
PPS: 3.3-11V/3A Color: Black	USB-C1:	5V/3A,9V-3A,20V/1.5A	
PPS: 3.3-11V/3A Color: Black	USB-A:	4.5V/5A,9V-1.5A,V/3A	Cortification
Color: Black	PPS:	3.3-11V/3A	CE FC ROHS
Size: 79.7*35.2*22.6mm	Color:	Black	
	Size:	79.7*35.2*22.6mm	(II)



PP-CC05 51W

1C+1A Car Charger

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CC05	Mini Size
Input:	DC 12-24V	Dual USB-A Safe Charging
Total Output:	51W(Max)	Current overvoltage protection
USB-C:	5V/3A,9V/3A,12V/2.25A	
USB-C:	5V/3A,9V/2A,12V/1.5A	Certification
PPS:	3.3V-11V/3A	Certification
Color:	Black	KOHS
Size:	35*25*61mm	



PP-CC06 120W

4 IN 1 Car Charger

Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-CC06	Built-in safety fuse
Input:	DC 12-24V	Voltage display Retractable cables
Total Output:	120W(Max)	Short circuit protectio Charge 4 device at the same time
USB-A:	5V/2.4A	
USB-C	5V/3A,9V/3A,12V/2.25A	Certification
Type-C Cable:	PD 100W Super fast charge	
Lightning Cable:	6V/2.4A 14W	CE FC ROHS
Tension Line:	80CM	(II) CB
Size:	139*65*35.5mm	

Notice: USB-C and Lightning Port Cant Use Simultaneously. PP-CC07 80W

USB-L+1C+1A Port Charger

Fast Charging+Built-in C to L Data Cable



Product Name	Electric Parameters	Product Features
Model:	PP-CC07	Built-in Safety Fuse
Input:	DC 12-24V	Voltage DisplayRetractable Cables
Total Output:	80W(Max)	Short Circuit ProtectioCharge 4 Device at the
USB-A:	5-12V-3A,20V-2.25A (Max 45W)	Dame Time
USB-C	5V/3A,9V/3A,12V/2.25A (Max 30W)	
Lightning:	5V/3A,9V/3A,12V/2.25A (Max 30W)	Certification
PPS:	PD30W+QC45W	RoHS
Tension Line:	100CM	
Size:	72*35*35mm	



PP-CC08 120W

4 IN 1 Car Charger

Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-CC08	● Type-C 66W Fast Charge
Input:	DC 12-24V	Star Laser Projection Colorful Ambient Lighting
Total Output:	120W(Max)	 Angle 180° Adjustment 80CM Type-c and Lightning Cable
USB-A:	5V/2.4A	Charge 4 Device at the Same Tim
USB-C	5V/3A,9V/3A,12V/2.25A	
Type-C Cable:	PD 66W Super Fast Charge	Certification
Lightning Cable:	6V/2.4A 14W	(FC ROHS
Tension Line:	80CM	
Size:	145*63*33.5mm	



Power Bank Series



Tesla Battery Core





PP-PB20WPD03 10000mAh Power Bank

USB-C+USB-A Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-PB20WPD03	• Mini Size
Input:	5V/3A,9V/2A,12V/1.5A	Dual USB-A Safe Charging
Capacity:	10000mAh	Tesia Battery Core Current Overvoltage Protection
USB-C:	PD 20W	
USB-A:	5V/3A,9V/2A,12V/1.5A	Certification
Weight:	175G	CE FC ROHS
Color:	Black	ROHS
Size:	79*56.5*25.8mm	MSDS CB UN38.3



PP-PB20WPD04 20000mAh Power Bank

USB-C+USB-A Fast Charging

Colour



Product Name	Electric Parameters	Product Featu
Model:	PP-PB20WPD03	Mini Size
Input:	5V/3A,9V/2A,12V/1.5A	Dual USB-A Safe Charging
Capacity:	20000mAh	Tesia Battery Core Current Overvoltage Pro
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	
USB-A:	5V/3A,9V/2A,12V/1.5A	Certificatio
Weight:	335G	Certification
Color:	Black	
Size:	149*56.5*25.8mm	MSDS CB







PP-PB22.5W05

10000mAh Power Bank

4-Port Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W05	Fast Charging
Input:	5V/3A,9V/2A,12V/1.5A	True Capacity Replaceable Cable
Capacity:	10000mAh(3.7V/37Wh)	LCD Display Mini Size
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	
USB-A:	4.5V/5A,9V/2A,12V/1.5A 22.5W Max	0
USB-C Line:	5V/3A,9V/2.2A,12V/1.6A	Certification
Lightning Line:	5V/2.4A	MSDS UN38.3
Color:	Black	



PP-PB22.5W06

10000mAh Power Bank

4-Port Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W06	• Fast Charging
Input:	5V/3A,9V/2A,12V/1.5A	True Capacity Replaceable Cable
Capacity:	10000mAh(3.7V/37Wh)	LCD Display Mini Size
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	
USB-A:	4.5V/5A,9V/2A,12V/1.5A 22.5W Max	Certification
USB-C Line:	5V/3A,9V/2.2A,12V/1.6A	Certification
Lightning Line:	5V/2.4A	MSDS UN38.3
Color:	Black	



PP-PB22.5W07

5000mAh Power Bank

Wireless 3-Port Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W07	1.Fast Charge 2.Real Capacity
Input:	5V/3A,9V/2A,12V/1.5A	3.Automatic Identification iPhone
Capacity:	5T000mAh(3.7V/18.5Wh)	4.Double POP-UP Window, show Phone and Power Bank Battery
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	5.Strong Magnetic 6.With Hang Hole,Easy to Carry.
USB-A:	4.5V/5A,9V/2A,12V/1.5A 22.5W Max	• 7.MINI Siz
Wireless:	15W	Certification
Color:	Black	MSDS UN38.3 CB



PP-PB22.5W08

10000mAh Power Bank

Wireless 4-Port Fast Charging

Colour



Product Name	Electric Parameters	I
Model:	PP-PB22.5W08	I
AC Input:	12W	
Capacity:	10000mAh(3.7V/37Wh)	
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	
USB-A:	4.5V/5A,9V/2A,12V/1.5A 22.5W Max	
Lightning Intput:	5V/2A	
Lightning Output:	5V/3A,9V/2.2A,12V/1.6A	
Wireless:	15W	
Color:	White + Orange	

ters	Product Features
	Fast charging
	Stand Mode
	Strong Magnetic
Wh)	Sling 2-in-1 Cable
,	Small Size
/1.6A	Can Be Used as a Wall Charger
/1.5A	
	Certification







PP-PB22.5W09

10000mAh Power Bank

3-Port Fast Charging

Colour




Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W09	• Fast Charging
Input:	5V/3A,9V/2A,12V/1.5A	True Capacity Replaceable Cable
Capacity:	10000mAh	LCD Display Mini Size
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	
USB-C Cable:	5V/3A,9V/2A,12V/1.5A	
USB-L Cable:	5V/3A,9V/2.2A,12V/1.6A	Certification
Color:	Beige	MSDS UN38.3
Size:	70*68*21mm	MSDS UN38.3



PP-PB22.5W010 20000mAh Power Bank

4-Port Fast Charging

Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W010	Fast Charging
Input:	5V/3A,9V/2A,12V/1.5A	True Capacity Replaceable Cable
Capacity:	20000mAh	LCD Display Mini Size
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-C Cable:	5V/3A,9V/2A,12V/1.5A	
USB-L Cable:	5V/3A,9V/2.2A,12V/1.6A	Certification
USB-A:	5V/4.5A,9V/2.0A,12V/1.5A	MSDS UN38.3
Color:	Black	



PP-PB22.5W011

20000mAh Power Bank

4-Port Fast Charging




Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W011	• Fast Charging
Input:	5V/3A,9V/2A,12V/1.5A	True Capacity Replaceable Cable
Capacity:	20000mAh	LCD Display Mini Size
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-C Cable:	5V/3A,9V/2A,12V/1.5A	Certification
USB-L Cable:	5V/3A,9V/2.2A,12V/1.6A	
USB-A:	5V/4.5A,9V/2.0A,12V/1.5A	CE FC ROHS
Color:	Black	MSDS UN38.3

















































PP-IPXR 3690mAh

High Capacity Li-ion Battery

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-IPXR	High Capacity Battery
Rated Vollage	3.8V12.4Wh	Integrated Circuit Protection
Charge Limited Vollage:	4.35v	
Rated Capacity:	3690mAh	
Material:	Li-ion Battery	Certification MSDS UN38.3




PP-IPX **3250mAh**

High Capacity Li-ion Battery



Product Name	Electric Parameters	Product Features
Model:	PP-IPXR	High Capacity Battery
Rated Vollage	3.8V14.0Wh	Integrated Circuit Protection
Charge Limited Vollage:	4.35v	
Rated Capacity:	3250mAh	
Material:	Li-ion Battery	Certification MSDS UN38.3



CarPlay Series











PP-CP01 CarPlay

2-in-1 Wireless Adapter

Full Android System/Wireless CarPlay/Android

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CP01	Plug and PlayOnline Upgrade
Product Name:	CarPlay Wireless Adapter	Original Car Touch Control
Configuration:	Synchronize Mobile Phone	Run SmoothlyAutomatic Connection
Networkl:	Sync Cellular Network	Low-power Chip Voice Control is Quick to Operate
Material:	Aluminum Alloy+Tempered Glass	5G WIFI Technology, Stable Connection
Power Supply:	USB Cable	Without Disconnection. Certification
Input/Output:	USB-A or Type-C	
Device:	ios/Android	CE FC ROH
Connection:	Wired/Wireless	UK CA



PP-CP02 CarPlay

3-in-1 Wireless Adapter

Full Android System/Wireless CarPlay/Android Auto



Product Name	Electric Parameters	Product Features
Model:	PP-CP02	Plug and PlayOnline Upgrade
Product Name:	Ai Box for Car and Machine Interconnection	Original Car Touch Control
Configuration:	Synchronize Mobile Phone	Run SmoothlyAutomatic Connection
Networkl:	Sync Cellular Network	Low-power Chip Voice Control is Quick to Operate
Material:	Aluminum Alloy+Tempered Glass	5G WIFI Technology, Stable Connection
Power Supply:	USB Cable	Without Disconnection. Certification
Input/Output:	USB-A or Type-C	Continuation
Device:	ios/Android/TF	CE
Connection:	Wired/Wireless	



PP-CP03 CarPlay

Multimedia Car Smart Box

CarPlay/AI Box With HDMI



Product Name	Electric Parameters	Product Features
Model:	PP-CP03	● Intelligent IC chip
Operating system:	Android 13	 3.5G WIFI technology, stable connec Wireless CarPlay/Android Auto Support YouTube/Netflix
CPU:	Qualcomm 6125	 Support USB Flash/MMC card playba Support mobile phone screen mirror
Rom:	8+128GB	Built-in 4G full network communication module Support OTA online upgrade
Ports:	Type-C port, TF card slot, SIM card slot,Mini HDMI	Support app shop to download A
HDMI Port:	Supports High-definition Output	Certification
Compatible:	IOS10 and above Or Android phone with Android 11	
Size:	61*61*13.4mm	




PP-CP04 CarPlay

Multimedia Car Smart Box

CarPlay/AI Box With HDMI



Product Name	Electric Parameters	Product Features
Model:	PP-CP04	• Intelligent IC chip
Operating system:	Android 13	 3.5G WIFI technology, stable connection Wireless CarPlay/Android Auto Support YouTube/Netflix
CPU:	Quad-core A53	4K Video Decoding Support Mobile Phone Screen Mirroring
Rom:	4+32GB	Built-in 4G Full Network Communication Module Support OTA Online Upgrade Support App Shop to DownloadA
Ports:	Type-C port, USB-A Port, Mini HDMI Port,	
HDMI Port:	Supports High-definition Output	Certification
Compatible:	IOS10 and above Or Android phone with Android 11	CE
Size:	78.5*47.3*10.8mm	



Series





PP-SC01 Wi-Fi



3MP Smart Camera

Home Security Wi-Fi Camera

Product Name	Electric Parameters	Product Features
Model:	PP-SC01	Wifi+BLE Connection
Storage:	Cloud service/TF Card	• High-quality, Clear Images
Compatible Devices:	Android, iOS	Customizable Activity Area
Wireless Encryption:	WEP/WPA/WPA2	Human Body Filter Sound Detection
Audio:	Microphone/Speaker	- Count Detection
Lens Angle:	108°	
Infrared Distance:	10 Meters	
Wi-Fi Standard:	802.11b/g/n	
Power:	5V/1A	Certification
Storage:	256GB TF card/cloud	CE



PP-SC02 Wi-Fi



3MP Smart Camera

Home Security Wi-Fi Camera

Product Name	Electric Parameters	Product Features
Model:	PP-SC02	WifitBLE Connection
Storage:	Cloud service/TF Card	• High-quality, Clear Images
Compatible Devices:	Android, iOS	• 360° Rotation
Wireless Encryption:	WEP/WPA/WPA2	Customizable Activity AreaHuman Body Filter
Audio:	Microphone/Speaker	Sound Detection
Lens Angle:	108°	
Infrared Distance:	10 Meters	
Wi-Fi Standard:	802.11b/g/n	
Power:	5V/1A	Certification
Storage:	256GB TF card/cloud	RoHS (ϵ)




PP-SC03 Wi-Fi



3MP Smart Camera

Outdoor & Indoor Home Security Wi-Fi Camera

Product Name	Electric Parameters	Product Features
Model:	PP-SC03	WifitBLE Connection
Storage:	Cloud service/TF Card	• 1.6mm Lens
Compatible Devices:	Android, iOS	Color Night Vision
Wireless Encryption:	WEP/WPA/WPA2	 High Brightness Spotlight 360° Rotation
Audio:	Microphone/Speaker	Customizable Activity Area
Lens Angle:	108°	● Human Body Filter
Infrared Distance:	10 Meters	Sound Detection
Wi-Fi Standard:	802.11b/g/n	IP65 Waterproof
Power:	5V/1A	Certification
Storage:	256GB TF card/cloud	RoHS (E) FC



PP-DC01 1080P

Intelligent Car Recorder

1080P HD Dash Cam



Product Name	Electric Parameters	Product Features
Model:	PP-DC01	Wifi Mobile Interconnection
Pixel:	1080P	Parking MonitoringTime-lapse Recording
Intput:	5V-0.5A	Loop RecordingStarlight Night Vision
Plug:	TYPE-C	
Battery:	Button Battery	
Accessories:	Genuine 3M Glue Type-C Power Cable	



Front Dash Cam






Rear Cam

PP-DC02 4K+1080P Car Dash Cam

Your Virtual Eye Capturing Everything



Product Name	Electric Parameters	Product Features
Model:	PP-DC02	• 4K+1080P
CPU:	Hi3516CV610 - 20S	● 24 Hours Parking Surveillance
Image Sensor:	Front - GC4653, Rear - AHD1080P	● Time-lapse recording
Lens:	Six-group All-glass Lens	wifi cell phone interconnectionHigh Definition Picture Quality
Aperture:	F1.8	Loop Recording
Diagonal Angle:	1.47-inch Screen / Resolution:320×172	Starlight Night Vision
Angle:	140° Wide Angle	
Resolution:	4K (3840×2160)	
Storage:	TF Card (256G Max)	
Power Interface:	Type-C	



Car Bracket Series







PP-HD01

360°

Rotatable Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD01	Wider Clamping Arm Design
Material:	PC+ABS+Silicome	Pull-down design Fits most mobile phone sizes
Weight:	158G	Exclusive Patent
Color:	Black	
Description:	Compatible with all smartphones up to 6.7 inches Telescoping arm adjusts from 4.13 inches to 5.75 inches, adjustable 240 degrees for optimal viewing angle	



PP-HD02 360° Magnets Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD02	Free angle adjustment
Material:	PC+ABS+Silicome	Magnetic stand Foldable for storage
Weight:	104G	Suitable for mobile phones/tablet
Color:	Black	
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



PP-HD03

360°

Magnetic Charging Bracket

Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD03	Built-in 6 N45 magnets
Material:	ABS+Silicome	360 degree adjustable rotation 3M adhesive magnetic pad
Weight:	74G	Exclusive Patent
Output:	15W/10W/7.5W/5W	
Color:	Black	
Description:	The chuck can be used in the outlet or air outlet, say goodbye to cumbersome, to achieve extremely fast installation; it also has a charging function	Certification REACH ROHS



PP-HD04 360° Gripper Car Bracket

Supports Multi-stage Adjustment



Product Name	Electric Parameters	Product Features
Model:	PP-HD04	Soft silicone material
Material:	Metal Parts+Silicome	H-shape design increases bonding area
Weight:	163G	Good heat resistance and heat dissipation
Color:	Black	Suitable for most mobile
Description:	The large clamp arm bracket is stable and anti slip, and can be installed on the center console of a car	phone models



PP-HD05 360° Magnets Car Bracket

Supports Multi-stage Adjustment

Colour

Color:

Description:



Product Name	Electric Parameters	Product Features
Model:	PP-HD05	Built-in 6 N45 magnets
Material:	PC+ABS+Silicome	360 degree adjustable rotation 3M adhesive magnetic pad
Weight:	71.5G	Exclusive Patent
Color:	Black	
Description:	Foldable design, easy to carry with you. 120* adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	Certification REACH ROHS



PP-HD06 360° Magnets Car Bracket

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD06	Strong Magnet
Material:	PC+ABS+Silicome	Solid Adsorption Occupy No Space
Weight:	25.9G	Easy To Carry
Color:	Black	
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	





Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design



Magne	HD08 ets Car E	360° Bracket
Product Name	Electric Parameters	Product Features
Model:	PP-HD08	Free angle adjustment
Material:	PC+ABS+Silicome	Magnetic stand Foldable for storage
Weight:	104G	Suitable for mobile phones/tablets
Color	Black	

Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility,

suitable for 4-13 inches phones and tablets. Simple but stylish design

Description:



PP-HD09 360° **Magnets Car Bracket** Supports Multi-stage Adjustment Colour **Product Name Electric Parameters Product Features** Model: PP-HD09 Material: PC+ABS+Silicome Occupy No Space Size: 65.5*21*17.5mm Color: Black Foldable design, easy to carry with you.360° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches

phones and tablets.
Simple but stylish design

Description:



PP-HD10 360°

Magnetic Car Mount

Electric Suction Cup& 360° Rotatable


Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD10	• 360° Rotation
Suction Force:	5KG	High-capacity Battery Strong Adsorption Force
Battery capacity:	130mAh	Electric Suction Cup
Color:	Black	
Material:	Aluminum alloy + ABS	
Phone Size:	4.7 inches ~ 7 inches	
		Certification
		MSDS UN38.3









flexibility,and can bend freely without

Description:



PP-HD13 360°


Magnetic Phone Holder

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD13	• Free Angle Adjustment
Material:	PC+PET+Silicome	17 Pcs N52 Magnets Foldable For Storage
Magnets:	17 Pcs N52 Magnets	Suitable For Mobile Phones
Weight:	90G	
Color:	Black	
Description	Mounts Wherever You Want: airplane or train tray	Certification
Description:	tables, desks, luggage handles, kitchencabinets.	REACH ROHS



PP-HD14

360°

Magnetic Phone Holder

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD14	• Free Angle Adjustment
Material:	PC+PET+Silicome	17pcs N52 Magnets Foldable For Storage
Magnets:	17 Pcs N52 Magnets	6 Psc N54 Magnetic Base Suitable Sor Mobile Phones
Weight:	75g	
Color:	Black	
Description:	This magnetic phone holder has a 17psc N52 magnet built into the round part and a 6psc N54 magnet built into the base of the holder, which can	Certification







Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD15	Free Angle Adjustment
Material:	ABS+PC+ Hardware + Silicone + Aluminum Alloy	17 Pcs N54 Magnets Foldable For Storage
Magnets:	17 Pcs N54 Magnets	Suitable For Mobile Phones
Weight:	160G	
Color:	Black	
Description:	It features a foldable design, which means you can easily take it with you at home or on the go, and experience the flexibility and versatility of the adjustable phone holder.	Certification REACH ROHS



PP-HD16 360° **Sucker Phone Holder**

be firmly fixed to metal objects.

Supports Multi-stage Adjustment



Product Name	Electric Parameters	Product Features
Model:	PP-HD16	● 360° Free Angle Adjustment
Material:	ABS+PC+PET+Silicome	Magnetic Bracket Water and Sweat Resistant
Magnets:	17 Pcs N54 Ring Magnets	Powerful Suction Cups
Weight:	37.5G	
Color:	Black	
Description:	The magnetic and suction cup combination phone holder, combined with the nylon hanging rope, allows you to use your phone more safely in a variety of scenarios.	



PP-HD17 360°

Sucker Phone Holder

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD17	• 360° Free Angle Adjustment
Material:	ABS+PC+PET+Silicome	Magnetic Bracket Water and Sweat Resistant
Magnets:	17 Pcs N54 Ring Magnets	Powerful Suction Cups
Weight:	90G	
Color:	White Purple	
Description:	The magnetic and suction cup combination phone holder, combined with the nylon hanging rope, allows you to use your phone more safely in a training the constitute of the safely in a second constitution.	



PP-HD18

360°

Magnetic Phone Holder

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD18	• Free Angle Adjustment
Material:	Zinc alloy +ABS	N52 Magnets Foldable For Storage
Magnets:	N52 Magnets/3200 Gauss	Suitable For Mobile Phones
Weight:	84g	
Color:	Gunmetal Gray	
Description:	Rotatable and foldable Magsafe magnetic bracket, free rotation, dual-axis two-way rotation, bracket 360/720-degree directional conversion limit,base uses automotive-specific 3M adhesive.	



PP-HD19

360°


Magnetic Phone Holder

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD19	● Free Angle Adjustment
Material:	ABS+PC+ Hardware + Silicone + Carbon Steel	N52 Magnets Foldable For Storage
Magnets:	17 Pcs N52 Magnets	Suitable For Mobile Phones
Weight:	110g	
Color:	Black	
Description:	Rotatable and foldable Magsafe magnetic bracket, free rotation, dual-axis two-way rotation, bracket 360/720-degree directional conversion limit,base uses automotive-specific 3M	



PP-HD20 360° **Folding Bracket**

Supports Multi-stage Adjustment



Product Name	Electric Parameters	Product Features
Model:	PP-HD20	• Free Angle Adjustment
Material:	Carbon Steel	Sturdy Support Foldable For Storage
Size:	140*85*90	Suitable For Mobile Phones
Weight:	110g	
Color:	Gray	
Description:	Folding bracket: Made of high-grade carbon steel, compatible with a wide range of phones, suitable for 4.7-8 inch phones. The base is stable, with a bezel surface, and can be adjusted 360° to adjust the angle.	



PP-HD21 360°

Magnetic Phone Holder

Supports Multi-stage Adjustment

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD21	• Free Angle Adjustment
Material:	Zinc alloy +ABS	N52 Magnets Foldable For Storage
Magnets:	N52 Magnets/3200 Gauss	Suitable For Mobile Phones
Weight:	154g	
Color:	Gunmetal Gray	
Description:	Rotatable and foldable Magsafe magnetic bracket, free rotation, dual-axis two-way rotation, bracket 360/720-degree directional conversion limit,base uses automotive-specific 3M	



PP-HD22 360°

Magnetic Phone Holder


Vacuum Chuck with 360° Rotation

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HD22	Double the Magnetic Force
Material:	ABS+PC	Doesn't take up Much Space Dual Axis Adjustment
Magnets:	19 Pcs N52 Magnets	Unlimited Space
Size:	59*59*43mm	
Color:	Black	
Description:	Vacuum magnetic holder, when pressed towards a smooth surface such as a wall, the swing ON button performs vacuum suction	Certification

and holds it in place.

















Soft 05

Magnetic Phone Bracket

Supports Multi-stage Adjustment

Colour









Product Name	Electric Parameters	Product Featur
Model:	PP-PH05	• Strong suction power
Material:	Silicone	Soft, no cutsMulti-angle easy swivel
Weight:	16.2G	Suitable for mobile phonesStylish, mini and lightweig
Color:	Black/Silver/Dark Blue/Purple	
	Five-Layer structure	
	Finger control farewell hand	Certification
	slip, Applicable to iP12.13.	
Description:	14.15 series mobile phones	MSDS Rol
	Suitable for mobile phone	

case with magnetic function









Soft 06

Retractable Phone Bracket

Supports Multi-stage Adjustment

Colour





(4 Colors)





Product Name	Electric Parameters	Product Features
Model:	PP-PH06	Adjustable Flexible Finger Gip
Material:	TPU+Stainless steel+ Genuine 3M glue	Self Standing (Horizontal/Vertical)Easy & Safe for one hand operation
Size:	81*25*4mm	One finger is enough to carry the phone
Color:	Black/Silver/Dark Blue/Purple	Selfie? No Problem
	Phone Grip Holder, Finger Cell Phone Grip, Silicone	Certification
Description:	Phone Finger Strap, Telescopic Mobile Phone Holder for All Smartphones	RoHS



Headphones Series





PP-HP05-GY

Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour



Product Name	Electric Parameters	
Model:	PP-HP05-GY	
Wireless Version:	V5.3	
Chip:	JL7006F4	
Horn Size:	40mm	
Horn Impedance:	32Ω	
Frequency Range:	20Hz-20KHz	
Sensitivity:	105dB +/ 3dB@1KHz	
Battery Capacity:	800mAh	
Charging Time:	2 hours	
Playback Time:	60 hours	
Connection Play:	46 hours	
Distance:	10m	
Charging Cable:	Type-C	

Product Features

- Soundproof sponge
- Support NTC temperature control
- High cost performance
- It can be rotated and folded
- Active noise reduction
- High quality High sound quality
- Call noise reduction
- With 3.5mm audio jack

Certification













PP-HP01-WE

Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HP01-WE	
Wireless Version:	V5.3	Unique Appearance
Chip:	JL7026	Easy to Carry
Horn Size:	40mm	High Cost Performance
Horn Impedance:	32Ω	Type C Charging Port
Frequency Range:	20Hz-20KHz	Call Noise Reduction
Sensitivity:	103dB +/3dB	Support NTC temperature control
Battery Capacity:	400mAh	
Charging Time:	3.5 hours	Certification
Playback Time:	55 hours	CE FC ROHS
Distance:	10m	
Charging Cable:	Type-C	REACH MSDS UN38.3



PP-HP02-KI

Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour



Product Name	Electric Parameters
Model:	PP-HP02-KI
Wireless Version:	V5.3
Chip:	JL7026
Horn Size:	40mm
Horn Impedance:	32Ω
Frequency Range:	20Hz-20KHz
Sensitivity:	103dB +/3dB
Battery Capacity:	400mAh
Charging Time:	3.5 hours
Playback Time:	55 hours
Distance:	10m
Charging Cable:	Type-C

Certification
Support NTC temperature
Call Noise Reduction
Type C Charging Port

Product Features









PP-HP03-BK


Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-HP03-BK	Soundproof sponge
Wireless Version:	V5.3	Support NTC temperature control
Chip:	JL7006F4	High cost performance
Horn Size:	40mm	It can be rotated and folded
Horn Impedance:	32Ω	Active noise reduction
Frequency Range:	20Hz-20KHz	High quality High sound quality
Sensitivity:	105dB +/ 3dB@1KHz	Call noise reduction
Battery Capacity:	800mAh	With 3.5mm audio jack
Charging Time:	2 hours	Certification
Playback Time:	60 hours	CE REACH ROHS
Distance:	10m	
Charging Cable:	Type-C	UN38.3 MSDS



PP-HP04-BK

Wireless Headphones

OWS Headphones Hi-Fi Sound




Product Name	Electric Parameters	Product Features
Model:	PP-HP04-BK	
Wireless Version:	V5.3	Unique Appearance
Chip:	JL7006F4	• Easy to Carry
Horn Size:	40mm	High Cost Performance
Horn Impedance:	32Ω	Type C Charging Port
Frequency Range:	20Hz-20KHz	Call Noise Reduction
Sensitivity:	105dB +/ 3dB@1KHz	Support NTC temperature control
Battery Capacity:	800mAh	
Charging Time:	2 hours	Certification
Playback Time:	60 hours	CE REACH ROHS
Dietanco:	10m	









PP-BT01 5.1BT

Sports Headset

In-Ear Headset



Product Name	Electric Parameters	Product Features
Model:	PP-BT01	● Hi-Fi Sound
Material:	Silicone	Built-in MicrophoneUp to 120 Hours Stand By
Battery:	105mAh	Durable & Lightweight Flexible Wire
Waterproof:	IPX-4	
Charging	Type-C	Certification
Playing Time:	6H	MSDS UN38.3
Rated Power:	3mW	UNJULI ON THE PROPERTY OF THE
Color:	Black	





TWS Wireless Headset

Supports Wireless Charging & Lightning Port

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-BT02	• 1:1 Original Model
BT version:	V5.1	120H Standby Time Wired & Wireless Dual Charging
Range:	10m	 Strong Signal & Stable Connection Low Power Consumption & Long
Speaker:	13mm	Battery Life
Rated Power:	3mW	Certification
Battery:	Earphone 30mAh*2	RoHS
Charging Case:	320mAh	
Playing Time:	4-5H	MSDS UN38.3



PP-BT03 5.3BT

TWS Wireless Headset

Supports Wireless Charging & Lightning Port

Colour

Product Name	Electric Parameters	Pr
Model:	PP-BT03	• 1:1 0
BT version:	V5.3	SOH S Wired
Range:	10m	Stron Low I
Speaker:	13mm	Batte
Rated Power:	3mW	
Battery:	Earphone 28mAh*2	a
Charging Case:	250mAh	9
Playing Time:	4-5H	

Electric Parameters	Product Features
PP-BT03	• 1:1 Original Model
V5.3	50H Standby Time
V5.3	Wired & Wireless Dual Charging
10m	Strong Signal & Stable Connection
	Low Power Consumption & Long Battery Life
13mm	Battery Life
3mW	
	Certification
Earphone 28mAh*2	CE MSDS UN38.3
250mAh	WI3D3 (M38.3)



PP-BT04 5.1BT

TWS Wireless Headset

Supports Wireless Charging & Lightning Port

Colour





PP-BT05

5.3BT

In-ear Wireless Headset

Supports Wireless Charging & Lightning Port

Product Name	Electric Parameters	Product Features
Model:	PP-BT05	• 1:1 Original Model
BT version:	V5.3	S0H Standby Time Wired & Wireless Dual Charging
Range:	10m	Strong Signal & Stable Connection Low Power Consumption & Long
Speaker:	13mm	Battery Life
Rated Power:	3mW	Certification
Battery:	Earphone 28mAh*2	
Charging Case:	250mAh	MSDS UN38.3
Playing Time:	4-5H	



PP-BT06 5.3BT

2 IN 1 Wireless Headset

Supports Wireless Charging & Type-C Port

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-BT06	ENC Noise Reduction
BT version:	V5.3	DUAL Microphone For Better Call Hi-Fi Stereo Sound With Bass
Range:	10m	90Hrs Standby Waterproof Technology: IPX4
Speaker:	13mm	
Rated Power:	3mW	Out To all an
Battery:	Earphone 25mAh*2	Certification
Charging Case:	400mAh	MSDS UN38.3
Playing Time	2 5H	



PP-BT07

Product Name	Electric Parameters	Product Fe
Model:	PP-BT07	High Fidelity
BT version:	V5.3	Stereo Sound Inductive touch
Range:	10m	Two Headphones F
Speaker:	13mm	
Rated Power:	3mW	Contifica
Battery:	Earphone 30mAh*2	Certifica
Charging Case:	300mAh	MSD MSD
Playing Time:	4-5H	

Wireless Headset 5.3BT Version/300mAh Charging Box		
Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-BT07	High Fidelity
BT version:	V5.3	Stereo Sound Inductive touch
Range:	10m	Two Headphones Free switching
Speaker:	13mm	
Rated Power:	3mW	
Battery:	Earphone 30mAh*2	Certification
Charging Case:	300mAh	MSDS UN38.3
Playing Time:	4-5H	









PP-BT08 BT5.4

Ear-Hook Noise Headphones

ENC intelligent Noise Cancellation

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-BT08	4 hours of continuous listening
Wireless Version:	V5.4	400mAh battery capacity
Wireless Frequency:	2.402GHz-2.480GHz	Dual microphone for clearer calls
Support Wireless:	A2ZDP, AVRCP, HSP, HFP	ENC intelligent noise cancellation
Music Playback Time:	7.5 hours	Charging 5 minutes can be used for 150 minutes.
Talk Time:	4 hours	for 150 minutes
Headset Battery:	3.7V,50mAh	
Speaker Unit:	616.2mm	Certification
Charging Case:	3.7V,400mAh	
Charging Time:	2 hours	MSDS UN38.3
Charging Voltage:	DC 5V-300mA	
Battery Cycle Life:	2300 times charge/discharge cycle	




PP-BT09 5.4BT

Smart Interaction TWS Headset

5.4BT Version/400mAh Charging Case

Product Name	Electric Parameters	Product Features
Device Name:	PP-8T09	
Control Mode:	Touch	ANC active noise reduction
Chipset:	AD7003D4	Intelligent tuning equalizer
Wireless Version :	5.4BT	Dolby Surround Panorama
Audio Codec :	SBC	Personalized spatial audio
Protocol Support :	A2DP/AVRCP/HFP/HSP	New Bluetooth 5.4 chip
Driver:	Ф13mm, 32±15% ohm	Al Intelligent Interactive
Noise Reduction:	ANC	Touch Screen
Earbuds Battery:	3.7V/30mAh	
Rated Input for Earbuds:	5V/25mA	
Charging Time:	1.5h	Certification
Music Time:	4.5 hours + approx.16 hours with charging case	
Standby Time:	50 hours +approx.190 hours with charging case	MSDS UN38.3
Case Battery:	3.7V/300mAh	
Rated Input for Case:	5VIS00mA	



PP-HF01-AUX 3.5mm Wired Headset

3.5mm & Semi-In-Ear Headset

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HF01-AUX	HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Range:	10m	Compatible with a wide range of devices Certification
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	32Ω±5Ω	Certification
Length:	1.1m	
Pluy:	3.5mm	



PP-HF01-C Type-C Wired Headset

Type-C & Semi-In-Ear Headset

Colour

Range: 10m Speaker: 14mm Rated Power: 2mW Certification Impedance: 320±50 Length: 1.1m			
Frequency: 20Hz - 20kHz e High Definition Microphone Pres switching for music and or Pres switching for music and or Pres switching for music and or Compatible with a wide range of devices 2mW Certification Impedance: 320±50 Length: 1.1m	Product Name	Electric Parameters	Product Features
Frequency: 20Hz - 20kHz • Free switching for music and or devices Range: 10m • Compatible with a wide range of devices Speaker: 14mm Rated Power: 2mW Certification Impedance: 32 Ω ± 5 Ω Length: 1.1m	Model:	PP-HF01-C	
Range: 10m Speaker: 14mm Rated Power: 2mW Impedance: 32Ω±5Ω Length: 1.1m	Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Rated Power: 2mW Certification Impedance: 320±50 Length: 1.1m	Range:	10m	 Compatible with a wide range of devices
Impedance: 320±50 Length: 1.1m Certification	Speaker:	14mm	
Impedance: 320:50 Length: 1.1m	Rated Power:	2mW	
-	Impedance:	32 Ω ± 5 Ω	Certification
Pluv: Type-C	Length:	1.1m	CE .
	Pluy:	Type-C	



PP-HF02-AUX 3.5mm Wired Headset

3.5mm & In-Ear Headset

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HF02-AUX	• HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Range:	10m	Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	16 Ω± 5 Ω	Certification
Length:	1.1m	(CE)
Pluy:	3.5mm	



PP-HF02-C Type-C Wired Headset

Type-C & In-Ear Headset

Product Name	Electric Parameters	Product Features
Model:	PP-HF02-C	• HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Range:	10m	Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	16Ω±5Ω	Certification
Length:	1.1m	•
Pluy:	Type-C	



PP-HF01-L Lightning Wired Headset

Lightning & Semi-In-Ear Headset

Product Name	Electric Parameters	Product Features
Model:	PP-HF01-L	HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition MicrophoneFree switching for music and calls
Range:	10m	Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	32 Ω ± 5 Ω	Certification
Length:	1.1m	
Pluy:	Lightning	




PP-HF03-AUX 3.5mm Wired Headset

3.5mm & Semi-In-Ear Headset

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HF03-AUX	HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Range:	10m	Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	Out! Faction
Impedance:	32 Ω ± 5 Ω	Certification
Length:	1.1m	CE .
Pluv:	3.5mm	



PP-HF03-C Type-C Wired Headset

Type-C & Semi-In-Ear Headset


Product Name	Electric Parameters	Product Features
Model:	PP-HF03-C	HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Range:	10m	Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	O differentian
Impedance:	32 Ω ± 5 Ω	Certification
Length:	1.1m	(E)
Pluy:	Type-C	



Watch Charger Series







PP-3IN1C06 3 IN 1

Qia Wireless Charger

For smartphones/iWatch/AirPods & Touch and Spin

Colour



Product Name	Electric Parameters	Product F
Model:	PP-3IN1C06	● Qiz Second-Ge
Input:	5V/3A, 9V/3A	• Simultaneous of Three Device
Output:	15W/10W/7.5W/5W/2.5W	Magnetic Fast15W MaxOne-touch Cor
Working Frequency:	360KHZ (For iphone13/14/15/16 Series)	Electric Rotati
Color:	Grey	Compartment
Size:	190mm*76mm	Ø≥ (

eatures

- eneration
- Charging
- Charging
- ntrol, 180°
- p Charging

ication













PP-WC01 2.5W

Apple Watch Charger

USB-A Port Fast Charging

Length 1.2m

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WC01	Applies to Apple watch1.2.3.4.5.6.7
Material:	ABS+PC	Magnetic Adsorption For Wireless Charging, Super Strong Magnetic
Input:	5V/0.5A	Force For Precise Alignmente Lightweight And compact For
Power:	2.5W	Easy Portability
Input Interface:	USB-A	Certification
Cable OD:	2.9mm	
Length:	1.2m	(FC)
Color:	White	



PP-WC02 2.5W Apple Watch Charger

Lightning Port Fast Charging

Colour

Product Name	Electric Parameters
Model:	PP-WC02
Material:	Zinc Alloy +ABS+PC
Input:	5V/0.5A
Power:	2.5W
Input Interface:	Lightning
weight:	19.7G
Size:	40*28*5.8mm
Color:	White

eters	Product Features
PC .	Smartly Match All styles of Apple Watch Magnetic Adsorption For Wireless Charging, Super Strong Magnetic Force For Precise Alignmente Lightweight And compact For Easy Portability
	Certification RoHS



PP-WC03 2.5W

Apple Watch Charger

USB-A Port Fast Charging

Length 1.2m

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-WC03	Smartly Match All styles of Apple
Material:	Aluminum+TPE	Watch ● Magnetic Adsorption For Wireless
Input:	5V/0.5A	Charging, Super Strong Magnetic Force For Precise Alignmente
Power:	2.5W	Lightweight And compact For
Input Interface:	USB-A/USB-C	Easy Portability Certification
Cable OD:	2.9mm	
Length:	1.2m	RoHS
Color:	White	



PP-WC04 2.5W

Apple Watch Charger

USB-C Port Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-WC04	Smartly Match All styles of Apple
Material:	Zinc Alloy +ABS+PC	Watch Magnetic Adsorption For Wireless
Input:	5V/0.5A	Charging, Super Strong Magnetic Force For Precise Alignmente
Power:	2.5W	Lightweight And compact For
Input Interface:	USB-C	Certification
weight:	22G	
Size:	40*28*5.8mm	ROHS
Color:	Black	



Lightning Port USB-C Port



PP-WC05 2.5W



Apple Watch Charger

Lightning &USB-C Port Fast Charging

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-WC05-BK/WE	Support Apple Watch SE-S9
Material:	Zinc Alloy +ABS+PC	Lightning/USB-C Dual SocketMagnetic Attachment
Input:	5V/0.5A	Precise AlignmentLightweight and compact
Power:	2.5W	• Easy to carry
Input Interface:	Lightning/USB-C	
Weight:	25G	Certification
Size:	46*29*8.2mm	REACH ROHS
Color:	Black/White	



Watch Accessories Series







PP-WH01 NEW VERSION

Curved Screen Smart Watch

Connect to mobile phone APP for more functions

Colour





Product Name	Electric Parameters	Product Features
CPU:	ZK8959	Heart Rate
Memory:	128MB	Sleep Monitoring
Size:	2.01 Inch Curved Screen	Phone Call
Resolution:	320*385	• Torch
Case material:	Zinc Alloy Shell + Aluminum	Multi Sport Mode
Bluetooth version:	V5.0	Music Download
Charging method:	Wireless Charging	Message Alert Compass
Battery capacity:	300mhA	Certification
Duration:	3 days	Certification
Standby time:	15 days	GB MSDS III
Charging time:	2-3H	
Waterproof level:	IP67 Waterproof	
Wrist strap size:	226*42mm	
With strap:	1PCS Orange Silicone Strap +1PCS Black Braided	

Strap









PP-WH02

Children Smart Watch

Safe Protection Fro Children

Colour

With Strap:





Product Name	Electric Parameters	Product Features
Model:	PP-WH02	Two-way High-definition Call,
Memory:	128MB	LBS Precise Positioning,
Size:	1.4 Inch	• IPX67 Waterproof,
Resolution:	240*240	• SOS for help,
Case Material:	Plastic Silicone	 Real-time Security Monitoring,
Reticulation:	Card Insertion	 680mAh Battery, Long Standby Time,
Charging Method:	USB Charging	Multi-language Support:
Battery Capacity:	680mhA	Certification
Duration:	3 days	Oei tilleation
Standby Time:	15 days	CE FC ROH
Charging Time:	2-3H	CC TE NOT
Waterproof Level:	IP67 Waterproof	MSDS IIN38 3
Wrist Strap Size:	226*20mm	W3D3 UN38.3
	USB Charging Cable*1	

Watch *1

Instruction Manual *1











PP-WH03

Children Smart Watch

Safe Protection Fro Children

Colour

With strap:





Product Name	Electric Parameters	Product Features
Model:	PP-WH03	• 2G+4G Signal
Memory:	128MB	Deep Waterproof
Size:	1.8T Inch	● 800 mAh long battery life
Resolution:	240*296	• SOS for Help,
Case material:	Plastic Silicone	 Pull the rotating camera 108° to take pictures freely
Reticulation:	Card insertion	GPS Positioning
Charging method:	USB charging	Multi-language Support:
Battery capacity:	800mAh	Certification
Duration:	3 days	Certification
Standby time:	15 days	CE FC ROL
Charging time:	2-3H	CC TO NOT
Waterproof level:	IP67 Waterproof	MSDS IIN38.3
Wrist strap size:	226*20mm	MSDS UN38.3
	USB charging cable*1	

Watch *1

Instruction manual *1







PP-WF-Ultra-49 9H **Aluminum Alloy Frame** PET&Titanium Alloy Frame Protector Film Colour Electric Parameters **Product Name Product Features** Model: PP-WF-Ultra-49 Material: PET&Titanium Alloy Fram Size: Accessories:





Watch Protective Film

HD iWatch Protective & 6H

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-WF-S8-41	High Definition Display
Material:	PET	Anti-scratch Cladding Protection
Size:	41mm	Sensitive Touch Anti Edge Wear
Accessories:	Positioner, Alcohol Pack	Water and oil resistant



PP-WF-S8-45 45mm

Watch Charger

HD iWatch Protective & 6H



Product Name	Electric Parameters	Product Features
Model:	PP-WF-S8-45	High Definition Display
Material:	PET	Anti-scratch Cladding Protection
Size:	45mm	Sensitive Touch Anti Edge Wesr
Accessories:	Positioner, Alcohol Pack	Water and oil resistant



PP-NWF-Ultra-49


9H

Hardness Screen Protector

Precise Positioning - Tight Fit




Product Name	Electric Parameters	Product Features
Model:	PP-WF-Ultra-49	Use of nano-coating
Material:	Glass	Resistant to dropsScratch resistant
Size:	49mm	Impact resistant Anti-scratch
Accessories:	Positioner,Alcohol Pack	Water and oil resistant



Mobile Phone Case Film Series







7 IN 1 Shell Film Set

iPhone Protective Kit

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-S-iPhone(Series)	Protect Mobile Phone
Material:	TPU+PC+Tempered Glass	ScreenScratch-Resistant Privacy Protection
Object:	1,Mobile Phone Case 2, (HD/Privacy) Film 3,Lens Film 4,Stand*2 5,Phone Back Film	High Transparency Anti-Drop Anti-Yellowing TPU
6,Magnetic Holder 7,Alcohol Bag	Certification REACH ROHS	



6 IN 1 iP16 Shell Film Sets

iPhone Protective Kit

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-S6G-IP16 PP-S6G-IP16PLUS PP-S6G-IP16PRO PP-S6G-IP16PROMAX PP-S6G-IP15PROMAX	Protect Mobile Phone ScreenScratch-Resistant Privacy Protection High Transparency Anti-Orop Anti-Yellowing TPU
Material:	TPU+PC+Tempered Glass	
Object:	1,Mobile Phone Case 2, (HD/Privacy) Glass Film 3,Lens Film 4,Phone Back Film 5,Magnetic Holder 6,Alcohol Bag	Certification REACH ROHS



5 IN 1 iP16 Shell Film Sets

iPhone Protective Kit

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-S5G-IP16PROMAX PP-S5G-IP16PROMAX-P PP-S5G-IP14PROMAX PP-S5G-IP14PROMAX-P	Protect Mobile Phone ScreenScratch-Resistant Privacy Protection High Transparency Anti-Orop Anti-Orop Anti-Orop
Material:	TPU+PC+Tempered Glass	
Object:	1,Mobile Phone Case 2, (HD/Privacy) Glass Film 3,Lens Film 4,Phone Back Film 5,Magnetic Holder 6,Alcohol Bag	Certification REACH ROHS



3 IN 1 iP15 Shell Film Set

iPhone Protective Kit

Product Name	Electric Parameters	Product Features
Model:	PP-S2-iPhone(Series)	Protect Mobile Phone
Material:	TPU+PC+Tempered Glass	ScreenScratch-Resistant Privacy Protection
Object:	1,Mobile Phone Case 2, (HD/Privacy) Film 3,Lens Film 4,Stand*2 5,Phone Back Film	High Transparency Anti-Drop Anti-Yellowing TPU
	6,Magnetic Holder 7,Alcohol Bag	Certification REACH ROHS



















Magnetic

Transparent Phone Case


iPhone Protective

Product Name	Electric Parameters	Product Features
Model:	PP-MC-iPhone(Series)	Protects your mobile phone
Material:	TPU-PC	Long lasting and durableHard, strong and shockproof
Thickness:	2.0MM	Transparent and high-definition
Color:	Black/Silver/Dark Blue/ Purple	
Application:	iP11-iP15 Series	



Camera Lens Series







iP16 Series

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass









Product Name	Electric Parameters	Product Features
Model:	PP-LS-IP16(Series)	Aluminium Alloy
Material:	Aluminium Alloy+Glass	9H Hard Glass
Hardness:	9H	Ultra-ThinProtector
		Perfect Fit
		Certification
		REACH MSDS ROHS



iP16 Pro Max Series



Camera Lens Protector

Aluminium Alloy & 9H Hard Glass









Product Name	Electric Parameters	Product Features
Model:	PP-LS-IP16 PRO MAX	Aluminium Alloy
Material:	Aluminium Alloy+Glass	9H Hard Glass
Hardness:	9H	Ultra-ThinProtector
		Perfect Fit
		Certification
		REACH MSDS ROHS


















Certification













Certification

Transparent

Product Name	Electric Parameters	Product Features
Model:	PP-LS-iP(Series)	Aluminium Alloy
Material:	Aluminium Alloy+Glass	9H Hard Glass Ultra-ThinProtector
Hardness:	9Н	Perfect Fit
		Certification
		REACH MSDS RO



S23 ULTRA


Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23ULTRA(Series)	Aluminium Alloy
Material:	Titanium Alloy+ Glass	9H Hard Glass Ultra-ThinProtector
Hardness:	9Н	● Perfect Fit
		Certification REACH MSDS ROHS



S23 ULTRA

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour







Product Name	Electric Parameters	Pro
Model:	PP-LS-S23ULTRA(Series)	Alumini
Material:	Titanium Alloy+ Glass	9H Harr Ultra-Th
Hardness:	9H	Perfect
		C









S23PLUS

Camera Lens Protector


Aluminium Alloy & 9H Hard Glass


Colour











S23


Camera Lens Protector

Aluminium Alloy & 9H Hard Glass





Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23PLUS(Series)	Aluminium Alloy
Material:	Titanium Alloy+ Glass	9H Hard Glass Ultra-ThinProtector
Hardness:	9Н	Perfect Fit
		Certification
		REACH MSDS ROP



Car Fragrance
Series





Enchanting Fragrance Car Fragrance

Portable Fragrance Device



Product Name	Electric Parameters	Product Features
Model:	PP-CY03	Upgraded Cotton Wick For More
Input:	5.0V=1A	Even Flavour ● 160ml For Longer Lasting
Rated power:	1.5W	Fragrance Monochrome Star Light
Battery capacity:	300mAh/1.11Wh	• Intelligent Car Start/Stop
Capacity:	160ml (Perfume)	Contification
Temperature:	0°C~60°C	Certification
Size:	68x68x115mm	MSDS UN38.3
Fragrance:	Ebony agarwood/Blue man /Cologne/White Peach /Gardenia/Encounter	



Journey Musk Car Fragrance

Star Projection Fragrance Machine



Product Name	Electric Parameters	Product Features
Model:	PP-CY02	● Two-color Starry Top, Wider
Input:	5.0V=1A	Coverage Revolving Lamp Holder
Rated power:	1.5W	Colorful Sound Control Light Car Intelligent Start and Stop
Battery capacity:	300mAh/1.11Wh	
Capacity:	50ml (Perfume)	Certification
Temperature:	0°C~60°C	
Fragrance:	Ebony agarwood/Blue man /Cologne	MSDS UN38.3
Size:	68x68x109.5mm	



Scent Of The Road Car Fragrance

Star Projection Fragrance Machine

Colour



Product Name	Electric Parameters	Product Features
Model:	PP-CY03	Intelligent fragrance control
Input:	5.0V=1A	Have colorful atmosphere lightsLarge battery capacity, high
Rated power:	10W	rated power Car intelligent start and stop
Battery capacity:	800mAh/2.96Wh	
Capacity:	8ml (Smoke bomb)	Cautification
Temperature:	0°C~80°C	Certification
Fragrance:	North cedar/Holiday sea breeze	MSDS UN38.3
Size:	68x68x115mm	



















HILTON

Portable Fragrance Device

Ultrasonic Car Aroma Diffuser



Product Name	Electric Parameters	Product Features
Model:	PP-CY04-WE	RGB LED Light6 Fragrance Options
Input:	5.0V/0.25A	 Upgraded Cotton Wick For More Even Flavour
Rated power:	1W	● 5mla For Longer Lasting Fragran
Battery Capacity:	300mAh/1.11Wh	Certification
Color:	White/Black	MSDS UN38.3
Capacity:	6*5ml/pcs	





PACHULI





SANDALWOOD



GREEN BAMBOO



HILTON

PP-CY04-PR6

Perfume Supplement


PP-CY04 Specialized

Product Name	Electric Parameters	Product Features
Model:	PP-CY04-PR6	• WHITE TEA
		DIAMOND
Capacity:	6*5ml/Pcs	PACHULI
oupuony:	o oninii oo	• SANDALWOOD
		• HILTON
		• GREEN BAMBOO
		Certification
		MSDS UN38.3



Touch Penpro Series







PP-SP01

Stylus Touch Penpro

For Android/IOS

Product Name	Electric Parameters	Product Features
Model:	PP-SP01	• Indicator
Input:	5V/0.36A	Anti-False ContactTilt Pressure
Charging Port:	Type-C	Replaceable NibWorks With Most Capacitive
Working Time:	12 Hours	Screen Devices
Standby Time:	180 Days	
Weight:	13g	Certification (F) FC ROHS
Battery:	130mah 5V/0.2A 0.41Wh	REACH MSDS IIIN38.3
Size:	165mm* ⊅ 9mm	REACH WISDS (M38.3)



PP-SP02 Bluetooth



Stylus Touch Penpro

Suitable for iPad Models

Product Name	Electric Parameters	Product Features
Model:	PP-SP02	Bluetooth Function
Input:	5V/0.2A	IndicatorAnti-False Contact
Charging Port:	Type-C	Tilt Pressure Replaceable Nib
Working Time:	8 Hours	
Standby Time:	360 Days	
Weight:	13g	Certification RoHS
Battery:	130mah 5V/0.2A 0.41Wh	
Size:	165mm* ⊕ 9mm	MSDS UN38.3



PP-SP03 Bluetooth



Stylus Touch Pen IPad

Suitable for iPad Models

Product Name	Electric Parameters	Product Features
Model:	PP-SP03	Bluetooth Function
Input:	5V/0.2A	IndicatorAnti-False Contact
Charging Port:	Magnetic iPad Charging +Type-C	Tilt Pressure Replaceable Nib
Working Time:	8-10 Hours	
Standby Time:	360 Days	Ocatification
Weight:	13g	Certification (E) F© ROHS
Battery:	125mAh	
Size:	165mm*Ф9mm	MSDS UN38.3



2025

New Products





PP-VC01 4 IN 1

Cordless Vacuum Cleaners

Versatile and Adaptable To All Occasions





Product Name	Electric Parameters	Product Features
Model:	PP-VC01	• 15000 Pa Strong Suction
Voltage:	11.1V	• 6000mAh Box Capacity
Power:	100W	Wireless & PortableLight Weight
Suction Level:	3	Wide Range of Usage Scenarios
Suction:	15000PA	
Discharge Time:	30MINS	
Battery Capacity:	6000mAh	Certification
Charge Wire:	Туре-С	CE FC ROHS
Charge Time:	3-4h	MSDS AND
Product Size:	21*20*6.5cm	MSDS UN38.3



PP-FL01 MagSafe

Multifunction Folding Lamp


MagSafe Magnetic Lamp, Complementary Lighting for Beautiful Face

Product Name	Electric Parameters	Product Features
Model:	PP-FL01	Magnetic Quick Attach
Material:	ABS+PC (magnetic)	Three Light Modes
Voltage Current:	DC 5V/1A	• 60 LED Beads
Charging power:	2W	Multi-Angle Adjustment Battery Life
Color temperature:	3000-6500K	Sutterly Ellic
Number of Lamp Beads:	60	
Battery Capacity:	800mAh	
Lighting Time:	2h-6h	Certification
Product Size:	105*91*27mm	
Power Interface:	Type-C	MSDS UN38.3


PERIPHERAL MATERIALS



































Phone Planet Cap

Colour

Product Name	Electric Parameters	
Model:	Сар	
Material:	Weave	
Color:	White,Blue	



Phone Planet Paper Cup

Colour

Product Name	Electric Parameters
Model:	Paper Cup
Size:	250ML
Color:	Blue



Phone Planet Mouse Pad

Colour



Product Name	Electric Parameters
Model:	Mouse Pad
Color:	Blue



Phone Planet Packing Tape

Product Name	Electric Parameters
Model:	Packing Tape



Phone Planet Notebook



Product Name	Electric Parameters
Model:	Goods Shelf (KT-Platte)
Material:	Leather + paper
Number of pages:	320 Pages
Size:	L143*W250mm
Color:	Blue



Phone Planet File Pocket



Product Name	Electric Parameters
Model:	File Pocket
Size:	L330*W240mm
Color:	Blue



Phone Planet B5 Note Paper

Colour


Product Name	Electric Parameters
Model:	B5 Note Paper



Phone Planet Clavicle Pocket



Product Name	Electric Parameters
Model:	Clavicle Pocket



Phone Planet Inflatable Arch





Product Name	Electric Parameters	
Model:	Inflatable Arch	
Size:	L5*W3m	
Color:	Blue	



Phone Planet T-shirt

Product Name	Electric Parameters	
Model:	Goods Shelf (Metal)	
Material:	Weave	
Style:	T-shirt	
Size:	L,XL,XXL,XXXL,XXXXL	
Color:	White,Blue	



KEEP UPDATING