

High Quality Mobile Phone Accessories

2025 New Products



www.phoneplanet.com

ABOUT US

Company Profile

We are Guangzhou Dangui Technology Co., LTD., focusing on the sales of high quality mobile Phone accessories, its "Phone Planet" brand positioning high-end mobile phone accessories, We are committed to providing customers with cost-effective products, including data cables, chargers, power banks, cases, screen protectors, and holders.All these products have stylish design and stable and reliable quality.

We mainly produce data cables and chargers, data cables include USB2.0-USB4, with different materials such as PVC, TPE,PP yarn weaving, etc. We will extend the life of data cables to 2-3 years by adding nylon wire to the inner core of data cables, using tinned copper and exclusive internal molding technology. Our full line of data cable products are widely used in mobile phone charging, gaming (connected to VR glass), video and audio transmission;

This charger adopts GaN technology with main control chip of Navitas(USA). It can achieve fast charging without heating or noise. It IS widely used in charging mobile phones, Ipads, Iaptops, earphones, game stations and other small appliances etc.

Our own factory has collaborated with brands such as "Ugreen" and "Baseus". With 20 years of industry experience and technical knowledge, our team is capable of providing professional consultancy sales solutions and a warranty of over 1 year.

Currently, we are recruiting brand agents and dealers. By choosing us, you will gain an exclusive market opportunity for a new brand, absolute bargaining power, a complete set of promotional materials, and local social media marketing resources to achieve rapid growth in performance. Please feel free to contact us to receive free samples.

Why Choose Us

Multiple Advantages



Advertising a	& publicity fee	Э
---------------	-----------------	---





Local customer recommendation


Local sales solutions/ Market research & analysis



New Brand Looking for Global Agency



Let Phone Planet Go Out To Spread All Of the World



Our Certificate



CE CB


ISO 9001

BSCI

UK

RòHS

FC



Data Cable Series












PJ-0	02 Us	3 2.0
	Data Transfer Cat	
Length	1.2m / 2m	1
Colour		
Product Name	Electric Parameters	Product Features
PJ-AL-002	USB-A to Lightning 5V/2.4A 12W	Aluminum Alloy Housing PP Braided cable
PJ-AM-002	USB-A to Micro 5V/2A	Thickened Tinned copper In-Shell injection Molding
PJ-AC-002	USB-A to Type-C 5V/3A	30,000 Times Bending 48 Hours Salt Resistance Te
PJ-CC-002	Type-C to Type-C 20V/3A (60W)	Certification
PJ-CL-002	Type-C to Lightning 15V/2A (30W)	

PP-004 USB 2.0 **PVC Moulding** Fast Charging/Data Transfer Cable Length 1.2m / 2m Colour Electric Parameters Product Features Product Name USB-A to Lightning PP-AL-004 PVC Moulding 5V/2.4A 12W Flame Retardant Materials USB-A to Micro Thickened Tinned Coppe PP-AM-004 5V/2A In-Shell Injection Molding 30,000 Times Bending USB-A to Type-C • 48 Hours Salt Resistance T PP-AC-004 5V/3A Certification Type-C to Type-C PP-CC-004 20V/3A (60W) Type-C to Lightning PP-CL-004 15V/2A (30W)





PP-003 USE 2.0









	Zinc Alloy Shell Fast Charging/Data Transfer Cable		
Length	1.2m / 2m	I.	
Colour			
Product Name	Electric Parameters	Product Features	
PP-CC-006-100W	Type-C to Type-C 20V/5A (100W)	Zinc Alloy Shell PP Braided cable	
PP-CC-006-60W	Type-C to Type-C 20V/3A (60W)	Thickened Tinned copper In-Shell injection Molding	
PP-AC-006	USB-A to Type-C 5V/3A 18W	30,000 Times Bending 48 Hours Salt Resistance Test	
PP-AL-006	USB-A to Lightning 5V/2.4A 12W	Certification	
PP-CL-006	Type-C to Lightning 15V/2A (30W)		



PP-007 USB 3.2 20Gbps Superspeed+ Fast Charging/Data Transfer Cable Length 1.2m/2m Colour





PJ-0	08 Us	3 2.0
-	Compatil /Data Transfer Cab	
Length	1.2m / 2m	I
Colour		
Product Name	Electric Parameters	Product Features
PJ-AC-008	USB-A to Type-C 11V/6A (66W)	Aluminum Alloy Shell
		Flame Retardant Materials Thickened Tinned Copper
		In-Shell Injection Molding 30,000 Times Bending
		48 Hours Salt Resistance 1
		Certification
		КЕАСН ЦК С







PP-0	PP-010-011 USB 2.0		
Fully Compatible Fast Charging/Data Transfer Cable			
Length	1.2m / 2m	1	
Colour			
Product Name	Electric Parameters	Product Features	
PP-CC-010-100W	Type-C to Type-C 20V/5A (100W)	Aluminum Alloy Shell PP Braided cable	
PP-CC-010-60W	Type-C to Type-C 20V/3A (60W)	Thickened Tinned copper In-Shell injection Molding	
PP-AC-010	USB-A to Type-C 5V/3A 18W	30,000 Times Bending 48 Hours Salt Resistance Test	
PP-CL-010	Type-C to Lightning 15V/2A (30W)	Certification	
PP-AL-010	USB-A to Lightning 5V/2.4A (12W)		













FF - U		
40Gbp	os Super	speed+
Fast Charging	/Data Transfer Cal	ble
Length	1m	
Colour		
Product Name	Electric Parameters	Product Features
PP-CC-015	Type-C to Type-C 20V/5A (100W)	TPE One-Piece Moulding E-segment Coaxial Cable Structu e Support 8V2*4K@6NFZ Display 400thps Transfer Speed 30,000 Times Bending e 48 Hours Salt Resistance Test
		Certification

PP_015 USB4

















P














	PP-AUXL		
Lightning to 3.5mm			
Length	1.2m		
Colour			
Product Name	Electric Parameters	Product Features	
PP-AUXL-120	Type-C to DC 3.5mm	Embedded DAC Decoder Chip Excellent Sound Resolutione Low Distortion Rate In-Car Music Navigation	
		Aluminum Alloy Shell PP Braided Cable	



PP-EC-CAUX

Type-C to Aux Audio Audio Cable

Length 12cm Colour Electric Parameters Product Features Product Name PP-EC-CAUX-12-GY Type-C to 3.5F Cable 40Gbps Transfer Spee 30,000 Times Bending 48 Hours Salt Resistance Test Certification СВ



PP-EC-LAUX

Lightning to Aux Audio Audio Cable

Length	12cm	
Colour		
Product Name	Electric Parameters	Product Features
PP-EC-LAUX-12-GY	Lightning to 3.5F Cable	Aluminum Alley Housing PP Braided cable Thickened Tinned copper In-Shell injection Molding 30,000 Times Bending 48 Hours Salt Resistance Test
		Certification (C) FC ROHS REACH LA CB









Phone Lanyard Cable

Type-C to Lightning Cable (Braided Cable)

Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-CL-019-120-BE	2-in-1 Data Cable
Material:	Aluminum Alloy shell	High-Density Braided Cable Frees Both Hands
Output:	15V/2A (27W)	Can't be Shaken Off Charging And Data Transmission
Length	1.2M	• 2-in-1
Color:	Blue	
Description:	PD27W mobile phone lanyard data cable, lanyard + data cable 2-in-1	Certification



PP-CC-	PP-CC-019-120-PK 60W		
	Phone Lanyard Cable		
Type-C to Type	e-C Cable (Braided	l Cable)	
Colour	Colour		
Product Name	Electric Parameters	Product Features	
Model:	PP-CC-019-120-PK	2-in-1 Data Cable High-Density Braided Cable	
Material:	Aluminum Alloy shell	Frees Both Hands	
Output:	20V/3A (60W)	Can't be Shaken Off Charging And Data Transmission	
Length	1.2M	• 2-in-1	
Color:	Pink		
Description:	PD60W mobile phone lanyard data cable, lanyard + data cable 2-in-1	Certification REACH ROHS	



PP-CL-019-120-PK 27W Phone Lanyard Cable Type-C to Lightning Cable (Braided Cable)



Product Name	Electric Parameters	Product Features
Model:	PP-CL-019-120-PK	• 2-in-1 Data Cable
Material:	Aluminum Alloy shell	High-Density Braided Cable Frees Both Hands
Output:	15V/2A (27W)	Can't be Shaken Off Charging And Data Transmission
Length	1.2M	2-in-1
Color:	Pink	
Description:	PD27W mobile phone lanyard data cable,	Certification
	lanyard + data cable 2-in-1	REACH ROHS





Type-C to Lightning or Type-C

Product Name	Electric Parameters	Product Features
Model:	PP-CLC-017-120-GY	Support PD Fast Charge Protocol Bending Resistant Fashion
Material:	Aluminum Alloy shell	SR Net tail Design
Output:	15V/2A (60W)	Multi-in-one Multi-Function
Type-C to Type-C :	15V/2A (60W)	
Type-C to Lightning :	30W	
Length	1.2M	Certification
Color:	Gray	
		REACH ROHS









USB-C to HDMI

High Definition Transmission Cable

Length

1.8m

Product Name	Electric Parameters	Product Features
Model:	PP-CHDMI01	4K*2K@60Hz UHD Resolution Video & Audio Simultaneously
Material:	Aluminum + PVC	 Plug & Play Driver-Free Durable & Flexible Wide Compatibility Smartphones
Function:	USB-C to HDMI HD Video Cable	
Resolution:	4K*2K@60Hz	Certification
Colour:	Dark Grey	



PP-LHDMI02 1080P

Lightning to HDMI

High Definition Transmission Cable

Length

1.8m

Product Name	Electric Parameters	Product Features
Model:	PP-LHDMI02	 1920x1080@60Hz/1280x720@60Hz Video & Audio Simultaneously
Material:	Aluminum + PVC	 Plug & Play Driver-Free Durable & Flexible Simultaneous charging of
Function:	Lightning to HDMI HD Video Cable	mobile phones
Resolution:	1920x108060Hz 1280x720 60Hz	Certification
Colour:	Dark Grey	



PP-EC-LLL Lightning

Audio Dual Function

Lightning Audio + Charge RockStar

Length

15cm



Product Name	Electric Parameters	Product Features
Model:	PP-EC-LLL-15-GY	Allows you to listen to music,watch
Material:	Aluminum + TPE	videos, use audio navigationor take calls while still charging your phone at maximum speed.
Function:	Supports Charging + Audio Calls	
Power:	5V/2A	Certification



PP-EC-CCC Type-C		
Audio Dual Function		
Length	15cm	
Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-EC-CCC-15-GY	Allows you to listen to music.watch
Material:	Aluminum + TPE	videos, use audio navigationor take calls while still charging your phone
Function:	Supports Charging + Audio Calls	at maximum speed.
Power:	20V/3A,PD 60W	Certification
		КЕАСН ЦК СВ



PP-EC-LLAUX Lightning Audio Dual Function 3.5mm Audio + Charge RockStar		
Length	15cm	
Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-EC-LLAUX-15-GY	Allows you to listen to music,watch
Material:	Aluminum + TPE	videos, use audio navigationor take calls while still charging your phone
Function:	Supports Charging + Audio Calls	at maximum speed.
Power:	5V/2A	Certification
		CE FC Rohs



PP-DS01 7-IN-1

USB-C HUB


4K & 60Hz

Length

20cm




Product Name	Electric Parameters	Product Features
Model:	PP-DS01	HDMI Supports 3840X2160@30HZ Ultra HD Resolution It Can Be Connected To An External
Material:	Aluminum Shell	Display Via An HDMI Port • One USB3.0 And One USB2.0 Port • Data Transfer Speeds Up T 5Gbps
Function:	Supports 4K & 60Hz	(USB3.0)/480Mbps(USB2.0) Are Supported Support USB 2.0 SD/TF Data Transfer
Power:	PD 60W	Certification
USB3.0	5Gbps	



Wall Charger Series










USB-L & USB-C Charger PD20W Charger + C to L Cable Set



Product Name	Electric Parameters	Product Features
Model:	PP-20WCL	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.5A	technology for L to C reverse
Total Output:	20W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,9V/2.22A,12V/1.67A	models on oy market, with constant charging power.
USB-L:	9V/2.22A,5V/3A	Ou d'En alla a
Material:	PC Flame Retardant	Certification
Color:	Black	
Plug:	ик	



30W Built-in Data Cable		
USB-L+1C+1A Port Charger PD30W Charger + C to L Cable Set		
Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-30WCL	Having exclusive patented
Model: Input:	PP-30WCL 100-240V~ 50-60Hz 0.8A	technology for L to C reverse
inouon		
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse charging, it basically supports fast
Input: Total Output:	100-240V~ 50-60Hz 0.8A 30W(Max)	technology for L to C reverse charging, It basically supports fast charging for all mobile phone models on oy market, with constant charging power.
Input: Total Output: USB-C:	100-240V~ 50-60Hz 0.8A 30W(Max) 5V/3A,9V/3A,12V/2.5A	technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on cy market, with constant charging power. Certification
Input: Total Output: USB-C: USB-L:	100-240V~ 50-60Hz 0.8A 30W(Max) 5V/3A,9V/3A,12V/2.5A 9V/2.22A,5V/3A	technology for L to C reverse charging. It basically supports fast charging for all mobile phone models on oy market, with constant charging power. Certification Certification Certification
Input: Total Output: USB-C: USB-L: USB-A:	100-240V- 50-60Hz 0.8A 30W(Max) 5V/3A,9V/3A,12V/2.5A 9V/2.22A,5V/3A 5V/3A,9V/2A,12V/1.5A	technology for L to C reverse charging, it basically supports fast charging for all mobile phone models on cy market, with constant charging power. Certification





5V/3A,9V/2A,12V/1.5A 30W(Max)

5V-11V/2.4A

UK

CE FC RoHS

кеасн ЦК СВ

USB-A:

PPS:

Plug:



30W Built-in Data Cable US
USB-L+1C+1A Port Charger
PD30W Charger + C to L Cable Set




Product Name	Electric Parameters	Product Features
Model:	PP-30WACL	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse
Total Output:	30W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,9V/3A,12V/2.5A	models on oy market, with constant charging power.
USB-L:	9V/2.22A,5V/3A	
USB-A:	5V/3A,9V/2A,12V/1.5A	Certification
PPS:	5V-11V/2.7A	CE FC Rohs
Plug:	US	REACH





USB-A+2C Port Charger PD20W Charger + C to C Cable Set



Product Name	Electric Parameters	Product Features
Model:	PP-20WACC	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.5A	technology for L to C reverse
Total Output:	20W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,9V/2.22A,12V/1.67A	models on oy market, with constant charging power.
USB-C	9V/2.22A,5V/3A	
Material:	PC Flame Retardant	Certification
Color:	Black	
Plug:	ик	REACH



30W	Built-in Data Ca	ble UK
USB-A+2C Port Charger PD30W Charger + C to C Cable Set		
Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-30WACC	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse
Total Output:	30W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,9V/2.22A,12V/1.67A	models on oy market, with constant charging power.
USB-C	9V/2.22A,5V/3A	Certification
USB-A:	5V/3A,9V/2A,12V/1.5A	
PPS:	5V-11V/2.7A	CE FC Rohs
Plug:	ик	





USB-A+2C Port Charger PD45W Charger + C to C Cable Set



Product Name	Electric Parameters	Product Features
Model:	PP-45WACC	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse
Total Output:	45W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,20.0V/2.25A 45W(Max)	models on oy market, with constant charging power.
USB-C	5V/3A,20.0V/2.25A 45W(Max)	
USB-A:	5V/3A,9V/2A,12V/1.5A 30W(Max)	Certification
PPS:	5V-11V/2.4A	
Plug:	ик	REACH LA CB










USB-A & USB-C Charger PD20W Charger + C to C Cable Set



Product Name	Electric Parameters	Product Features
Model:	PP-20WACEUCC	• Small size
Input:	100-240V~ 50-60Hz 0.5A	Intelligent fast charging Environmentally friendly materials
Total Output:	20W(Max)	High temperature resistant shell Better heat dissipation
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-A:	6V/3A, 9V/2A, 12V/1.5A	Certification
Material:	PC Flame Retardant	FC RoHS
Color:	Black	REACH
Plug:	EU	









USB-L+1C+1A Port Charger PD30W Charger + C to L Cable Set



Product Name	Electric Parameters	Product Features
Model:	PP-30WACLEU	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse
Total Output:	30W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,9V/3A,12V/2.5A	models on oy market, with constant charging power.
USB-L:	9V/2.22A,5V/3A	Certification
USB-A:	5V/3A,9V/2A,12V/1.5A	Certification
PPS:	5V-11V/2.7A	
Plug:	EU	REACH






USB-L+1C+1A Port Charger PD45W Charger + C to L Cable Set



Product Name	Electric Parameters	Product Features
Model:	PP-45WACLEUCL	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse charging, it basically supports fast
Total Output:	45W(Max)	charging for all mobile phone
USB-C:	5V/3A,20.0V/2.25A 45W(Max)	models on oy market, with constant charging power.
USB-L:	5V/3A,20.0V/2.25A 45W(Max)	Out II and in a
USB-A:	5V/3A,9V/2A,12V/1.5A 30W(Max)	Certification
PPS:	5V-11V/2.4A	CE FC Rohs
Plug:	EU	REACH





UK

UK

CE FC ROHS

20W

45W

Color.

Plug:





USB-A & USB-C Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-30WAC	• Small size
Input:	100-240V~ 50-60Hz 0.5A	Intelligent fast charging Environmentally friendly materials
Total Output:	30W(Max)	High temperature resistant shell Dutue held disclosion
USB-C:	5V/3A,9V/3A,12V/2.5A	Better heat dissipation
USB-A:	6V/3A, 9V/2A, 12V/1.5A	
Material:	PC Flame Retardant	Certification
Color:	Black	CE FC Rons
Plug:	ик	REACH



USB-A & USB-C Charger Fast Charging Colour Product Name **Electric Parameters** Product Features Model: PP-45WAC Small size Input: 100-240V~ 50-60Hz 0.5A Total Output: 30W(Max) 5V/3A,20.0V/2.25A 45W(Max) USB-C: USB-A: 6V/3A, 9V/2A, 12V/1.5A Certification Material: PC Flame Retardant

Black


UK






Product Name	Electric Parameters	Product Features
Model:	PP-60W2-GaN-UK	• GaN chip
Input:	100-240V~ 50-60Hz 1.5A	Lightweight design Fast charging
Total Output:	65W(Max)	GaN Technology Low temperature fast charging
USB-C:	20V/3.25A,9V/3A,12V/3A	Compatible with PD/SCP/PPS
USB-A:	9V/3A,5V/3A,12V/3A	Certification
PPS:	3.3V-11V/5A	Certification
Color:	Black	
Plug:	ик	ROHS CB





2*USB-A Port Charger Fast Charging





24W



2*USB-A Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-12WAA	Small size
Input:	100-240V~ 50-60Hz 0.8A	Intelligent fast charging Environmentally friendly materials
Total Output:	24W(Max)	High temperature resistant shell Better heat dissipation
Plug:	ик	
		Certification CC FC ROHS REACH CB



12W UK **USB-A *2 Port Charger** Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-12W-UK	
Input:	100-240V~ 50-60Hz 0.3A	Small size Intelligent fast charging
Total Output:	12W(Max)	Environmentally friendly materials High temperature resistant shell
USB-A1:	5V/2.4A 12W	Better heat dissipation
USB-A2:	5V/2.4A 12W	
Material:	PC Flame Retardant	Certification
Color:	Black	
Plug:	ик	



24W UK **USB-A *2 Port Charger** Fast Charging Colour Product Name Electric Parameters Product Features Model: PP-12W-UK Input: 100-240V~ 50-60Hz 0.3A Total Output: 12W(Max) USB-A1: 5V/2.4A 12W USB-A2: 5V/2.4A 12W Certification Material PC Flame Retardant CE FC ROHS Color: Black

Plug:

υĸ





USB-C Fast Charging		Charger
Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-30W-PDQCUK/EU	• Small size
Input:	100-240V~ 50-60Hz 0.8A	Small size Intelligent fast charging
Total Output:	PD 30W & QC3.0	Environmentally friendly materials High temperature resistant shell
USB-C:	5V/3A,9V/3A,12V/2.5A	Better heat dissipation
USB-A:	6V/3A, 9V/2A, 12V/1.5A	
PPS:	3.3V-11V/3A	Certification
Material:	PC Flame Retardant	Rons
Plug:	UK/EU	

30W

UK



USB-C & USB-A Charger		
Colour	•	
Product Name	Electric Parameters	Product Features
Model:	PP-38WPDQCUK	e Small size
Input:	100-240V~ 50-60Hz 1.0A	Intelligent fast charging
Total Output:	USB-C+USB-A=38W(Max)	Dual port fast charging Fully compatible
USB-C:	5V/3A,9V/3A,12V/2.5A	Better heat dissipation
USB-A:	9V/2A,12V/1.5A	Certification
Material:	PC Flame Retardant	Certification
Color:	Black	
Plug:	ик	REACH

UK


38W



20W USB-C Port Charger Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-20W-PDUK/US/EU	• Small size
Input:	100-240V~ 50-60Hz 0.5A	Intelligent fast charging
Total Output:	PD 20W & QC3.0	Fully compatible Better heat dissipation
USB-C:	5V/3A,9V/2.25A,12V/1.5A	
Material:	PC Flame Retardant	Certification
Color:	Black/White	
Plug:	UK/US/EU	
		REACH LA CB



20W USB-C & USB-A Charger Fast Charging

Product Name	Electric Parameters	Product Features
Model:	PP-20W-PDQCUK/US/EU	Small size
Input:	100-240V~ 50-60Hz 0.5A	Small size Intelligent fast charging
Total Output:	PD 20W & QC3.0	Dual port output Fully compatible
USB-C:	5V/3A,9V/2.25A,12V/1.5A	Better heat dissipation
USB-A:	9V/2A,12V/1.5A	Qualification.
Material:	PC Flame Retardant	Certification
Color:	Black/White	
Plug:	UK/US/EU	REACH LA CB





USB-C Port Charger



Product Name	Electric Parameters	Product Features
Model:	PP-30W GaN-UK/US/EU	Navitas chip
Input:	100-240V~ 50-60Hz 1.0A	Lightweight design Fast charging
Total Output:	PD 30W	GaN Technology Low temperature fast charging
USB-C:	5V/3A,9V/2.25A,12V/1.5A	Compatible with PD/SCP/PPS Multi-protocol
PPS:	3.3V-11V/3A	Certification
Material:	PC Flame Retardant	
Color:	Black/White	
Plug:	UK/US/EU	REACH LA CB



100W	GaN
-------------	-----

2C+1A Port Charger Fast Charging

Colour Electric Parameters Product Name Product Features Model: PP-100W GaN-UK/EU Navitas chir Lightweight design Input: 100-240V~ 50-60Hz 2.5A East charming GaN Technolo Total Output: 100W(Max) I ow temperature fa USB-C1: 20V/5A,9V/3A,12V/3A Compatible with PD/SC Multi-protoco USB-C2: 20V/3.25A,9V/3A,12V/3A Certification USB-A: 4.5V/5A,5V/4.5A,9V/3A CE FC Rohs Color: Black/White Plug: UK









100W GaN **2C+1A Port Charger** Fast Charging

Colour	

Product Name	Electric Parameters	Product Features
Model:	PP-100W GaN-UK/EU	Navitas chip
Input:	100-240V~ 50-60Hz 2.5A	Lightweight design Fast charging
Total Output:	100W(Max)	GaN Technology Low temperature fast charging
USB-C1:	20V/5A,9V/3A,12V/3A	Compatible with PD/SCP/PPS
USB-C2:	20V/3.25A,9V/3A,12V/3A	Certification
USB-A:	4.5V/5A,5V/4.5A,9V/3A	Certification
Color:	Black/White	
Plug:	EU	

Car Charger Series

Phone Planet









USB-A*2 Car Charger Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-CC01	• Mini Size
Input:	DC 12-24V	Dual USB-A Safe Charging
Total Output:	12W(Max)	Current overvoltage protection
USB-A:	5V/2.4A	
Ports:	Dual USB Ports	Certification
Material:	PC Flame Retardant	RoHS
Color:	Black	
Size:	24*24*38mm	



USB-A *2 Car Charger Fast Charging		
Colour Product Name	Electric Parameters	Product Features
Model:	PP-CC02	Mini Size Dual USB-A
Input:	DC 12-24V	Safe Charging
Total Output:	24W(Max)	Current overvoltage protection
USB-A:	5V/4.8A	
Ports:	Dual USB Ports	Certification
Material:	PC Flame Retardant	
Color:	Black	CE ROHS
Size:	25*25*45mm	

24W

PP-CC02



PP-CC03 38W 1C+1A Car Charger Fast Charging

Product Name	Electric Parameters	Product Features
Model:	PP-CC03	• Mini Size
Input:	DC 12-24V	Dual USB-A Safe Charging
Total Output:	38W(Max)	Current overvoltage protection
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-A:	3.6-6.5V/3A,9V/2A	Certification
Material:	PC Flame Retardant	Certification RoHS
Color:	Black	
Size:	35*26*61mm	



PP-CC04 60W 2C+1A Car Charger Fast Charging Colour

Product Name	Electric Parameters	Product Features
Model:	PP-CC04	• Fast charging on every port
Input:	DC 12-24V	MacBook & ipad & iPhone Intelligent Host Chip
Total Output:	60W(Max)	
USB-C1:	5V/3A,9V-3A,20V/1.5A	
USB-A:	4.5V/5A,9V-1.5A,V/3A	Certification
PPS:	3.3-11V/3A	
Color:	Black	
Size:	79.7*35.2*22.6mm	



PP-CC05 51W

1C+1A Car Charger

Fast Charging

Product Name	Electric Parameters	Product Features
Model:	PP-CC05	● Mini Size
Input:	DC 12-24V	Dual USB-A Safe Charging
Total Output:	51W(Max)	Current overvoltage protection
USB-C:	5V/3A,9V/3A,12V/2.25A	
USB-C:	5V/3A,9V/2A,12V/1.5A	Certification
PPS:	3.3V-11V/3A	Certification CE RoHS
Color:	Black	
Size:	35*25*61mm	



PP-CC06 120W

4 IN 1 Car Charger

Fast Charging

Product Name	Electric Parameters	Product Features
Model:	PP-CC06	Built-in safety fuse
Input:	DC 12-24V	Voltage display Retractable cables
Total Output:	120W(Max)	Short circuit protectioCharge 4 device at the same time
USB-A:	5V/2.4A	
USB-C	5V/3A,9V/3A,12V/2.25A	Certification
Type-C Cable:	PD 100W Super fast charge	
Lightning Cable:	6V/2.4A 14W	CE FC Rohs
Tension Line:	80CM	
Size:	139*65*35.5mm	



Notice: USB-C and Lightning Port Cant Use Simultaneously.





USB-L+1C+1A Port Charger

Fast Charging+Built-in C to L Data Cable

Product Name	Electric Parameters	Product Features
Model:	PP-CC07	● Built-in safety fuse
Input:	DC 12-24V	Voltage display Retractable cables
Total Output:	80W(Max)	 Short circuit protectio Charge 4 device at the same time
USB-A:	5-12V-3A,20V-2.25A (Max 45W)	
USB-C	5V/3A,9V/3A,12V/2.25A (Max 30W)	
Lightning:	5V/3A,9V/3A,12V/2.25A (Max 30W)	Certification
PPS:	PD30W+QC45W	CE FC Rohs
Tension Line:	100CM	
Size:	72*35*35mm	



Power Bank Series



Tesla Battery Core





10000mAh

1C+1A Power Bank

Fast Charging

Product Name	Electric Parameters	Product Features
Model:	PP-PB20WPD03	• Mini Size
Input:	5V/3A,9V/2A,12V/1.5A	Dual USB-A Safe Charging
Capacity:	10000mAh	Tesla Battery Core Current overvoltage protection
USB-C:	PD 20W	
USB-A:	5V/3A,9V/2A,12V/1.5A	Certification
Weight:	175G	
Color:	Black	CE FC Rohs
Size:	79*56.5*25.8mm	



20000mAh

1C+1A Power Bank

Fast Charging

Product Name	Electric Parameters	Product Features
Model:	PP-PB20WPD03	• Mini Size
Input:	5V/3A,9V/2A,12V/1.5A	Dual USB-A Safe Charging
Capacity:	10000mAh	Tesla Battery Core Current overvoltage protection
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	
USB-A:	5V/3A,9V/2A,12V/1.5A	Certification
Weight:	335G	
Color:	Black	CE FC Rohs
Size:	149*56.5*25.8mm	



PP-PB22.5W05

10000mAh Power Bank 4-Port Fast Charging

Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W05	Fast Charging
Input:	5V/3A,9V/2A,12V/1.5A	True Capacity Replaceable Cable
Capacity:	10000mAh(3.7V/37Wh)	LCD Display Mini Size
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	
USB-A:	4.5V/5A,9V/2A,12V/1.5A 22.5W Max	
USB-C Line:	5V/3A,9V/2.2A,12V/1.6A	Certification
Lightning Line:	5V/2.4A	CE FC Rohs
Color:	Black	



PP-PB22.5W06

10000mAh Power Bank

5-Port Fast Charging

Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W06	Fast Charging
Input:	5V/3A,9V/2A,12V/1.5A	True Capacity Replaceable Cable
Capacity:	10000mAh(3.7V/37Wh)	LCD Display Mini Size
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	
USB-A:	4.5V/5A,9V/2A,12V/1.5A 22.5W Max	Certification
USB-C Line:	5V/3A,9V/2.2A,12V/1.6A	
Lightning Line:	5V/2.4A	CE FC ROHS
Color:	Black	



PP-PB22.5W07

5000mAh Power Bank Wireless 3-Port Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W07	1.Fast Charge 2.Real Capacity
Input:	5V/3A,9V/2A,12V/1.5A	3.Automatic Identification iPhone
Capacity:	5T000mAh(3.7V/18.5Wh)	4.Double POP-UP Window, show Phone and Power Bank Battery
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	5.Strong Magnetic 6.With Hang Hole,Easy to Carry.
USB-A:	4.5V/5A,9V/2A,12V/1.5A 22.5W Max	• 7.MINI Siz
Wireless:	15W	Certification
Color:	Black	CE FC Rotts




PP-PB22.5W08 10000mAh Power Bank Wireless 4-Port Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W08	1.Fast Charge 2.Real Capacity
AC Input:	12W	 3.AC Power Plug,Can Be Used as a Wall Chrager
Capacity:	10000mAh(3.7V/37Wh)	 4.With a Phone Holder 5.Strong Magnetic
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	 6.The Sling is a 2 in 1 Cable 7.Type C and Lightning Ports Both
USB-A:	4.5V/5A,9V/2A,12V/1.5A 22.5W Max	Can Power In and Out.
Lightning Intput:	5V/2A	FC ROHS
Lightning Output:	5V/3A,9V/2.2A,12V/1.6A	
Wireless:	15W	
Color:	White + Orange	







362 High Capacity	DmAh	
Colour	٠	
Product Name	Electric Parameters	Product Features
Model:	PP-IP11PRO	High Capacity Battery
Model: Rated Vollage	PP-IP11PRO 3.8V13.7Wh	High Capacity Battery Integrated Circuit Protection
Rated Vollage	3.8V13.7Wh	




11 PRO MAX High Quality Mobile Phone Accessories

100

PP-IP11PM 4780mAh

High Capacity Li-ion Battery



Product Name	Electric Parameters	Product Features
Model:	PP-IP11PM	High Capacity Battery
Rated Vollage	3.8V18.1Wh	Integrated Circuit Protection
Charge Limited Vollage:	4.35v	
Rated Capacity:	4780mAh	
Material:	Li-ion Battery	Certification



Disposing of the battery

Dispose of batteries according to local regulations Or reference the Rechargeable Battery RecyclingProgramme from









PP-IP13PRO 3400mAh High Capacity Li-ion Battery Colour Electric Parameters Product Name Product Features Model: PP-IP13PRO • High Capacity Battery 3.87V-12.7Wh Rated Vollage Charge Limited 4.47v Vollage: 3400mAh Rated Capacity: Certification Material: Li-ion Battery Œ



PP-IP13PM 4780mAh

High Capacity Li-ion Battery



Product Name	Electric Parameters	Product Features
Model:	PP-IP13PM	High Capacity Battery
Rated Vollage	3.85V18.4Wh	Integrated Circuit Protection
Charge Limited Vollage:	4.47v	
Rated Capacity:	4780mAh	
Material:	Li-ion Battery	Certification
		<u> </u>



Disposing of the battery

Dispose of batteries according to local regulations Please recycle when possible. Do not dispose as household waste Or reference the Rechargeable Battery RecyclingProgramme from













PP-IP14PM 4780mAh

High Capacity Li-ion Battery



Pr

Product Name	Electric Parameters	Product Features
Model:	PP-IP14PM	High Capacity Battery
Rated Vollage	3.87V16.4Wh	Integrated Circuit Protection
Charge Limited Vollage:	4.47v	
Rated Capacity:	4850mAh	Ou d'En allan
Material:	Li-ion Battery	Certification
		<u> </u>



Dispose of batteries according to local regulations Please recycle when possible. Do not dispose as household waste Or reference the Rechargeable Battery RecyclingProgramme from





PP-IPXR 3690mAh

High Capacity Li-ion Battery



IPXR V~12.4Wh 5v	High Capacity Battery Integrated Circuit Protection
	Integrated Circuit Protection
5v	
0mAh	
on Battery	Certification



PP-IPX 3250mAh High Capacity Li-ion Battery Colour Product Name **Electric Parameters** Product Features PP-IPXR Model: High Capacity Battery Integrated Circuit Protection Rated Vollage 3.8V-14.0Wh Charge Limited 4.35v Vollage 3250mAh Rated Capacity: Certification Material: Li-ion Battery (CE

KEEP ORIGINAL CONTROL

Converts wired to wireless seamlessly

Hey, Siri, Navigate to the party



CarPlay Series





OEM controlknob

Touch screen controls



Steering wheel control



PP-CP01 CarPlay

2-in-1 Wireless Adapter

Full Android System/Wireless CarPlay/Android



Product Name	Electric Parameters	Product Features
I Toudet Maine		i roudet i catares
Model:	PP-CP01	Plug and Play
Product Name:	CarPlay Wireless Adapter	Online Upgrade Original Car Touch Control
Configuration:	Synchronize Mobile Phone	Run Smoothly
eonigurationi		Automatic Connection
Networkl:	Sync Cellular Network	Low-power Chip Voice Control is Quick to Operate
Material:	Aluminum Alloy+Tempered Glass	5G WIFI Technology, Stable Connection
Power Supply:	USB Cable	Without Disconnection.
		Certification
Input/Output:	USB-A or Type-C	CE EC ROHS
Device:	ios/Android	KOHS
Connection:	Wired/Wireless	





3-in-1 Wireless Adapter

Full Android System/Wireless CarPlay/Android Auto



Product Name	Electric Parameters	Product Features
Model:	PP-CP02	Plug and Play Optime Unergede
Product Name:	Ai Box for Car and Machine Interconnection	Online Upgrade Original Car Touch Control
Configuration:	Synchronize Mobile Phone	Run Smoothly Automatic Connection
Networkl:	Sync Cellular Network	Low-power Chip
Material:	Aluminum Alloy+Tempered Glass	Voice Control is Quick to Operate 5G WIFI Technology, Stable Connection
Power Supply:	USB Cable	Without Disconnection.
Input/Output:	USB-A or Type-C	
Device:	ios/Android/TF	CE FC Rohs
Connection:	Wired/Wireless	



PP-CP03 CarPlay

Multimedia Car Smart Box

CarPlay/AI Box With HDMI

Product Name	Electric Parameters	Product Features
Model:	PP-CP03	● Intelligent IC chip
Operating system:	Android 13	 3.5G WIFI technology, stable connection Wireless CarPlay/Android Auto Support YouTube/Netflix
CPU:	Qualcomm 6125	Support USB Flash/MMC card playback Support mobile phone screen mirroring
Rom:	8+128GB	 Built-in 4G full network communication module Support OTA online upgrade Support app shop to download A
Ports:	Type-C port, TF card slot, SIM card slot,Mini HDMI	
HDMI Port:	Supports High-definition Output	Certification
Compatible:	IOS10 and above Or Android phone with Android 11	
Size:	61*61*13.4mm	



Camera Series





PP-SC01 Wi-Fi



3MP Smart Camera

Home Security Wi-Fi Camera

Product Name	Electric Parameters	Product Features
Model:	PP-SC01	Wifi+BLE Connection
Storage:	Cloud service/TF Card	• High-quality, Clear Images
Compatible Devices:	Android, iOS	Customizable Activity Area
Wireless Encryption:	WEP/WPA/WPA2	Human Body Filter Sound Detection
Audio:	Microphone/Speaker	
Lens Angle:	108°	
Infrared Distance:	10 Meters	
Wi-Fi Standard:	802.11b/g/n	
Power:	5V/1A	Certification
Storage:	256GB TF card/cloud	ROHS CE FC



PP-SC02 Wi-Fi



3MP Smart Camera

Home Security Wi-Fi Camera

Product Name	Electric Parameters	Product Features
Model:	PP-SC02	WifitBLE Connection
Storage:	Cloud service/TF Card	High-quality, Clear Images
Compatible Devices:	Android, iOS	• 360° Rotation
Wireless Encryption:	WEP/WPA/WPA2	Customizable Activity Area Human Body Filter
Audio:	Microphone/Speaker	Sound Detection
Lens Angle:	108°	
Infrared Distance:	10 Meters	
Wi-Fi Standard:	802.11b/g/n	
Power:	5V/1A	Certification
Storage:	256GB TF card/cloud	ROHS CE FC




PP-SC03 Wi-Fi



3MP Smart Camera

Outdoor & Indoor Home Security Wi-Fi Camera

Product Name	Electric Parameters	Product Features
Model:	PP-SC03	WifitBLE Connection
Storage:	Cloud service/TF Card	• 1.6mm Lens
Compatible Devices:	Android, iOS	Color Night Vision
Wireless Encryption:	WEP/WPA/WPA2	 High Brightness Spotlight 360° Rotation
Audio:	Microphone/Speaker	Customizable Activity Area
Lens Angle:	108°	Human Body Filter
Infrared Distance:	10 Meters	Sound Detection
Wi-Fi Standard:	802.11b/g/n	IP65 Waterproof
Power:	5V/1A	Certification
Storage:	256GB TF card/cloud	ROHS CE FC



PP-DC01 1080P

Intelligent Car Recorder

1080P HD Dash Cam



Product Name	Electric Parameters	Product Features
Model:	PP-DC01	Wifi Mobile Interconnection
Pixel:	1080P	Parking Monitoring Time-lapse Recording
Intput:	5V-0.5A	 Loop Recording Starlight Night Vision
Plug:	TYPE-C	
Battery:	Button Battery	
Accessories:	Genuine 3M Glue Type-C Power Cable	Certification



Front Dash Cam





Rear Cam


PP-DC02 4K+1080P

Car Dash Cam

Your Virtual Eye Capturing Everything



Product Name	Electric Parameters	Product Features
Model:	PP-DC02	● 4K+1080P
CPU:	Hi3516CV610 - 20S	• 24 Hours Parking Surveillance
Image Sensor:	Front - GC4653, Rear - AHD1080P	• Time-lapse recording
Lens:	Six-group All-glass Lens	wifi cell phone interconnection High Definition Picture Quality
Aperture:	F1.8	Loop Recording
Diagonal Angle:	1.47-inch Screen / Resolution:320×172	Starlight Night Vision
Angle:	140° Wide Angle	
Resolution:	4K (3840x2160)	
Storage:	TF Card (256G Max)	Certification
Power Interface:	Туре-С	ROHS CE FC




Car Bracket Series













Magnets Car Bracket

Supports Multi-stage Adjustment



Product Name	Electric Parameters	Product Features
Model:	PP-HD02	Free angle adjustment
Material:	PC+ABS+Silicome	Magnetic stand Foldable for storage
Weight:	104G	Suitable for mobile phones/tablets
Color:	Black	
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



PP-HD03 360°

Magnetic Charging Bracket Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-HD03	Built-in 6 N45 magnets
Material:	ABS+Silicome	360 degree adjustable rotatio
Weight:	74G	Exclusive Patent
Output:	15W/10W/7.5W/5W	
Color:	Black	
Description:	The chuck can be used in the outlet or air outlet, say goodbye to cumbersome, to achieve extremely fast installation; it also has a charging function	



PP-HD04 360° Gripper Car Bracket Supports Multi-stage Adjustment



Product Name	Electric Parameters	Product Features
Model:	PP-HD04	Soft silicone material
Material:	Metal Parts+Silicome	H-shape design increases bonding area
Weight:	163G	Good heat resistance and heat dissipation
Color:	Black	Suitable for most mobile
Description:	The large clamp arm bracket is stable and anti slip, and can be installed on the center console of a car	









Magnets Car Bracket

Supports Multi-stage Adjustment

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HD06	Strong Magnet
Material:	PC+ABS+Silicome	Solid Adsorption Occupy No Space
Weight:	25.9G	Easy To Carry
Color:	Black	
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide control of the suitable for 4-13 inches phones and tablets. Simple but stylish design	



PP-ł	1D07	360°
Magne	ets Car B	Sracket
Supports Multi	-stage Adjustment	
Colour	Electric Parameters	Product Features
Model:	PP-HD07	Strong Magnet
Material:	PC+ABS+Silicome	solid Adsorption Occupy No Space
Weight:	104G	360° Degree Rotation
Color:	Black	
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets.	



PP-HD08 360° **Magnets Car Bracket** Supports Multi-stage Adjustment Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HD08	Free angle adjustment
Material:	PC+ABS+Silicome	Magnetic stand Foldable for storage
Weight:	104G	Suitable for mobile phones/tablets
Color:	Black	
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	













 Product Name
 Electric Parameters
 Product Features

 Model:
 PP-4D11
 -367 Reation

 Suction Force:
 5xG
 -High-capacity Estery

 Battery capacity:
 130mAh
 -Morried Atsorption Force

 Color:
 Black
 -Morried Atsorption Force

 Material:
 Aluminum alloy + ABS
 -Morried Atsorption

 Wireless:
 159W
 -Certification

 Phone Size:
 4.7 Inches - 7 Inches
 Encore







Product Name	Electric Parameters	Product Features
Model:	PP-HD12	Free Angle Adjustment
Material:	PC+PET+Silicome	17 Pcs N52 Magnets Foldable For Storage
Magnets:	17 Pcs N52 Magnets	Suitable For Mobile Phones
Weight:	133g	
Color:	Black	
Description:	High density alloy thickened arm rod, high corrosion resistance,high	Certification
2000	flexibility,and can bend freely without deformation.	REACH ROHS


















PP-HD16 360° Sucker Phone Holder Supports Multi-stage Adjustment









PP-HD18	360°
Magnetic Phone	e Holder

Supports Multi-stage Adjustment

Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-HD18	Free Angle Adjustment
Material:	Zinc alloy +ABS	N52 Magnets Foldable For Storage
Magnets:	N52 Magnets/3200 Gauss	Suitable For Mobile Phones
Weight:	84g	
Color:	Gunmetal Gray	
Description:	Rotatable and foldable Magsafe magnetic bracket, free rotation, dual-axis two-way rotation, bracket 360/720-degree directional conversion limit,base uses automotive-specific 3M adhesive.	Certification REACH ROHS







PP-HD20 360° Folding Bracket Supports Multi-stage Adjustment

Product Name	Electric Parameters	Product Features
Model:	PP-HD20	Free Angle Adjustment
Material:	Carbon Steel	Sturdy Support Foldable For Storage
Size:	140*85*90	Suitable For Mobile Phones
Weight:	110g	
Color:	Gray	
Description:	Folding bracket: Made of high-grade carbon steel, compatible with a wide range of phones, suitable for 4.7-8 inch phones. The base is stable, with a base is stable, with a bezel surface, and can be adjusted 360° to adjust the angle.	Certification REACH ROHS







PP-HD22 360° Magnetic Phone Holder Vacuum Chuck with 360° Rotation Colour Electric Parameters Product Features Product Name Model: PP-HD22 Double the Magnetic Force Doesn't take up Much Space Material: ABS+PC Dual Axis Adjustment Unlimited Space Magnets: 19 Pcs N52 Magnets Size: 59*59*43mm Color: Black Vacuum magnetic holder. Certification when pressed towards a smooth surface such as a Description: wall, the swing ON button performs vacuum suction and holds it in place.



Phone Bracket Series















Magnetic Phone Bracket

Supports Multi-stage Adjustment



Product Name	Electric Parameters	Product Features
Model:	PP-PH05	Strong suction power
Material:	Silicone	 Soft, no cuts Multi-angle easy swivel
Weight:	16.2G	 Suitable for mobile phones/iPads Stylish, mini and lightweight
Color:	Black/Silver/Dark Blue/Purple	
Description:	Five-Layer structure Finger control farewell hand slip, Applicable to iP12.13. 14.15 series mobile phones Suitable for mobile phone case with magnetic function	Certification REACH ROHS





Phone Plu



Retractable Phone Bracket

Supports Multi-stage Adjustment




Product Name	Electric Parameters	Product Features
Model:	PP-PH06	Adjustable Flexible Finger Gip
Material:	TPU+Stainless steel+ Genuine 3M glue	Self Standing (Horizontal/Vertical)Easy & Safe for one hand operation
Size:	81*25*4mm	One finger is enough to carry the phone
Color:	Black/Silver/Dark Blue/Purple	Selfie? No Problem
Description:	Phone Grip Holder, Finger Cell Phone Grip, Silicone Phone Finger Strap, Telescopic Mobile Phone Holder for All Smartphones (4 Colors)	Certification REACH ROHS



Headphones Series







PP-HP05-GY

Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour

Product Name	Electric Parameters
Model:	PP-HP05-GY
Wireless Version:	V5.3
Chip:	JL7006F4
Horn Size:	40mm
Horn Impedance:	32Ω
Frequency Range:	20Hz-20KHz
Sensitivity:	105dB +/ 3dB@1KHz
Battery Capacity:	800mAh
Charging Time:	2 hours
Playback Time:	60 hours
Connection Play:	46 hours
Distance:	10m
Charging Cable:	Туре-С

Product Features

- Soundproof sponge
- Support NTC temperature control
- High cost performance
- It can be rotated and folded
- Active noise reduction
- High quality High sound quality
- Call noise reduction
- With 3.5mm audio jack

Certification





PP-HP01-WE

Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HP01-WE	
Wireless Version:	V5.3	Unique Appearance
Chip:	JL7026	Easy to Carry
Horn Size:	40mm	High Cost Performance
Horn Impedance:	32Ω	Type C Charging Port
Frequency Range:	20Hz-20KHz	Call Noise Reduction
Sensitivity:	103dB +/3dB	Support NTC temperature control
Battery Capacity:	400mAh	
Charging Time:	3.5 hours	Certification
Playback Time:	55 hours	
Distance:	10m	<u> </u>
Charging Cable:	Туре-С	



PP-HP02-KI

Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-HP02-KI	
Wireless Version:	V5.3	Unique Appearance
Chip:	JL7026	Easy to Carry
Horn Size:	40mm	High Cost Performance
Horn Impedance:	32Ω	Type C Charging Port
Frequency Range:	20Hz-20KHz	Call Noise Reduction
Sensitivity:	103dB +/3dB	Support NTC temperature control
Battery Capacity:	400mAh	
Charging Time:	3.5 hours	Certification
Playback Time:	55 hours	
Distance:	10m	
Charging Cable:	Туре-С	



PP-HP03-BK

Wireless Headphones OWS Headphones Hi-Fi Sound



Product Name	Electric Parameters	Product Features
Model:	PP-HP03-BK	Soundproof sponge
Wireless Version:	V5.3	Support NTC temperature control
Chip:	JL7006F4	High cost performance
Horn Size:	40mm	• It can be rotated and folded
Horn Impedance:	32Ω	Active noise reduction
Frequency Range:	20Hz-20KHz	High quality High sound quality
Sensitivity:	105dB +/ 3dB@1KHz	Call noise reduction
Battery Capacity:	800mAh	With 3.5mm audio jack
Charging Time:	2 hours	Certification
Playback Time:	60 hours	
Distance:	10m	U
Charging Cable:	Туре-С	



PP-HP04-BK

Wireless Headphones

OWS Headphones Hi-Fi Sound



Product Name	Electric Parameters	Product Features
Model:	PP-HP04-BK	
Wireless Version:	V5.3	Unique Appearance
Chip:	JL7006F4	Easy to Carry
Horn Size:	40mm	High Cost Performance
Horn Impedance:	32Ω	Type C Charging Port
Frequency Range:	20Hz-20KHz	Call Noise Reduction
Sensitivity:	105dB +/ 3dB@1KHz	Support NTC temperature control
Battery Capacity:	800mAh	
Charging Time:	2 hours	Certification
Playback Time:	60 hours	
Distance:	10m	
Charging Cable:	Туре-С	_










PP-BT08 BT5.4

Ear-Hook Noise Headphones

ENC intelligent Noise Cancellation



Product Name	Electric Parameters	Product Features
Model:	PP-BT08	4 hours of continuous listening
Wireless Version:	V5.4	400mAh battery capacity
Wireless Frequency:	2.402GHz-2.480GHz	• Dual microphone for clearer calls
Support Wireless:	A2ZDP, AVRCP, HSP, HFP	• ENC intelligent noise cancellation
Music Playback Time:	7.5 hours	Charging 5 minutes can be used
Talk Time:	4 hours	for 150 minutes
Headset Battery:	3.7V,50mAh	
Speaker Unit:	616.2mm	Certification
Charging Case:	3.7V,400mAh	
Charging Time:	2 hours	CE FC ROHS
Charging Voltage:	DC 5V-300mA	
Battery Cycle Life:	2300 times charge/discharge cycle	
Charging Interface:	Туре-С	



PP-BT01 5.1BT

Sports Headset

In-Ear Headset

Product Name	Electric Parameters	Product Features
Model:	PP-BT01	● Hi-Fi Sound
Material:	Silicone	 Built-in Microphone Up to 120 Hours Stand By
Battery:	105mAh	Durable & Lightweight Flexible Wire
Waterproof:	IPX-4	
Charging	Туре-С	
Playing Time:	6Н	
Rated Power:	3mW	
Color:	Black	







PP-C	5105	5.3BT
In-ear \	Wireless	Headset
Supports Wire	less Charging & Li	ghtning Port
Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-BT05	• 1:1 Original Model
BT version:	V5.3	50H Standby Time Wired & Wireless Dual Charging
Range:	10m	Strong Signal & Stable Connection Low Power Consumption & Long
Speaker:	13mm	Battery Life
Rated Power:	3mW	Certification
Battery:	Earphone 28mAh*2	Certification RoHS
Charging Case:	250mAh	W
Playing Time:	4-5H	

DD DTAS CORT



PP-BT06 5.3BT 2 IN 1 Wireless Headset Supports Wireless Charging & Type-C Port Colour Product Name Electric Parameters Product Features Model: PP-BT06 ENC Noise Reduction DUAL Microphone For Bet BT version: V5.3 Hi-Fi Stereo Sound With Base 90Hrs Standby Range: 10m

Certification

Speaker:

Battery:

Rated Power:

Charging Case:

Playing Time:

13mm

3mW

400mAh

2.5H

Earphone 25mAh*2



PP-BT07 5.3BT Wireless Headset 5.3BT Version/300mAh Charging Box

Product Name	Electric Parameters	Product Features
Model:	PP-BT07	High Fidelity
BT version:	V5.3	Stereo Sound Inductive touch
Range:	10m	Two Headphones Free switching
Speaker:	13mm	
Rated Power:	3mW	Certification
Battery:	Earphone 30mAh*2	Certification RoHS
Charging Case:	300mAh	
Playing Time:	4-5H	



PP-HF01-AUX 3.5mm Wired Headset 3.5mm & Semi-In-Ear Headset

Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-HF01-AUX	HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Range:	10m	Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	Certification
Impedance:	32Ω±5Ω	Certification
Length:	1.1m	
Pluy:	3.5mm	



PP-HF01-C Type-C Wired Headset

Type-C & Semi-In-Ear Headset

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HF01-C	HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Range:	10m	Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	O a l'Éta a l'an
Impedance:	32Ω±5Ω	Certification
Length:	1.1m	CE FC Rohs
Pluy:	Туре-С	

PP-HF02-AUX

3.5mm Wired Headset

3.5mm & In-Ear Headset


Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HF02-AUX	HI-FI Storeo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and call
Range:	10m	Compatible with a wide range of devices
Speaker:	14mm	Certification
Rated Power:	2mW	
Impedance:	16 Ω ± 5 Ω	
Length:	1.1m	REACH LA CB
Pluy:	3.5mm	



PP-HF02-C Type-C Wired Headset

Product Name	Electric Parameters	Product Features
Model:	PP-HF02-C	HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Range:	10m	Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	Certification
Impedance:	16 Ω ± 5 Ω	FC RoHS
Length:	1.1m	
Pluy:	Туре-С	REACH LA CB





PP-HF01-L

Lightning Wired Headset

Lightning & Semi-In-Ear Headset

Product Name	Electric Parameters	Product Features
Model:	PP-HF01-L	● HI-FI Stereo
Frequency:	20Hz - 20kHz	 High Definition Microphone Free switching for music and calls
Range:	10m	 Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	Certification
Impedance:	32 Ω ± 5 Ω	
Length:	1.1m	CE FC Rohs
Pluy:	Lightning	REACH UK CB




PP-HF03-AUX

3.5mm Wired Headset

3.5mm & Semi-In-Ear Headset

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HF03-AUX	HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Range:	10m	• Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	32Ω±5Ω	Certification
Length:	1.1m	CE FC ROHS
Pluy:	3.5mm	



PP-HF03-C Type-C Wired Headset

Product Name	Electric Parameters	Product Features
Model:	PP-HF03-C	HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Range:	10m	 Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	Quality of the
Impedance:	32Ω±5Ω	Certification
Length:	1.1m	CO FO ROAS
Pluy:	Туре-С	



PP-BT09 5.4BT

Smart Interaction TWS Headset

5.4BT Version/400mAh Charging Case

Product Name	Electric Parameters	Product Features
Device Name:	PP-BT09	
Control Mode:	Touch	ANC active noise reduction
Chipset :	AD7003D4	• Intelligent tuning equalizer
Wireless Version :	5.4BT	Dolby Surround Panorama
Audio Codec :	SBC	Personalized spatial audio
Protocol Support :	A2DP/AVRCP/HFP/HSP	New Bluetooth 5.4 chip
Driver:	Ф13mm, 32±15% ohm	Al Intelligent Interactive
Noise Reduction:	ANC	Touch Screen
Earbuds Battery:	3.7V/30mAh	
Rated Input for Earbuds:	5V/25mA	
Charging Time:	1.5h	Certification
Music Time:	4.5 hours + approx.16 hours with charging case	
Standby Time:	50 hours + approx.190 hours with charging case	
Case Battery:	3.7V/300mAh	
Rated Input for Case:	5V/500mA	
Charging Time for Case:	1.5 hours	
Times of Case Charging Earbuds:	About 3.5 times	
Product Weight:	66.2g (7.6g+58.6g) (headphones + charging case)	



Watch Charger Series









USB-A Port Fast Charging







Apple Watch Charger


Lightning Port Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WC02	Smartly Match All styles of Apple
Material:	Zinc Alloy +ABS+PC	Watch Magnetic Adsorption For Wireless
Input:	5V/0.5A	Charging, Super Strong Magnetic Force For Precise Alignmente
Power:	2.5W	Lightweight And compact For
Input Interface:	Lightning	Easy Portability Certification
weight:	19.7G	
Size:	40*28*5.8mm	CE ROHS
Color:	White	



PP-WC03 2.5W **Apple Watch Charger** USB-A Port Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-WC03	Smartly Match All styles of Apple
Material:	Aluminum+TPE	Watch Magnetic Adsorption For Wireless
Input:	5V/0.5A	Charging, Super Strong Magnetic Force For Precise Alignmente
Power:	2.5W	Lightweight And compact For
Input Interface:	USB-A/USB-C	Easy Portability
Cable OD:	2.9mm	Certification
Length:	1.2m	CE FC ROHS
Color:	White	








Product Name	Electric Parameters	Product Features
Model:	PP-WC04	• Smartly Match All styles of Apple
Material:	Zinc Alloy +ABS+PC	Watch Magnetic Adsorption For Wireless
Input:	5V/0.5A	Charging, Super Strong Magnetic Force For Precise Alignmente
Power:	2.5W	Lightweight And compact For
Input Interface:	USB-C	Easy Portability Certification
weight:	22G	
Size:	40*28*5.8mm	CE FC Rohs
Color:	Black	



PP-WC05 2.5W

Apple Watch Charger

Lightning &USB-C Port Fast Charging



Watch Accessories Series







PP-WH01 NEW VERSION

Curved Screen Smart Watch

Connect to mobile phone APP for more functions

Colour

Product Name	Electric Parameters	Product Features
CPU:	ZK8959	Heart Rate
Memory:	128MB	Sleep Monitoring
Size:	2.01 Inch Curved Screen	Phone Call
Resolution:	320*385	• Torch
Case material:	Zinc Alloy Shell + Aluminum	Multi Sport Mode
Bluetooth version:	V5.0	Music Download Message Alert
Charging method:	Wireless Charging	Compass
Battery capacity:	300mhA	Certification
Duration:	3 days	Certification
Standby time:	15 days	REACH ROHS
Charging time:	2-3H	
Waterproof level:	IP67 Waterproof	
Wrist strap size:	226*42mm	
With strap:	1PCS Orange Silicone Strap +1PCS Black Braided	

Strap





PP-WH02

Children Smart Watch

Safe Protection Fro Children

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WH02	• Two-way high-definition call,
Memory:	128MB	• LBS precise positioning,
Size:	1.4 Inch	IPX67 waterproof,
Resolution:	240*240	• SOS for help,
Case material:	Plastic Silicone	Real-time security monitoring,
Reticulation:	Card insertion	 680mAh battery, Long standby time,
Charging method:	USB charging	Multi-language support:
Battery capacity:	680mhA	Certification
Duration:	3 days	Oertification
Standby time:	15 days	REACH ROHS
Charging time:	2-3H	
Waterproof level:	IP67 Waterproof	
Wrist strap size:	226*20mm	
With strap:	USB charging cable*1 Watch *1	

Instruction manual *1





PP-WH03

Children Smart Watch

Safe Protection Fro Children

Colour

Product Name Electric Parameters Product Features Model: PP-WH03 • 2G+4G signal 128MB Memory: • Deep waterproof • 800 mATh long battery life 1.8T Inch Size: • SOS for help, **Resolution:** 240*296 • Pull the rotating camera 108° to Case material: Plastic Silicone take pictures freely • GPS positioning Reticulation: Card insertion Multi-language support: Charging method: USB charging 800mAh Battery capacity: Certification Duration: 3 days 15 days Standby time: 2-3H Charging time: **IP67 Waterproof** Waterproof level: Wrist strap size: 226*20mm USB charging cable*1 With strap: Watch *1 Instruction manual *1





Knitting Watch Strap Apple iwatch 42/44/45/49 Series



Product Name	Electric Parameters	Product Features
Model:	PP-WB01	Adjustable wearing style
Material:	Knitting Yarn	Breathable Waterproof and dirt-resistant
Size:	42/44/45/49	Not easy to peel off
Color:	Green /Orange / Silver / Black / Blue /Gra	
		Certification
		•••





Aluminum Alloy Frame

PET&Titanium Alloy Frame Protector Film

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WF-Ultra-49	• Use of nano-coating
Material:	PET&Titanium Alloy Frame	Resistant to drops Scratch resistant
Size:	49mm	Impact resistant Anti-scratch
Accessories:	Positioner, Alcohol Pack	Water and oil resistant
		Certification



3D 41mm

Watch Protective Film HD iWatch Protective & 6H









Watch Charger HD iWatch Protective & 6H

Product Name	Electric Parameters	Product Features
Model:	PP-WF-S8-45	High Definition Display
Material:	PET	Anti-scratch Cladding Protection
Size:	45mm	Sensitive Touch Anti Edge Wear
Accessories:	Positioner, Alcohol Pack	Water and oil resistant
		Certification



Ultra 2



Hardness Screen Protector


Precise Positioning - Tight Fit

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WF-Ultra 2-49	● Use of nano-coating
Material:	Glass	Resistant to drops Scratch resistant
Size:	49mm	Impact resistant Anti-scratch
Accessories:	Positioner,Alcohol Pack	Water and oil resistant

Certification








Mobile Phone Case Film Series



















6 IN iP16 S iPhone Protec	1 hell Film	ı Sets
Colour	•	
Product Name	Electric Parameters	Product Features
Model:	PP-S6G-IP16 PP-S6G-IP16PLUS PP-S6G-IP16PRO PP-S6G-IP16PROMAX PP-S6G-IP15PROMAX	Protect Mobile Phone ScreenScratch-Resistant Privacy Protection High Transparency Anti-Drop
Material:	TPU+PC+Tempered Glass	Anti-Yellowing TPU
Object:	1,Mobile Phone Case 2, (HD/Privacy) Glass Film 3,Lens Film 4,Phone Back Film 5,Magnetic Holder	Certification C C RoHS

CINI 4



5 IN 1

iP16 Shell Film Sets iPhone Protective Kit Colour






3 IN 1 iP15 Shell Film Set iPhone Protective Kit Colour Product Name Electric Parameters Product Fet

FIGURE	Liectific Farameters	Floduct l'eatures
Model:	PP-S2-iPhone(Series)	Protect Mobile Phone
Material:	TPU+PC+Tempered Glass	ScreenScratch-Resistant Privacy Protection
Object:	1,Mobile Phone Case 2, (HD/Privacy) Film 3,Lens Film 4,Stand*2 5,Phone Back Film	High Transparency Anti-Drop Anti-Yellowing TPU
	6,Magnetic Holder 7,Alcohol Bag	Certification CE RoHS












Privacy 6H Mobile Phone Film iPhone Protective





Privacy (9H)		
Shell I	Film Set	
iPhone Protec	tive	
Colour		
Product Name	Electric Parameters	Product Fe
Model:	PP-AF-iPhone(Series)	Protect Mobile Pho ScreenScratch-Res

High Aluminum 0.33MM

9H

Privacy Protection

Anti-Yellowing TPU

Certification

High Trans

Anti-Drop

Material:

Hardness:




Magnetic

Transparent Phone Case


iPhone Protective

Product Name	Electric Parameters	Product Features
Model:	PP-MC-iPhone(Series)	Protects your mobile phone
Material:	TPU-PC	 Long lasting and durable Hard, strong and shockproof
Thickness:	2.0MM	Transparent and high-definition
Color:	Black/Silver/Dark Blue/ Purple	
		Certification
Application:	iP11-iP15 Series	REACH ROHS



Camera Lens Series









Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-LS-IP16(Series)	Aluminium Alloy
Material:	Aluminium Alloy+Glass	● 9H Hard Glass
Hardness:	9Н	Ultra-ThinProtector
		Perfect Fit

Certification





iP16 Pro Max Series

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour

Product NameElectric ParametersProduct FeaturesModel:PP-LS-IP16 PRO MAX• Aluminium AlloyMaterial:Aluminium Alloy+Glass• 9H Hard GlassHardness:9H• Ultra-ThinProtector• Perfect Fit• Perfect Fit

Certification








Camera Lens Protector Aluminium Alloy & 9H Hard Glass











iP14 Series

Camera Lens Protector Aluminium Alloy & 9H Hard Glass





iP13 Series			
	TA LENS F by & 9H Hard Glass	Protector	
Colour			
Product Name	Electric Parameters	Product Features	
Model:	PP-LS-iP(Series)	Aluminium Alloy	
Material:	Aluminium Alloy+Glass	9H Hard Glass Ultra-ThinProtector	
Hardness:	эн	Perfect Fit	
		Certification	
		CE ROHS	






Camera Lens Protector

Transparent Full Coverage Styles







iP15 Series

Camera Lens Protector

Transparent

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-LS-iP(Series)	Aluminium Alloy
Material:	Aluminium Alloy+Glass	9H Hard Glass Ultra-ThinProtector
Hardness:	9Н	Perfect Fit
		Certification
		CE ROHS



iP14 Series

Camera Lens Protector









Certification



S23 ULTRA

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23ULTRA(Series)	Aluminium Alloy
Material:	Titanium Alloy+ Glass	9H Hard Glass Ultra-ThinProtector
Hardness:	эн	Perfect Fit
		Certification



S23 ULTRA

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour			

Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23ULTRA(Series)	Aluminium Alloy
Material:	Titanium Alloy+ Glass	9H Hard Glass Ultra-ThinProtector
Hardness:	9Н	• Perfect Fit
		Certification
		CE ROHS



S23PLUS

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass







S23

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass



Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23PLUS(Series)	Aluminium Alloy
Material:	Titanium Alloy+ Glass	9H Hard Glass Ultra-ThinProtector
Hardness:	9Н	Perfect Fit
		Certification
		СС Конз

Starry Beauty Two Colors

Starry Night Light Car Aroma Diffuser

D



Car Fragrance Series



Enchanting Fragrance Car Fragrance

Portable Fragrance Device

Product Name	Electric Parameters	Product Features
Model:	PP-CY03	Upgraded Cotton Wick For More
Input:	5.0V=1A	Even Flavour 160ml For Longer Lasting
Rated power:	1.5W	Fragrance ● Monochrome Star Light
Battery capacity:	300mAh/1.11Wh	Intelligent Car Start/Stop
Capacity:	160ml (Perfume)	Certification
Temperature:	0°C~60°C	Certification
Size:	68x68x115mm	
Fragrance:	Ebony agarwood/Blue man /Cologne/White Peach /Gardenia/Encounter	



Journey Musk Car Fragrance

Star Projection Fragrance Machine

Product Name	Electric Parameters	Product Features
Model:	PP-CY02	• Two-color Starry Top, Wider
Input:	5.0V=1A	Coverage Revolving Lamp Holder
Rated power:	1.5W	Colorful Sound Control Light Car Intelligent Start and Stop
Battery capacity:	300mAh/1.11Wh	
Capacity:	50ml (Perfume)	Certification
Temperature:	0°C~60°C	Certification
Fragrance:	Ebony agarwood/Blue man /Cologne	
Size:	68x68x109.5mm	



Scent Of The Road Car Fragrance

Star Projection Fragrance Machine

Product Name	Electric Parameters	Product Features
Model:	PP-CY03	Intelligent fragrance control
Input:	5.0V=1A	Have colorful atmosphere lights Large battery capacity, high
Rated power:	10W	rated power • Car intelligent start and stop
Battery capacity:	800mAh/2.96Wh	
Capacity:	8ml (Smoke bomb)	Certification
Temperature:	0°C~80°C	Certification
Fragrance:	North cedar/Holiday sea breeze	
Size:	68x68x115mm	



Portable Fragrance Device

Ultrasonic Car Aroma Diffuser

Product Name	Electric Parameters	Product Features
Model:	PP-CY04-WE	RGB LED Light 6 Fragrance Options
Input:	5.0V/0.25A	Upgraded Cotton Wick For More Even Flavour
Rated power:	1W	• 5mla For Longer Lasting Fragrance
Battery Capacity:	300mAh/1.11Wh	Certification
Color:	White/Black	CE
Capacity:	6*5ml/pcs	



High Quality Mobile Phone Accessories

2025 New Products



www.phoneplanet.com



PP-3IN1C06 3 IN 1

Q^j² Wireless Charger

For smartphones/iWatch/AirPods & Touch and Spin

Product Name	Electric Parameters	Product Features
Model:	PP-3IN1C06	● qi≊ Second-Generation Fast Charging
Input:	5V/3A, 9V/3A	Simultaneous Charging of Three Devices
Output:	15W/10W/7.5W/5W/2.5W	Magnetic Fast Charging 15W Max
Working Frequency:	360KHZ (For iphone13/14/15/16 Series)	 One-touch Control, 180° Electric Rotation Hidden Pop-up Charging
Color:	Grey	Compartment
Size:	190mm*76mm	Certification



PP-FL01 MagSafe

Multifunction Folding Lamp

MagSafe Magnetic Lamp, Complementary Lighting for Beautiful Face

Product Name	Electric Parameters	Product Features
Model:	PP-FL01	Magnetic Quick Attach
Material:	Material: ABS+PC (magnetic)	
Voltage Current:	DC 5V/1A	• 60 LED Beads
Charging power:	2W	Multi-Angle Adjustment Battery Life
Color temperature:	3000-6500K	
Number of Lamp Beads:	60	
Battery Capacity:	800mAh	
Lighting Time:	2h-6h	
Product Size:	105*91*27mm	Certification
Power Interface:	Туре-С	ROHS CE FC

