

High Quality Mobile Phone Accessories

2025 New Products



www.phoneplanet.com

ABOUT US

Company Profile

We are Guangzhou Dangui Technology Co., LTD., focusing on the sales of high quality mobile Phone accessories, its "Phone Planet" brand positioning high-end mobile phone accessories, We are committed to providing customers with cost-effective products, including data cables, chargers, power banks, cases, screen protectors, and holders.All these products have stylish design and stable and reliable quality.

We mainly produce data cables and chargers, data cables include USB2.0-USB4, with different materials such as PVC, TPE,PP yarn weaving, etc. We will extend the life of data cables to 2-3 years by adding nylon wire to the inner core of data cables, using tinned copper and exclusive internal molding technology. Our full line of data cable products are widely used in mobile phone charging, gaming (connected to VR glass), video and audio transmission;

This charger adopts GaN technology with main control chip of Navitas(USA). It can achieve fast charging without heating or noise. It IS widely used in charging mobile phones, Ipads, Iaptops, earphones, game stations and other small appliances etc.

Our own factory has collaborated with brands such as "Ugreen" and "Baseus". With 20 years of industry experience and technical knowledge, our team is capable of providing professional consultancy sales solutions and a warranty of over 1 year.

Currently, we are recruiting brand agents and dealers. By choosing us, you will gain an exclusive market opportunity for a new brand, absolute bargaining power, a complete set of promotional materials, and local social media marketing resources to achieve rapid growth in performance. Please feel free to contact us to receive free samples.

Why Choose Us

Multiple Advantages



Advertising a	& publicity fee	Э
---------------	-----------------	---





Local customer recommendation


Local sales solutions/ Market research & analysis



New Brand Looking for Global Agency



Let Phone Planet Go Out To Spread All Of the World



Our Certificate



CE CB

ISO 9001

BSCI

UK

RòHS

FC



KEEP ORIGINAL CONTROL

Converts wired to wireless seamlessly

Hey, Siri, Navigate to the party



CarPlay



OEM controlknob

Touch screen controls



What can I help

you with?

Steering wheel control



PP-CP01 CarPlay

2-in-1 Wireless Adapter

Full Android System/Wireless CarPlay/Android

Product Name	Electric Parameters	Product Features
Model:	PP-CP01	Plug and Play
Product Name:	CarPlay Wireless Adapter	Online Upgrade Original Car Touch Control
Configuration:	Synchronize Mobile Phone	Run Smoothly Automatic Connection
Networkl:	Sync Cellular Network	Low-power Chip
Material:	Aluminum Alloy+Tempered Glass	Voice Control is Quick to Operate 5G WIFI Technology, Stable Connection
Power Supply:	USB Cable	Without Disconnection.
Input/Output:	USB-A or Type-C	
Device:	ios/Android	CE FC Rohs
Connection:	Wired/Wireless	LK



PP-CP02 CarPlay

3-in-1 Wireless Adapter

Full Android System/Wireless CarPlay/Android Auto

RAM/ROM: 2+32GB

Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-CP02	Plug and Play Online Upgrade
Product Name:	Ai Box for Car and Machine Interconnection	Original Car Touch Control
Configuration:	Synchronize Mobile Phone	Run Smoothly Automatic Connection
Networkl:	Sync Cellular Network	Low-power Chip Voice Control is Quick to Operate
Ram/Rom:	2+32GB	• 5G WIFI Technology, Stable Connection
Power Supply:	USB Cable	Without Disconnection.
Input/Output:	USB-A or Type-C	
Device:	ios/Android/TF	
Connection:	Wired/Wireless	



PP-CP03 CarPlay

Multimedia Car Smart Box

CarPlay/Al Box

RAM/ROM: 8+128GB







Multimedia Car Smart Box

CarPlay/Auto/Android/HDMI/Mirror

RAM/ROM: 4+32GB

Product Name	Electric Parameters	Product Features
Model:	PP-CP04	● Intelligent IC chip
Operating system:	Android 13	3.5G WIFI Technology, Stable Connection Wireless CarPlay/Android Auto Support YouTube/Nettflix
CPU:	Quad-core A53	HDMI 4K Video Decoding Support Cell Phone Screen Mirroring
Ram/Rom:	4+32GB	Support OTA Online Upgrade Support App Store Download
Ports:	Type-C port, USB-A Port, Mini HDMI Port,	Contification
HDMI Port:	Supports High-definition Output	Certification
Compatible:	IOS10 and above Or Android phone with Android 11	CE FC Rohs
Size:	78.5*47.3*10.8mm	





PP-CP05 CarPlay

Multimedia Car Smart Box

CarPlay/AI Box With HDMI


RAM/ROM: 8+128GB





Dashcam Series





PP-DC01 1080P

Intelligent Car Recorder

1080P HD Dash Cam



Product Name	Electric Parameters	Product Features
Model:	PP-DC01	Wifi Mobile Interconnection
Pixel:	1080P	 Parking Monitoring Time-lapse Recording
Intput:	5V-0.5A	Loop Recording Starlight Night Vision
Plug:	TYPE-C	
Battery:	Button Battery	
Accessories:	Genuine 3M Glue Type-C Power Cable	



Front Dash Cam





Rear Cam

PP-DC02 4K+1080P

Car Dash Cam

Your Virtual Eye Capturing Everything



Product Name	Electric Parameters	Product Features
Model:	PP-DC02	• 4K+1080P
CPU:	Hi3516CV610 - 20S	• 24 Hours Parking Surveillance
lmage Sensor:	Front - GC4653, Rear - AHD1080P	Time-lapse recording
Lens:	Six-group All-glass Lens	wifi cell phone interconnection High Definition Picture Quality
Aperture:	F1.8	Loop Recording
Diagonal Angle:	1.47-inch Screen / Resolution:320×172	Starlight Night Vision
Angle:	140° Wide Angle	
Resolution:	4K (3840x2160)	
Storage:	TF Card (256G Max)	
Power Interface:	Туре-С	

Starry Beauty Two Colors

Starry Night Light Car Aroma Diffuser

D



Car Fragrance Series



Enchanting Fragrance Car Fragrance

Portable Fragrance Device

Product Name	Electric Parameters	Product Features
Model:	PP-CY03	Upgraded Cotton Wick For More
Input:	5.0V=1A	Even Flavour 160ml For Longer Lasting
Rated power:	1.5W	Fragrance ● Monochrome Star Light
Battery capacity:	300mAh/1.11Wh	Intelligent Car Start/Stop
Capacity:	160ml (Perfume)	Certification
Temperature:	0°C~60°C	
Size:	68x68x115mm	MSDS UN38.3
Fragrance:	Ebony agarwood/Blue man /Cologne/White Peach /Gardenia/Encounter	



Journey Musk Car Fragrance

Star Projection Fragrance Machine

Product Name	Electric Parameters	Product Features
Model:	PP-CY02	• Two-color Starry Top, Wider
Input:	5.0V=1A	Coverage Revolving Lamp Holder
Rated power:	1.5W	Colorful Sound Control Light Car Intelligent Start and Stop
Battery capacity:	300mAh/1.11Wh	
Capacity:	50ml (Perfume)	Contification
Temperature:	0°C~60°C	Certification
Fragrance:	Ebony agarwood/Blue man /Cologne	MSDS UN38.3
Size:	68x68x109.5mm	



Scent Of The Road Car Fragrance

Star Projection Fragrance Machine

Product Name	Electric Parameters	Product Features
Model:	PP-CY03	Intelligent fragrance control
Input:	5.0V=1A	Have colorful atmosphere lights Large battery capacity, high
Rated power:	10W	rated power ● Car intelligent start and stop
Battery capacity:	800mAh/2.96Wh	
Capacity:	8ml (Smoke bomb)	Contification
Temperature:	0°C~80°C	Certification
Fragrance:	North cedar/Holiday sea breeze	MSDS UN38.3
Size:	68x68x115mm	



PP-CY04 6-IN-1

Portable Fragrance Device

Ultrasonic Car Aroma Diffuser

Product Name	Electric Parameters	Product Features
Model:	PP-CY04-WE	RGB LED Light 6 Fragrance Options
Input:	5.0V/0.25A	Upgraded Cotton Wick For More Even Flavour
Rated power:	1W	• 5mla For Longer Lasting Fragrance
Battery Capacity:	300mAh/1.11Wh	Certification
Color:	White/Black	MSDS UN38.3
Capacity:	6*5ml/pcs	



Enchanting Fragrance Car Fragrance

Portable Fragrance Device

Product Name	Electric Parameters	Product Features
Model:	PP-CY05	Upgraded Cotton Wick For More
Input:	5.0V=1A	Even Flavour 160ml For Longer Lasting
Rated power:	1.5W	Fragrance Monochrome Star Light
Battery capacity:	200mAh/0.74Wh	● Intelligent Car Start/Stop
Capacity:	140ml (Perfume)	Certification
Temperature:	0°C~60°C	
Size:	113*63mm	MSDS UN38.3
Fragrance:	Ebony agarwood/Blue man /Cologne/White Peach /Gardenia/Encounter	

	mm	
2	10	
	0 0	
	Phone Planet	
0	o	
1		

WHITE TEA



PACHULI



o Phone Planet



0

Phone Planet

DIAMOND

PP-CY04-PR6

Perfume Supplement

PP-CY04 Specialized

Colour

Electric Parameters	Product Features
PP-CY04-PR6	• WHITE TEA
	DIAMOND PACHULI
6*5mi/PCS	SANDALWOOD HILTON
	GREEN BAMBOO
	Certification
	MSDS UN38.3

SANDALWOOD

GREEN BAMBOO

HILTON



PP-PS01

Perfume Supplement

PP-CY01 Specialized

Product Name	Electric Parameters	Product Features
Model:	PP-PS01	• WHITE TEA
Capacity	400ml/Dec	DIAMOND PACHULI
Capacity:	160ml/Pcs	
		GREEN BAMBOO
		Certification
		MSDS UN38.3



PP-PS03

Perfume Supplement

PP-CY03 Specialized

Product Name	Electric Parameters	Product Features
Model:	PP-PS03	 North cedar Holiday sea breeze
Capacity:	8ml/Pcs	
		Certification
		MSDS UN38.3

Car Charger Series

Phone Planet









1C+1A Car Charger Fast Charging





	CC04	60W
2C+1A Car Charger Fast Charging		
Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-CC04	
Model:	PP-0004	Fast charging on every port
Input:	DC 12-24V	Fast charging on every port MacBook & ipad & iPhone Intelligent Host Chip
		MacBook & ipad & iPhone
Input:	DC 12-24V	MacBook & ipad & iPhone
Input: Total Output:	DC 12-24V 60W(Max)	MacBook & Ipad & IPhone Intelligent Host Chip
Input: Total Output: USB-C1:	DC 12-24V 60W(Max) 5V/3A,9V-3A,20V/1.5A	MacHook & Iped & IPhone Intelligent Host Chip Certification
Input: Total Output: USB-C1: USB-A:	DC 12-24V 60W(Max) 5V/3A,9V-3A,20V/1.5A 4.5V/5A,9V-1.5A,V/3A	MacBook & Ipad & IPhone Intelligent Host Chip



PP-CC05 51W 1C+1A Car Charger Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-CC05	• Mini Size
Input:	DC 12-24V	Dual USB-A Safe Charging
Total Output:	51W(Max)	Current overvoltage protection
USB-C:	5V/3A,9V/3A,12V/2.25A	
USB-C:	5V/3A,9V/2A,12V/1.5A	Certification
PPS:	3.3V-11V/3A	RoHS
Color:	Black	
Size:	35*25*61mm	



PP-CC06 120W 4 IN 1 Car Charger Fast Charging





Notice: USB-C and Lightning Port Cant Use Simultaneously.





USB-L+1C+1A Port Charger

Fast Charging+Built-in C to L Data Cable

Product Name	Electric Parameters	Product Features
Model:	PP-CC07	Built-in Safety Fuse
Input:	DC 12-24V	Voltage Display Retractable Cables
Total Output:	80W(Max)	Short Circuit Protectio Charge 4 Device at the
USB-A:	5-12V-3A,20V-2.25A (Max 45W)	Dame Time
USB-C	5V/3A,9V/3A,12V/2.25A (Max 30W)	
Lightning:	5V/3A,9V/3A,12V/2.25A (Max 30W)	Certification
PPS:	PD30W+QC45W	CE ROHS
Tension Line:	100CM	
Size:	72*35*35mm	




PP-CC08 120W

4 IN 1 Car Charger

Fast Charging

Product Name	Electric Parameters	Product Features
Model:	PP-CC08	• Type-C 66W Fast Charge
Input:	DC 12-24V	Star Laser Projection Colorful Ambient Lighting
Total Output:	120W(Max)	Angle 180° Adjustment 80CM Type-c and Lightning Cable
USB-A:	5V/2.4A	Charge 4 Device at the Same Time
USB-C	5V/3A,9V/3A,12V/2.25A	Contification
Type-C Cable:	PD 66W Super Fast Charge	Certification
Lightning Cable:	6V/2.4A 14W	CE FC Rohs
Tension Line:	80CM	
Size:	145*63*33.5mm	



Car Bracket Series













Magnets Car Bracket

Supports Multi-stage Adjustment



Product Name	Electric Parameters	Product Features
Model:	PP-HD02	Free angle adjustment
Material:	PC+ABS+Silicome	Magnetic stand Foldable for storage
Weight:	104G	Suitable for mobile phones/tablets
Color:	Black	
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	





Magnetic Charging Bracket Fast Charging



Product Name	Electric Parameters	Product Features
Product Name	Electric Farameters	Froduct realures
Model:	PP-HD03	Built-in 6 N45 magnets
Material:	ABS+Silicome	360 degree adjustable rotation 3M adhesive magnetic pad
Weight:	74G	Exclusive Patent
Output:	15W/10W/7.5W/5W	
Color:	Black	
Description:	The chuck can be used in the outlet or air outlet, say goodbye to cumbersome, to achieve extremely fast installation; it also has a charging function	Certification REACH ROHS








Product Name	Electric Parameters	Product Features
Model:	PP-HD04	Soft silicone material
Material:	Metal Parts+Silicome	H-shape design increases bonding area
Weight:	163G	Good heat resistance and heat dissipation
Color:	Black	Suitable for most mobile
Description:	The large clamp arm bracket is stable and anti slip, and can be installed on the center console of a car	









Magnets Car Bracket

Supports Multi-stage Adjustment

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HD06	Strong Magnet
Material:	PC+ABS+Silicome	Solid Adsorption Occupy No Space
Weight:	25.9G	Easy To Carry
Color:	Black	
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	



		000
Magne	ets Car E	Bracket
Supports Multi	i-stage Adjustment	
Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-HD07	Strong Magnet
Material:	PC+ABS+Silicome	solid Adsorption Occupy No Space
Weight:	104G	360° Degree Rotation
Color:	Black	
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	

PP-HD07 360°





Product Name	Electric Parameters	Product Features
Model:	PP-HD08	Free angle adjustment
Material:	PC+ABS+Silicome	Magnetic stand Foldable for storage
Weight:	104G	Suitable for mobile phones/tablets
Color:	Black	
Description:	Foldable design, easy to carry with you.120° adjustable to optimum angle. Wide compatibility, suitable for 4-13 inches phones and tablets. Simple but stylish design	






















Product Name	Electric Parameters	Product Features
Model:	PP-HD12	Free Angle Adjustment
Material:	PC+PET+Silicome	17 Pcs N52 Magnets Foldable For Storage
Magnets:	17 Pcs N52 Magnets	Suitable For Mobile Phones
Weight:	133g	
Color:	Black	
Description:	High density alloy thickened arm rod, high corrosion resistance,high flexibility,and can bend freely without deformation.	









Magnetic Phone Holder

Supports Multi-stage Adjustment


Colour				
Product Name	Electric Parameters	Product Features		
Model:	PP-HD14	Free Angle Adjustment		
Material:	PC+PET+Silicome	17pcs N52 Magnets Foldable For Storage		
Magnets:	17 Pcs N52 Magnets	6 Psc N54 Magnetic Base Suitable Sor Mobile Phones		
Weight:	75g			
Color:	Black			
Description:	This magnetic phone holder has a 17psc N52 magnet built into the round part and a 6psc N54 magnet built into the base of the holder, which can be firmly fixed to metal objects.	Certification REACH ROHS		







PP-HD16 360° Sucker Phone Holder Supports Multi-stage Adjustment











Magnetic Phone Holder

Supports Multi-stage Adjustment

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HD18	Free Angle Adjustment
Material:	Zinc alloy +ABS	N52 Magnets Foldable For Storage
Magnets:	N52 Magnets/3200 Gauss	Suitable For Mobile Phones
Weight:	84g	
Color:	Gunmetal Gray	
Description:	Rotatable and foldable Magsafe magnetic bracket, free rotation, dual-axis two-way rotation, bracket 360/720-degree directional conversion limit,base uses automotive-specific 3M adhesive.	





17 Pcs N52 Magnets

Rotatable and foldable Magsafe magnetic bracket, free rotation, dual-axis

tree rotation, dual-axis two-way rotation, bracket 360/720-degree directional conversion limit,base uses automotive-specific 3M

110g

Black

Magnets:

Weight:

Color:

Description:

Suitable For Mobile Phones




PP-HD20 360° Folding Bracket

Supports Multi-stage Adjustment

Product Name	Electric Parameters	Product Features
Model:	PP-HD20	Free Angle Adjustment
Material:	Carbon Steel	Sturdy Support Foldable For Storage
Size:	140*85*90	Suitable For Mobile Phones
Weight:	110g	
Color:	Gray	
Description:	Folding bracket: Made of high-grade carbon steel, compatible with a wide range of phones, suitable for 4.7-8 inch phones. The base is stable, with a base is stable, with a base sufface, and can be adjusted 360° to adjust the angle.	








PP-HD22 360° Magnetic Phone Holder Vacuum Chuck with 360° Rotation Colour Product Name Electric Parameters Product Features Model: PP-HD22 Double the Magnetic Force Doesn't take up Much Space Material: ABS+PC Dual Axis Adjustment Unlimited Space Magnets: 19 Pcs N52 Magnets Size: 59*59*43mm Color: Black Vacuum magnetic holder. Certification when pressed towards a smooth surface such as a Description: wall, the swing ON button performs vacuum suction and holds it in place.



Suitable for Different Scenarios

180° rotatable handle design, easily switch between blow and suck modes



Vacuum Cleaner Series







PP-VC01 4 IN 1

Cordless Vacuum Cleaners

Versatile and Adaptable To All Occasions



Product Name	Electric Parameters	Product Features
Model:	PP-VC01	• 15000 Pa Strong Suction
Voltage:	11.1V	6000mAh Box Capacity Wireless & Portable
Power:	100W	Wireless & Portable Light Weight
Suction Level:	3	Wide Range of Usage Scenarios
Suction:	15000PA	
Discharge Time:	30MINS	
Battery Capacity:	6000mAh	Certification
Charge Wire:	Туре-С	CE FC Rohs
Charge Time:	3-4h	MSDS IIN38 3
Product Size:	21*20*6.5cm	UN38.3



Camera Series





PP-SC01 Wi-Fi



3MP Smart Camera

Home Security Wi-Fi Camera

Product Name	Electric Parameters	Product Features
Model:	PP-SC01	Wifi+BLE Connection
Storage:	Cloud service/TF Card	High-quality, Clear Images
Compatible Devices:	Android, iOS	Customizable Activity Area
Wireless Encryption:	WEP/WPA/WPA2	Human Body Filter Sound Detection
Audio:	Microphone/Speaker	
Lens Angle:	108°	
Infrared Distance:	10 Meters	
Wi-Fi Standard:	802.11b/g/n	
Power:	5V/1A	Certification
Storage:	256GB TF card/cloud	



PP-SC02 Wi-Fi



3MP Smart Camera

Home Security Wi-Fi Camera

Product Name	Electric Parameters	Product Features
Model:	PP-SC02	WifitBLE Connection
Storage:	Cloud service/TF Card	High-quality, Clear Images
Compatible Devices:	Android, iOS	• 360° Rotation
Wireless Encryption:	WEP/WPA/WPA2	Customizable Activity Area Human Body Filter
Audio:	Microphone/Speaker	Sound Detection
Lens Angle:	108°	
Infrared Distance:	10 Meters	
Wi-Fi Standard:	802.11b/g/n	
Power:	5V/1A	Certification
Storage:	256GB TF card/cloud	ROHS CE FC



PP-SC03 Wi-Fi



3MP Smart Camera

Outdoor & Indoor Home Security Wi-Fi Camera

Product Name	Electric Parameters	Product Features
Model:	PP-SC03	WifitBLE Connection
Storage:	Cloud service/TF Card	● 1.6mm Lens
Compatible Devices:	Android, iOS	Color Night Vision
Wireless Encryption:	WEP/WPA/WPA2	 High Brightness Spotlight 360° Rotation
Audio:	Microphone/Speaker	Customizable Activity Area
Lens Angle:	108°	Human Body Filter
Infrared Distance:	10 Meters	Sound Detection
Wi-Fi Standard:	802.11b/g/n	IP65 Waterproof
Power:	5V/1A	Certification
Storage:	256GB TF card/cloud	ROHS CE FC

BOUNDARY COMPUTER ACCESSORIES



Headphones Series





PP-HP05-GY

Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour

Product Name	Electric Parameters
Model:	PP-HP05-GY
Wireless Version:	V5.3
Chip:	JL7006F4
Horn Size:	40mm
Horn Impedance:	32Ω
Frequency Range:	20Hz-20KHz
Sensitivity:	105dB +/ 3dB@1KHz
Battery Capacity:	800mAh
Charging Time:	2 hours
Playback Time:	60 hours
Connection Play:	46 hours
Distance:	10m
Charging Cable:	Туре-С

Product Features

- Soundproof sponge
- Support NTC temperature control
- High cost performance
- It can be rotated and folded
- Active noise reduction
- High quality High sound quality
- Call noise reduction
- With 3.5mm audio jack

Certification





PP-HP01-WE

Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HP01-WE	
Wireless Version:	V5.3	Unique Appearance
Chip:	JL7026	Easy to Carry
Horn Size:	40mm	High Cost Performance
Horn Impedance:	32Ω	Type C Charging Port
Frequency Range:	20Hz-20KHz	Call Noise Reduction
Sensitivity:	103dB +/3dB	Support NTC temperature control
Battery Capacity:	400mAh	
Charging Time:	3.5 hours	Certification
Playback Time:	55 hours	CE FC ROHS
Distance:	10m	
Charging Cable:	Туре-С	REACH MSDS UN38.3



PP-HP02-KI

Wireless Headphones

OWS Headphones Hi-Fi Sound

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HP02-KI	
Wireless Version:	V5.3	Unique Appearance
Chip:	JL7026	Easy to Carry
Horn Size:	40mm	High Cost Performance
Horn Impedance:	32Ω	Type C Charging Port
Frequency Range:	20Hz-20KHz	Call Noise Reduction
Sensitivity:	103dB +/3dB	Support NTC temperature control
Battery Capacity:	400mAh	
Charging Time:	3.5 hours	Certification
Playback Time:	55 hours	CE REACH ROHS
Distance:	10m	
Charging Cable:	Туре-С	UN38.3 MSDS



PP-HP03-BK

Wireless Headphones OWS Headphones Hi-Fi Sound



Product Name	Electric Parameters	Product Features
Model:	PP-HP03-BK	Soundproof sponge
Wireless Version:	V5.3	Support NTC temperature control
Chip:	JL7006F4	High cost performance
Horn Size:	40mm	• It can be rotated and folded
Horn Impedance:	32Ω	Active noise reduction
Frequency Range:	20Hz-20KHz	High quality High sound quality
Sensitivity:	105dB +/ 3dB@1KHz	Call noise reduction
Battery Capacity:	800mAh	With 3.5mm audio jack
Charging Time:	2 hours	Certification
Playback Time:	60 hours	CE REACH ROHS
Distance:	10m	
Charging Cable:	Туре-С	UN38.3 MSDS




PP-HP04-BK

Wireless Headphones


OWS Headphones Hi-Fi Sound



Product Name	Electric Parameters	Product Features
Model:	PP-HP04-BK	
Wireless Version:	V5.3	Unique Appearance
Chip:	JL7006F4	Easy to Carry
Horn Size:	40mm	High Cost Performance
Horn Impedance:	32Ω	Type C Charging Port
Frequency Range:	20Hz-20KHz	Call Noise Reduction
Sensitivity:	105dB +/ 3dB@1KHz	Support NTC temperature control
Battery Capacity:	800mAh	
Charging Time:	2 hours	Certification
Playback Time:	60 hours	CE REACH ROHS
Distance:	10m	
Charging Cable:	Туре-С	UN38.3 MSDS



Docking Station Series











USB-A HUB HDMI+VGA 10cm Length Colour Electric Parameters Product Features Product Name HDMI Supports 1080P&30 PP-DS02 Model: HDMI Supports 1080P 30Hz Ultra HD Resolution lual Video Outou Aluminum Shell Material: Dual Video Output Function: Certification HDMI: 1080P&60Hz CE FC ROHS VGA: 1080P&60H;





















5Gbps

480Mbps

104Mbps

104Mbps

Certification

CE FC Rolls

USB3.0:

USB2.0:

SD:

TF:





104Mbps

SD/TF:





USB-C to HDMI

High Definition Transmission Cable

Length

1.8m

Product Name	Electric Parameters	Product Features
Model:	PP-CHDMI01	4K*2K@60Hz UHD Resolution Video & Audio Simultaneously
Material:	Aluminum + PVC	 Plug & Play Driver-Free Durable & Flexible Wide Compatibility Smartphones
Function:	USB-C to HDMI HD Video Cable	
Resolution:	4K*2K@60Hz	
Colour:	Dark Grey	



PP-LHDMI02 1080P


Lightning to HDMI

High Definition Transmission Cable

Length

1.8m

Product Name	Electric Parameters	Product Features
Model:	PP-LHDMI02	 1920x1080@60Hz/1280x720@60Hz Video & Audio Simultaneously
Material:	Aluminum + PVC	Plug & Play Driver-Free Durable & Flexible Simultaneous charging of
Function:	Lightning to HDMI HD Video Cable	mobile phones
Resolution:	1920x108060Hz 1280x720 60Hz	Certification
Colour:	Dark Grey	







	DS Super /Data Transfer Cab	-	
Length	1m		
Colour			
Product Name	Electric Parameters	Product Features	
PP-CC-015	Type-C to Type-C 20V/5A (100W)	TPE One-Piece Mouiding Seegment Coastal Cable Structure Support BK2*4K@60H2 Display 400kps Transfer Speed 30,000 Times Bending 44 Hours Sat Resistance Test	
		Certification CE FC ROHS REACH CB	












Touch Penpro Series





PP-SP01

Stylus Touch Penpro

For Android/IOS

Product Name	Electric Parameters	Product Features
Model:	PP-SP01	Indicator
Input:	5V/0.36A	Anti-False Contact Tilt Pressure
Charging Port:	Туре-С	 Replaceable Nib Works With Most Capacitive
Working Time:	12 Hours	Screen Devices
Standby Time:	180 Days	
Weight:	13g	Certification
Battery:	130mah 5V/0.2A 0.41Wh	REACH MSDS UN38.3
Size:	165mm* ⊕ 9mm	UN38.3



PP-SP02 Bluetooth

Stylus Touch Penpro

Suitable for iPad Models

Product Name	Electric Parameters	Product Features
Model:	PP-SP02	Bluetooth Function
Input:	5V/0.2A	Indicator Anti-False Contact
Charging Port:	Туре-С	Tilt Pressure Replaceable Nib
Working Time:	8 Hours	
Standby Time:	360 Days	Cartification
Weight:	13g	Certification
Battery:	130mah 5V/0.2A 0.41Wh	
Size:	165mm* 9mm	MSDS UN38.3



PP-SP03 Bluetooth




Stylus Touch Pen IPad

Suitable for iPad Models

Product Name	Electric Parameters	Product Features
Model:	PP-SP03	Bluetooth Function
Input:	5V/0.2A	Indicator Anti-False Contact
Charging Port:	Magnetic iPad Charging + Type-C	Tilt Pressure Replaceable Nib
Working Time:	8-10 Hours	
Standby Time:	360 Days	Contification
Weight:	13g	Certification
Battery:	125mAh	
Size:	165mm* 0 9mm	REACH MSDS UN38.3

PHONE ACCESSORIES



Fill-in Light Series






PP-FL01 MagSafe

Multifunction Folding Lamp

MagSafe Magnetic Lamp, Complementary Lighting for Beautiful Face

Product Name	Electric Parameters	Product Features
Model:	PP-FL01	Magnetic Quick Attach
Material:	ABS+PC (magnetic)	Three Light Modes
Voltage Current:	DC 5V/1A	• 60 LED Beads
Charging power:	2W	Multi-Angle Adjustment Battery Life
Color temperature:	3000-6500K	
Number of Lamp Beads:	60	
Battery Capacity:	800mAh	
Lighting Time:	2h-6h	Certification
Product Size:	105*91*27mm	
Power Interface:	Туре-С	MSDS UN38.3



Smart Watch Series





PP-WH01 NEW VERSION

Curved Screen Smart Watch

Connect to mobile phone APP for more functions

Colour

With strap:

Product Name	Electric Parameters	Product Features
CPU:	ZK8959	Heart Rate
Memory:	128MB	Sleep Monitoring
Size:	2.01 Inch Curved Screen	Phone Call
Resolution:	320*385	• Torch
Case material:	Zinc Alloy Shell + Aluminum	Multi Sport Mode
Bluetooth version:	V5.0	 Music Download Message Alert
Charging method:	Wireless Charging	• Compass
Battery capacity:	300mhA	Certification
Duration:	3 days	Certification
Standby time:	15 days	GB MSDS UN38.
Charging time:	2-3H	
Waterproof level:	IP67 Waterproof	
Wrist strap size:	226*42mm	
	1PCS Orange Silicone	

Strap +1PCS Black Braided

Strap





Base Station



PP-WH02

Children Smart Watch

Safe Protection Fro Children

Colour

With Strap:

Watch *1

Instruction Manual *1

Product Name	Electric Parameters	Product Features
Model:	PP-WH02	• Two-way High-definition Call,
Memory:	128MB	LBS Precise Positioning,
Size:	1.4 Inch	IPX67 Waterproof,
Resolution:	240*240	• SOS for help,
Case Material:	Plastic Silicone	Real-time Security Monitoring,
Reticulation:	Card Insertion	680mAh Battery,
Charging Method:	USB Charging	 Long Standby Time, Multi-language Support:
Battery Capacity:	680mhA	Certification
Duration:	3 days	Certification
Standby Time:	15 days	CE FC ROHS
Charging Time:	2-3H	
Waterproof Level:	IP67 Waterproof	MSDS IIN38.3
Wrist Strap Size:	226*20mm	UN38.3
	USB Charging Cable*1	



0000

0 0

0

000000300

0



GPS LOCATION





Children Smart Watch

Safe Protection Fro Children

Product Name	Electric Parameters	Product Features
Model:	PP-WH03	• 2G+4G Signal
Memory:	128MB	Deep Waterproof
Size:	1.8T Inch	• 800 mAh long battery life
Resolution:	240*296	• SOS for Help,
Case material:	Plastic Silicone	 Pull the rotating camera 108° t take pictures freely
Reticulation:	Card insertion	GPS Positioning
Charging method:	USB charging	Multi-language Support:
Battery capacity:	800mAh	Certification
Duration:	3 days	Certification
Standby time:	15 days	CE EC RO
Charging time:	2-3H	
Waterproof level:	IP67 Waterproof	MSDS IIN38.3
Wrist strap size:	226*20mm	MSDS UNŠ8.3
With strap:	USB charging cable*1 Watch *1 Instruction manual *1	







PP-WH04

Sports/Health Smart Watch

The latest 3D dynamic UI effect

Colour



Product Name	Electric Parameters	Product Features
CPU:	ZK5691G	• Chat GPT
Memory:	128MB	Navigation
Screen:	1.71 inches	Multi-sport recording
Resolution:	320*385	Sleep/Stress Detection
Case material:	Zinc Alloy Shell + Aluminum	APP message alert
Bluetooth version:	V5.0	NFC Function Heart rate/oxygen/blood pressure/
Charging method:	Wireless Charging	glucose detection
Battery capacity:	200mhA	Certification
Duration:	2 days	Certification
Standby time:	7 days	GB MSDS IIN38.3
Charging time:	2-3H	
Waterproof level:	IP67 Waterproof	
Wrist strap size:	226*38mm	

Accessories:

Wireless Charging + Strap





Knitting Watch Strap Apple iwatch 42/44/45/49 Series



Product Name	Electric Parameters	Product Features
Model:	PP-WB01	Adjustable wearing style
Material:	Knitting Yarn	Breathable Waterproof and dirt-resistant
Size:	42/44/45/49	Not easy to peel off
Color:	Green /Orange / Silver / Black / Blue /Gra	



PP-WF-Ultra-49 9H Aluminum Alloy Frame

PET&Titanium Alloy Frame Protector Film

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WF-Ultra-49	Use of nano-coating
Material:	PET&Titanium Alloy Frame	Resistant to drops Scratch resistant
Size:	49mm	Impact resistant Anti-scratch
Accessories:	Positioner, Alcohol Pack	Water and oil resistant





Watch Protective Film HD iWatch Protective & 6H



Product Name	Electric Parameters	Product Features
Model:	PP-WF-S8-41	High Definition Display
Material:	PET	Anti-scratch Cladding Protection
Size:	41mm	Sensitive Touch Anti Edge Wear
Accessories:	Positioner, Alcohol Pack	Water and oil resistant



PP-WF-S8-45 45mm

Watch Charger HD iWatch Protective & 6H



Product Name	Electric Parameters	Product Features
Model:	PP-WF-S8-45	High Definition Display
Material:	PET	Anti-scratch Cladding Protection
Size:	45mm	Sensitive Touch Anti Edge Wear
Accessories:	Positioner, Alcohol Pack	Water and oil resistant





Hardness Screen Protector

Precise Positioning - Tight Fit


Colour


 \bigcirc

Product Name	Electric Parameters	Product Features
Model:	PP-WF-Ultra-49	● Use of nano-coating
Material:	Glass	Resistant to drops Scratch resistant
Size:	49mm	Impact resistant Anti-scratch
Accessories:	Positioner,Alcohol Pack	• Water and oil resistant



TWS Series





PP-BT01 5.1BT

Sports Headset

In-Ear Headset

Product Name	Electric Parameters	Product Features
Model:	PP-BT01	● Hi-Fi Sound
Material:	Silicone	Built-in Microphone Up to 120 Hours Stand By
Battery:	105mAh	Durable & Lightweight Flexible Wire
Waterproof:	IPX-4	
Charging	Туре-С	Certification
Playing Time:	6Н	MSDS UN38.3
Rated Power:	3mW	
Color:	Black	









Product Name	Electric Parameters	Product Features
Model:	PP-BT03	• 1:1 Original Model
BT version:	V5.3	 50H Standby Time Wired & Wireless Dual Charging
Range:	10m	Strong Signal & Stable Connection Low Power Consumption & Long
Speaker:	13mm	Battery Life
Rated Power:	3mW	Certification
Battery:	Earphone 28mAh*2	
Charging Case:	250mAh	MSDS UN38.3
Playing Time:	4-5H	



PP-BT04 5.1BT TWS Wireless Headset Supports Wireless Charging & Lightning Port

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-BT04	• 1:1 Original Model
BT version:	V5.1	120H Standby Time Wired & Wireless Dual Charging
Range:	10m	Strong Signal & Stable Connection Low Power Consumption & Long
Speaker:	13mm	Battery Life
Rated Power:	3mW	
Battery:	Earphone 30mAh*2	Certification
Charging Case:	320mAh	Rolls
Playing Time:	4-5H	MSDS UN38.3



PP-BT05 5.3BT In-ear Wireless Headset

Supports Wireless Charging & Lightning Port

Product Name	Electric Parameters	Product Features
Model:	PP-BT05	• 1:1 Original Model
BT version:	V5.3	S0H Standby Time Wired & Wireless Dual Charging
Range:	10m	Strong Signal & Stable Connection Low Power Consumption & Long
Speaker:	13mm	Battery Life
Rated Power:	3mW	Certification
Battery:	Earphone 28mAh*2	
Charging Case:	250mAh	MSDS UN38.3
Playing Time:	4-5H	







PP-E	3T07	5.3BT
Wirele	ss Head	set
5.3BT Version	/300mAh Charging	Box
Colour		
Product Name	Electric Parameters	Product Features
Product Name Model:	Electric Parameters PP-BT07	High Fidelity
Model:	PP-BT07	High Fidelity Stereo Sound
Model: BT version:	PP-BT07 V5.3	High Fidelity Stereo Sound Inductive touch
Model: BT version: Range:	PP-BT07 V5.3 10m	High Fidelity Steve Sound Inductive totch Two Headphones Free switching
Model: BT version: Range: Speaker:	PP-BT07 V5.3 10m 13mm	High Fidelity Siterea Sound Inductive touch Two Headphones Free switching Certification
Model: BT version: Range: Speaker: Rated Power:	PP-BT07 V5.3 10m 13mm 3mW	High Fidelity Steve Sound Inductive totch Two Headphones Free switching









PP-BT08 BT5.4

Ear-Hook Noise Headphones ENC intelligent Noise Cancellation




Product Name	Electric Parameters	Product Features
Model:	PP-BT08	• 4 hours of continuous listening
Wireless Version:	V5.4	400mAh battery capacity
Wireless Frequency:	2.402GHz-2.480GHz	Dual microphone for clearer calls
Support Wireless:	A2ZDP, AVRCP, HSP, HFP	ENC intelligent noise cancellation
Music Playback Time:	7.5 hours	Charging 5 minutes can be used
Talk Time:	4 hours	for 150 minutes
Headset Battery:	3.7V,50mAh	
Speaker Unit:	616.2mm	Certification
Charging Case:	3.7V,400mAh	
Charging Time:	2 hours	MSDS UN38.3
Charging Voltage:	DC 5V-300mA	
Battery Cycle Life:	2300 times charge/discharge cycle	
Charging Interface:	Туре-С	



PP-BT09 5.4BT Smart Interaction TWS Headset 5.4BT Version/400mAh Charging Case

Product Name	Electric Parameters	Product Features
Device Name:	PP-8109	
Control Mode:	Touch	ANC active noise reduction
Chipset :	AD7003D4	Intelligent tuning equalizer
Wireless Version :	5.4BT	Dolby Surround Panorama
Audio Codec :	SBC	Personalized spatial audio
Protocol Support :	A2DPIAVRCPIHFPIHSP	New Bluetooth 5.4 chip
Driver:	Ф13mm, 32±15% ohm	Al Intelligent Interactive
Noise Reduction:	ANC	Touch Screen
Earbuds Battery:	3.7VI30mAh	
Rated Input for Earbuds:	5V/25mA	
Charging Time:	1.5h	Certification
Music Time:	4.5 hours + approx.16 hours with charging case	
Standby Time:	50 hours + approx.190 hours with charging case	MSDS UN38.3
Case Battery:	3.7VI300mAh	
Rated Input for Case:	5V/500mA	
Charging Time for Case:	1.5 hours	
Times of Case Charging Earbuds:	About 3.5 times	
Product Weight:	66.2g (7.6g+58.6g) (headphones + charging case)	

Wired Headphone Series





Ŧ

PP-HF01-AUX

3.5mm Wired Headset

3.5mm & Semi-In-Ear Headset

Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-HF01-AUX	HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Range:	10m	Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	32 Ω ± 5 Ω	Certification
Length:	1.1m	U
Pluy:	3.5mm	



PP-HF01-C Type-C Wired Headset

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HF01-C	HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Range:	10m	Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	32Ω±5Ω	Certification
Length:	1.1m	
Pluy:	Туре-С	

PP-HF02-C Type-C Wired Headset



Product Name	Electric Parameters	Product Features
Model:	PP-HF02-C	HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Range:	10m	Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	16 Ω ± 5 Ω	Certification
Length:	1.1m	
Pluy:	Туре-С	

PP-HF02-AUX 3.5mm Wired Headset

3.5mm & In-Ear Headset

Product Name	Electric Parameters	Product Features
Model:	PP-HF02-AUX	HIFT Store High Definition Microphone Free switching for music and calls Compatible with a wide range of devices Certification Certification
Frequency:	20Hz - 20kHz	
Range:	10m	
Speaker:	14mm	
Rated Power:	2mW	
Impedance:	16 Ω ± 5 Ω	
Length:	1.1m	
Pluy:	3.5mm	





PP-HF01-L

Lightning Wired Headset

Lightning & Semi-In-Ear Headset

Product Name	Electric Parameters	Product Features
Model:	PP-HF01-L	● HI-FI Stereo
Frequency:	20Hz - 20kHz	 High Definition Microphone Free switching for music and calls
Range:	10m	 Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	Contification
Impedance:	32 Ω ± 5 Ω	Certification
Length:	1.1m	
Pluy:	Lightning	




PP-HF03-AUX

3.5mm Wired Headset

3.5mm & Semi-In-Ear Headset

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-HF03-AUX	HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Range:	10m	Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	Certification
Impedance:	320±50	Certification
Length:	1.1m	
Pluy:	3.5mm	



PP-HF03-C Type-C Wired Headset

Product Name	Electric Parameters	Product Features
Model:	PP-HF03-C	HI-FI Stereo
Frequency:	20Hz - 20kHz	High Definition Microphone Free switching for music and calls
Range:	10m	• Compatible with a wide range of devices
Speaker:	14mm	
Rated Power:	2mW	0
Impedance:	32Ω±5Ω	Certification
Length:	1.1m	
Pluy:	Туре-С	



Watch Charger Series







PP-3IN1C06 3 IN 1

Q^j² Wireless Charger

For smartphones/iWatch/AirPods & Touch and Spin

Product Name	Electric Parameters	Product Features
Model:	PP-3IN1C06	● qi≊ Second-Generation
		Fast Charging
Input:	5V/3A、9V/3A	Simultaneous Charging
mput.	5V/3A, 5V/3A	of Three Devices
		Magnetic Fast Charging
Output:	15W/10W/7.5W/5W/2.5W	15W Max
		• One-touch Control, 180°
Working	360KHZ	Electric Rotation
Frequency:	(For iphone13/14/15/16 Series)	Hidden Pop-up Charging
		Compartment
Color:	Grey	
		Certification
Size:	190mm*76mm	





USB-A Port Fast Charging





PP-WC02 2.5W

Apple Watch Charger

Lightning Port Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-WC02	Smartly Match All styles of Apple
Material:	Zinc Alloy +ABS+PC	Watch Magnetic Adsorption For Wireless
Input:	5V/0.5A	Charging, Super Strong Magnetic Force For Precise Alignmente
Power:	2.5W	Lightweight And compact For
Input Interface:	Lightning	Easy Portability Certification
weight:	19.7G	
Size:	40*28*5.8mm	CE ROHS
Color:	White	



PP-WC03 2.5W Apple Watch Charger USB-A Port Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-WC03	• Smartly Match All styles of Apple
Material:	Aluminum+TPE	Watch Magnetic Adsorption For Wireless
Input:	5V/0.5A	Charging, Super Strong Magnetic Force For Precise Alignmente
Power:	2.5W	Lightweight And compact For
Input Interface:	USB-A/USB-C	Easy Portability
Cable OD:	2.9mm	Certification
Length:	1.2m	RoHS
Color:	White	







Product Name	Electric Parameters	Product Features
Model:	PP-WC04	Smartly Match All styles of Apple
Material:	Zinc Alloy +ABS+PC	Watch Magnetic Adsorption For Wireless
Input:	5V/0.5A	Charging, Super Strong Magnetic Force For Precise Alignmente
Power:	2.5W	Lightweight And compact For
Input Interface:	USB-C	Easy Portability Certification
weight:	22G	
Size:	40*28*5.8mm	CE Rohs
Color:	Black	




PP-WC05 2.5W

Apple Watch Charger


Lightning &USB-C Port Fast Charging

Product Name	Electric Parameters	Product Features
Model:	PP-WC05-BK/WE	Support Apple Watch SE-S9
Material:	Zinc Alloy +ABS+PC	Lightning/USB-C Dual Socket Magnetic Attachment
Input:	5V/0.5A	Precise Alignment Lightweight and compact
Power:	2.5W	• Easy to carry
Input Interface:	Lightning/USB-C	
Weight:	25G	Certification
Size:	46*29*8.2mm	REACH ROHS
Color:	Black/White	



Wall Charger Series










USB-L & USB-C Charger PD20W Charger + C to L Cable Set



Product Name	Electric Parameters	Product Features
Model:	PP-20WCL-UK	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.5A	technology for L to C reverse
Total Output:	20W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,9V/2.22A,12V/1.67A	models on oy market, with constant charging power.
USB-L:	9V/2.22A,5V/3A	
Material:	PC Flame Retardant	Certification
Color:	Black	
Plug:	ик	



30W Built-in Data Cable		
USB-L+1C+1A Port Charger PD30W Charger + C to L Cable Set		
Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-30WCL-UK	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse charging, it basically supports fast
Total Output:	30W(Max)	charging for all mobile phone
USB-C:	5V/3A,9V/3A,12V/2.5A	models on oy market, with constant charging power.
USB-L:	9V/2.22A,5V/3A	Certification
USB-A:	5V/3A,9V/2A,12V/1.5A	Certification
PPS:	5V-11V/2.7A	
Plug:	ик	REACH UK CB
		>>> (D)





els on ov market, with

Certification

CE FC RoHS

кеасн ЦК СВ

45W(Max)

5V/3A,20.0V/2.25A 45W(Max)

5V/3A,20.0V/2.25A 45W(Max)

5V-11V/2.4A

UK

5V/3A,9V/2A,12V/1.5A 30W(Max)

Total Output:

USB-C:

USB-L:

USB-A:

PPS:

Plug:





Product Name	Electric Parameters	Product Features
Model:	PP-30WACL-UK	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse
Total Output:	30W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,9V/3A,12V/2.5A	models on oy market, with constant charging power.
USB-L:	9V/2.22A,5V/3A	Ocatification
USB-A:	5V/3A,9V/2A,12V/1.5A	Certification
PPS:	5V-11V/2.7A	
Plug:	US	REACH






2C Port Charger PD20W Charger + C to C Cable Set



Product Name	Electric Parameters	Product Features
Model:	PP-20WACC-UK	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.5A	technology for L to C reverse
Total Output:	20W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,9V/2.22A,12V/1.67A	models on oy market, with constant charging power.
USB-C	9V/2.22A,5V/3A	Certification
Material:	PC Flame Retardant	Certification
Color:	Black	
Plug:	ик	REACH CB



30W	Built-in Data Ca	ble UK		
USB-A+2C Port Charger PD30W Charger + C to C Cable Set				
Colour				
Product Name	Electric Parameters	Product Features		
Model:	PP-30WACC-UK	Having exclusive patented		
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse		
Total Output:	30W(Max)	charging, it basically supports fast charging for all mobile phone		
USB-C:	5V/3A,9V/2.22A,12V/1.67A	models on oy market, with constant charging power.		
USB-C	9V/2.22A,5V/3A	Certification		
USB-A:	5V/3A,9V/2A,12V/1.5A	Certification		
PPS:	5V-11V/2.7A			
Plug:	ик	REACH CA CB		

0014/





USB-A+2C Port Charger PD45W Charger + C to C Cable Set



Product Name	Electric Parameters	Product Features
Model:	PP-45WACC-UK	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse charging, it basically supports fast
Total Output:	45W(Max)	charging for all mobile phone
USB-C:	5V/3A,20.0V/2.25A 45W(Max)	models on oy market, with constant charging power.
USB-C	5V/3A,20.0V/2.25A 45W(Max)	Certification
USB-A:	5V/3A,9V/2A,12V/1.5A 30W(Max)	Certification
PPS:	5V-11V/2.4A	
Plug:	ик	REACH LA CB










USB-A & USB-C Charger PD20W Charger + C to C Cable Set



Product Name	Electric Parameters	Product Features
Model:	PP-20WACEUCC	Small size
Input:	100-240V~ 50-60Hz 0.5A	Intelligent fast charging Environmentally friendly materia
Total Output:	20W(Max)	High temperature resistant shell Better heat dissipation
USB-C:	5V/3A,9V/2.22A,12V/1.67A	Better near dissipation
USB-A:	6V/3A, 9V/2A, 12V/1.5A	
Material:	PC Flame Retardant	
Color:	Black	
Plug:	EU	



20W	Built-in Data Ca	able EU
USB-A & USB-C Charger PD20W Charger + C to L Cable Set		
Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-20WACEUCC	Small size
Input:	100-240V~ 50-60Hz 0.5A	Intelligent fast charging Environmentally friendly materials
Total Output:	20W(Max)	High temperature resistant shell
USB-C:	5V/3A,9V/3A,12V/1.67A	 Better heat dissipation
USB-A:	6V/3A, 9V/2A, 12V/1.5A	
Material:	PC Flame Retardant	
Color:	Black	
Plug:	EU	





USB-L+1C+1A Port Charger PD30W Charger + C to L Cable Set



Product Name	Electric Parameters	Product Features
Model:	PP-30WACLEU	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse
Total Output:	30W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,9V/3A,12V/2.5A	models on oy market, with constant charging power.
USB-L:	9V/2.22A,5V/3A	Certification
USB-A:	5V/3A,9V/2A,12V/1.5A	Certification
PPS:	5V-11V/2.7A	
Plug:	EU	REACH



45W Built-in Data Cable

USB-L+1C+1A Port Charger PD45W Charger + C to L Cable Set

Product Name	Electric Parameters	Product Features
Model:	PP-45WACLEUCL	Having exclusive patented
Input:	100-240V~ 50-60Hz 0.8A	technology for L to C reverse
Total Output:	45W(Max)	charging, it basically supports fast charging for all mobile phone
USB-C:	5V/3A,20.0V/2.25A 45W(Max)	models on oy market, with constant charging power.
USB-L:	5V/3A,20.0V/2.25A 45W(Max)	
USB-A:	5V/3A,9V/2A,12V/1.5A 30W(Max)	Certification
PPS:	5V-11V/2.4A	FC Rolls
Plug:	EU	REACH





UK

20W

Plug:

UK







UK

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-30WAC-UK	• Small size
Input:	100-240V~ 50-60Hz 0.5A	Intelligent fast charging Environmentally friendly materials
Total Output:	30W(Max)	High temperature resistant shell Better heat dissipation
USB-C:	5V/3A,9V/3A,12V/2.5A	Better near dissipation
USB-A:	6V/3A, 9V/2A, 12V/1.5A	
Material:	PC Flame Retardant	
Color:	Black	
Plug:	ик	



45W UK USB-A & USB-C Charger Fast Charging

Product Name	Electric Parameters	Product Features
Model:	PP-45WAC-UK	• Small size
Input:	100-240V~ 50-60Hz 0.5A	Intelligent fast charging Environmentally friendly mate
Total Output:	30W(Max)	High temperature resistant sh
USB-C:	5V/3A,20.0V/2.25A 45W(Max)	 Better heat dissipation
USB-A:	6V/3A, 9V/2A, 12V/1.5A	
Material:	PC Flame Retardant	
Color:	Black	
Plug:	ик	





9V/3A,5V/3A,12V/3A

3.3V-11V/5A

Black

υĸ

USB-A:

PPS:

Color:


Plug:

Multi-protoc


Certification

F©





2*USB-A Port Charger Fast Charging









2*USB-A Port Charger

Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-12WAA-UK	• Small size
Input:	100-240V~ 50-60Hz 0.8A	Intelligent fast charging Environmentally friendly materials
Total Output:	24W(Max)	High temperature resistant shell Better heat dissipation
Plug:	ик	
		Certification (C) FC ROHS REACH



12W UK USB-A *2 Port Charger Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-12W-UK	• Small size
Input:	100-240V~ 50-60Hz 0.3A	Intelligent fast charging
Total Output:	12W(Max)	Environmentally friendly materials High temperature resistant shell
USB-A1:	5V/2.4A 12W	Better heat dissipation
USB-A2:	5V/2.4A 12W	Out the star
Material:	PC Flame Retardant	Certification
Color:	Black	
Plug:	ик	



24W UK **USB-A *2 Port Charger** Fast Charging Colour Product Name Electric Parameters Product Features Model: PP-12W-UK Input: 100-240V~ 50-60Hz 0.3A Total Output: 12W(Max) USB-A1: 5V/2.4A 12W USB-A2: 5V/2.4A 12W Certification Material: PC Flame Retardant CE FC CB Color: Black Plug: υĸ





Fast Charging	& USB- A	Charge
Colour		
Product Name	Electric Parameters	Product Feature
Model:	PP-30W-PDQCUK/EU	
Input:	100-240V~ 50-60Hz 0.8A	Small size Intelligent fast charging
Total Output:	PD 30W & QC3.0	Environmentally friendly mat High temperature resistant sl
USB-C:	5V/3A,9V/3A,12V/2.5A	Better heat dissipation
	C1//2A 01//2A 421//4 FA	
USB-A:	6V/3A, 9V/2A, 12V/1.5A	
USB-A: PPS:	3.3V-11V/3A	Certification
		Certification

30W

UK



38W	UK
USB-C & USB-	-A Charger

Fast Charging

Colour Electric Parameters Product Features Product Name Model: PP-38WPDQCUK Input: 100-240V~ 50-60Hz 1.0A ligent fast charging Total Output: USB-C+USB-A=38W(Max) ully compatible Retter heat dissinati USB-C: 5V/3A,9V/3A,12V/2.5A USB-A: 9V/2A,12V/1.5A Certification Material: PC Flame Retardant СВ Color: Black Plug: υĸ



20W USB-C Port Charger Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-20W-PDUK/US/EU	e Small size
Input:	100-240V~ 50-60Hz 0.5A	Intelligent fast charging
Total Output:	PD 20W & QC3.0	Fully compatible Better heat dissipation
USB-C:	5V/3A,9V/2.25A,12V/1.5A	
Material:	PC Flame Retardant	Certification
Color:	Black/White	Certification
Plug:	UK/US/EU	



20W USB-C & USB-A Charger Fast Charging

Product Name	Electric Parameters	Product Features
Model:	PP-20W-PDQCUK/US/EU	• Small size
Input:	100-240V~ 50-60Hz 0.5A	Intelligent fast charging
Total Output:	PD 20W & QC3.0	Dual port output Fully compatible
USB-C:	5V/3A,9V/2.25A,12V/1.5A	Better heat dissipation
USB-A:	9V/2A,12V/1.5A	O all'Easting
Material:	PC Flame Retardant	Certification
Color:	Black/White	
Plug:	UK/US/EU	





USB-C Port Charger Fast Charging



Product Name	Electric Parameters	Product Features
Model:	PP-30W GaN-UK/US/EU	Navitas chip
Input:	100-240V~ 50-60Hz 1.0A	Lightweight design Fast charging
Total Output:	PD 30W	GaN Technology Low temperature fast charging
USB-C:	5V/3A,9V/2.25A,12V/1.5A	Compatible with PD/SCP/PPS Multi-protocol
PPS:	3.3V-11V/3A	Certification
Material:	PC Flame Retardant	CE FC ROHS
Color:	Black/White	
Plug:	UK/US/EU	



100W	GaN
-------------	-----

2C+1A Port Charger Fast Charging

Colour Electric Parameters Product Name Product Features Model: PP-100W GaN-UK Navitas Chip Lightweight Desig Input: 100-240V~ 50-60Hz 2.5A Fast Charging GaN Technolo Total Output: 100W(Max) Low Temperature F USB-C1: 20V/5A,9V/3A,12V/3A Compatible with PD/ Multi-protoco USB-C2: 20V/3.25A,9V/3A,12V/3A Certification USB-A: 4.5V/5A,5V/4.5A,9V/3A CE (FC) Color: Black ĽK СВ Plug: υĸ (4)












Product Name	Electric Parameters	Product Features
Model:	PP-100W GaN-EU	Navitas Chip
Input:	100-240V~ 50-60Hz 2.5A	Lightweight Design Fast Charging
Total Output:	100W(Max)	GaN Technology Low Temperature Fast Charging
USB-C1:	20V/5A,9V/3A,12V/3A	Compatible with PD/SCP/PPS
USB-C2:	20V/3.25A,9V/3A,12V/3A	Certification
USB-A:	4.5V/5A,5V/4.5A,9V/3A	
Color:	White	
Plug:	EU	REACH LA CB






Ultra Slim Charger Fast Charging









Travel Charger Series







PP-SC010 PD20W 3250W Max

Multi-Function Plug

Fast Charging

Product Name	Electric Parameters	Product Features
i roddot Name		
Model:	PP-SC010	• 3250W High Power
Socket Current:	13A	Simultaneous use of 8 devices M Cable
		Overload Protection
Total Output:	250V @ 3250W(Max)	Protects Against Power Surges
USB-C:	15V/3A,9V/2.22A,12V/1.5A	
USB-A1/A2:	5V/2.4A	
	•	Certification
USB-A3:	5V/3A,9V2A,12V/1.5A	
Color:	White	ROHS UK
Plug:	UK	





45W(Max) 9V/2A 5V/3A 12V/1 5A

18W(Max)

5V/3A(Total)

UK/EU/AUS/US

Black

Certification

USB-A:

Color:

Plug:

USB Output:





2C+2A Travel Charger

Fast Charging

Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-SC012	2000W High Power
Input:	100-250V~ 50-60Hz 1.25A	Simultaneous use of 5 devices Meet different national standards
Total Output:	250V/8A 2000W(Max) 110V/8A 880W(Max)	Compact and portable Dual Fuse Eight protection
USB-C:	5V/3A,9V/2.22A,12V/1.67A	Court use Light proceedin
USB-A:	9V/2A,5V/3A,12V/1.5A	
USB Output:	5V/3A(Total)	Certification
Color:	Black	
Plug:	UK/EU/AUS/US	









Product Name	Electric Parameters	Product Features
Model:	PP-SC014	• 1840W High Power
Input:	100-250V~ 50-60Hz 1.25A	Simultaneous use of 5 devices Meet different national standards
Total Output:	230V/8A 1840W(Max) 110V/8A 880W(Max)	Compact and portable Dual Fuse Eight protection
USB-C:	15V/3A,9V/3A,20V/2.25A	
USB-A:	9V/2A,5V/3A,12V/1.5A	Certification
USB Output:	45W(Max)	
Color:	Black	
Plug:	UK/EU/AUS/US	



Power Bank Series



Tesla Battery Core





PP-PB20WPD03

10000mAh Power Bank

USB-C+USB-A Fast Charging





PP-PB20WPD04

20000mAh Power Bank

USB-C+USB-A Fast Charging

Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-PB20WPD03	• Mini Size
Input:	5V/3A,9V/2A,12V/1.5A	Dual USB-A Safe Charging
Capacity:	20000mAh	Tesla Battery Core Current Overvoltage Protection
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	
USB-A:	5V/3A,9V/2A,12V/1.5A	Qualificación en
Weight:	335G	Certification
Color:	Black	CE FC ROHS
Size:	149*56.5*25.8mm	MSDS CB UN38.3



PP-PB22.5W05

10000mAh Power Bank 4-Port Fast Charging

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W05	Fast Charging
Input:	5V/3A,9V/2A,12V/1.5A	True Capacity Replaceable Cable
Capacity:	10000mAh(3.7V/37Wh)	 LCD Display Mini Size
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	
USB-A:	4.5V/5A,9V/2A,12V/1.5A 22.5W Max	Certification
USB-C Line:	5V/3A,9V/2.2A,12V/1.6A	Certification
Lightning Line:	5V/2.4A	MSDS UN38.3
Color:	Black	



PP-PB22.5W06 10000mAh Power Bank

4-Port Fast Charging

Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W06	Fast Charging
Input:	5V/3A,9V/2A,12V/1.5A	True Capacity Replaceable Cable
Capacity:	10000mAh(3.7V/37Wh)	LCD Display Mini Size
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	
USB-A:	4.5V/5A,9V/2A,12V/1.5A 22.5W Max	Our differentiers
USB-C Line:	5V/3A,9V/2.2A,12V/1.6A	Certification
Lightning Line:	5V/2.4A	MSDS UN38.3
Color:	Black	



PP-PB22.5W07 5000mAh Power Bank Wireless 3-Port Fast Charging Colour Product Name **Electric Parameters** Product Features Model: PP-PB22.5W07 Input: 5V/3A,9V/2A,12V/1.5A 5T000mAh(3.7V/18.5Wh) Capacity: 5.Strong Magneti 5V/3A,9V/2.2A,12V/1.6A USB-C: PD 20W 6.With Hang Hole.Easy to Ca 4.5V/5A,9V/2A,12V/1.5A 22.5W Max 7.MINI Si USB-A: Certification Wireless: 15W СВ UN38.3



PP-PB22.5W08

10000mAh Power Bank

Wireless 4-Port Fast Charging

Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W08	Fast charging
AC Input:	12W	Stand Mode Strong Magnetic
Capacity:	10000mAh(3.7V/37Wh)	Sling 2-in-1 Cable Small Size
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	Can Be Used as a Wall Charger
USB-A:	4.5V/5A,9V/2A,12V/1.5A 22.5W Max	
Lightning Intput:	5V/2A	Certification
Lightning Output:	5V/3A,9V/2.2A,12V/1.6A	MSDS UN38.3
Wireless:	15W	
Color:	White + Orange	

PP-PB22.5W09

10000mAh Power Bank

3-Port Fast Charging

Black

Color:

Colour


Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W09	Fast Charging
Input:	5V/3A,9V/2A,12V/1.5A	True Capacity Replaceable Cable
Capacity:	10000mAh	LCD Display Mini Size
USB-C:	5V/3A,9V/2.2A,12V/1.6A PD 20W	
USB-C Cable:	5V/3A,9V/2A,12V/1.5A	
USB-L Cable:	5V/3A,9V/2.2A,12V/1.6A	Certification
Color:	Beige	MSDS UN38.3
Size:	70*68*21mm	UN38.3



PP-PB22.5W010 20000mAh Power Bank 4-Port Fast Charging

Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W010	Fast Charging
Input:	5V/3A,9V/2A,12V/1.5A	True Capacity Replaceable Cable
Capacity:	20000mAh	LCD Display Mini Size
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-C Cable:	5V/3A,9V/2A,12V/1.5A	
USB-L Cable:	5V/3A,9V/2.2A,12V/1.6A	Certification
USB-A:	5V/4.5A,9V/2.0A,12V/1.5A	MSDS UN38.3
Color:	Black	





PP-PB22.5W011

20000mAh Power Bank

4-Port Fast Charging

Product Name	Electric Parameters	Product Features
Model:	PP-PB22.5W011	Fast Charging
Input:	5V/3A,9V/2A,12V/1.5A	True Capacity Replaceable Cable
Capacity:	20000mAh	 LCD Display Mini Size
USB-C:	5V/3A,9V/2.22A,12V/1.67A	
USB-C Cable:	5V/3A,9V/2A,12V/1.5A	
USB-L Cable:	5V/3A,9V/2.2A,12V/1.6A	Certification
USB-A:	5V/4.5A,9V/2.0A,12V/1.5A	CE FC Rohs
Color:	Black	MSDS UN38.3







Model: PP-IP11PRO +High Capacity Battery	3620mAh High Capacity Li-ion Battery		
Model: PP-IP11PRO Rated Vollage 3.8V-13.7Wh Charge Limited Vollage: 4.4v Rated Capacity: 3620mAh Certification Material: Li-ion Battery	Colour	•	
Rated Vollage 3.8V-13.7Wh • Integrated Circuit Protection Charge Limited Vollage: 4.4v • Integrated Circuit Protection Rated Capacity: 3620mAh • Certification Material: Li-ion Battery • Certification			
Rated Vollage 3.8V-13.7Wh Charge Limited Vollage: 4.4v Rated Capacity: 3620mAh Material: Li-ion Battery	Product Name	Electric Parameters	Product Features
Vollage: 4.4V Rated Capacity: 3620mAh Material: Li-ion Battery Certification			
Material: Li-ion Battery	Model:	PP-IP11PRO	
Material: Li-ion Battery	Model: Rated Vollage Charge Limited	PP-IP11PRO 3.8V13.7Wh	High Capacity Battery
	Model: Rated Vollage Charge Limited Vollage :	PP-IP11PRO 3.8V13.7Wh 4.4v	High Capacity Battery

DD ID11DDA



11 PRO MAX High Quality Mobile Phone Accessories

100

PP-IP11PM 4780mAh

High Capacity Li-ion Battery




Product Name	Electric Parameters	Product Features
Model:	PP-IP11PM	High Capacity Battery
Rated Vollage	3.8V18.1Wh	Integrated Circuit Protection
Charge Limited Vollage:	4.35v	
Rated Capacity:	4780mAh	
Material:	Li-ion Battery	Certification



Dispose of batteries according to local regulations Or reference the Rechargeable Battery RecyclingProgramme from









PP-IP13PRO 3400mAh Igh Capacity Li-ion Battery		
٠		
Electric Parameters	Product Features	
PP-IP13PRO	High Capacity Battery	
3.87V-12.7Wh	Integrated Circuit Protection	
3.87V12.7Wh 4.47v	Integrated Circuit Protection	
	Integrated Circuit Protection Certification	
	DimAh Li-ion Battery	

DD ID40DD0



PP-IP13PM 4780mAh

High Capacity Li-ion Battery



Product Name	Electric Parameters	Product Features
Model:	PP-IP13PM	High Capacity Battery
Rated Vollage	3.85V18.4Wh	Integrated Circuit Protection
Charge Limited Vollage:	4.47v	
Rated Capacity:	4780mAh	
Material:	Li-ion Battery	Certification



Disposing of the battery

Dispose of batteries according to local regulations Please recycle when possible. Do not dispose as household waste Or reference the Rechargeable Battery RecyclingProgramme from









PP-IP14PRO 3400mAh High Capacity Li-ion Battery		
Colour	٠	
Product Name	Electric Parameters	
Model:	PP-IP14PRO	:
Rated Vollage	3.87V13.4Wh	
Charge Limited Vollage:	4.47v	
•	4.47v 3480mAh	Certification



PP-IP14PM 4780mAh

High Capacity Li-ion Battery



Pro

Product Name	Electric Parameters	Product Features
Model:	PP-IP14PM	High Capacity Battery
Rated Vollage	3.87V16.4Wh	Integrated Circuit Protection
Charge Limited Vollage:	4.47v	
Rated Capacity:	4850mAh	
Material:	Li ing Detterni	Certification
materiai:	Li-ion Battery	MSDS UN38.3



Disposing of the battery

Dispose of batteries according to local regulations Please recycle when possible. Do not dispose as household waste Or reference the Rechargeable Battery RecyclingProgramme from





PP-IPXR 3690mAh


High Capacity Li-ion Battery



Product Name	Electric Parameters	Product Features
Model:	PP-IPXR	High Capacity Battery
Rated Vollage	3.8V12.4Wh	Integrated Circuit Protection
Charge Limited Vollage:	4.35v	
Rated Capacity:	3690mAh	
Material:	Li-ion Battery	Certification




PP-IPX 3250mAh High Capacity Li-ion Battery Colour Product Name **Electric Parameters** Product Features PP-IPXR Model: High Capacity Battery Integrated Circuit Protection Rated Vollage 3.8V-14.0Wh Charge Limited 4.35v Vollage 3250mAh Rated Capacity: Certification Material: Li-ion Battery MSDS UN38.3



Camera Lens Series









Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-LS-IP16(Series)	Aluminium Alloy
Material:	Aluminium Alloy+Glass	● 9H Hard Glass
Hardness:	9Н	Ultra-ThinProtector Perfect Fit

Certification





iP16 Pro Max Series

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour

Product NameElectric ParametersProduct FeaturesModel:PP-LS-IP16 PRO MAX• Aluminium AlloyMaterial:Aluminium Alloy+Glass• 9H Hard GlassHardness:9H• Ultra-ThinProtector• Perfect Fit• Perfect Fit


Certification







Camera Lens Protector Aluminium Alloy & 9H Hard Glass





iP12 Series

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-LS-IP12 series	Aluminium Alloy
Material:	Aluminium Alloy+Glass	H Hard Glass Ultra-ThinProtector
Hardness:	9Н	Perfect Fit
		Certification REACH MSDS ROHS



iP14 Series

Camera Lens Protector Aluminium Alloy & 9H Hard Glass












Camera Lens Protector

Transparent Full Coverage Styles





iP15 Series

Camera Lens Protector

Transparent

Colour

Product Name	Electric Parameters	Product Features
Model:	PP-LS-IP(Series)	Aluminium Alloy
Material:	Aluminium Alloy+Glass	H Hard Glass Ultra-ThinProtector
Hardness:	9Н	Perfect Fit
		Certification
		REACH MSDS ROHS



iP14 Series

Camera Lens Protector







iP13 Series **Camera Lens Protector** Transparent \bigcirc Colour Product Name Electric Parameters Product Features Model: PP-LS-iP(Series) Aluminium Alle 9H Hard Glass Material: Aluminium Alloy+Glass Ultra-ThinProtect Barfact Eit Hardness: 9H





S23 ULTRA

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass

Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23ULTRA(Series)	Aluminium Alloy
Material:	Titanium Alloy+ Glass	9H Hard Glass Ultra-ThinProtector
Hardness:	9Н	• Perfect Fit
		Certification
		REACH MSDS ROHS



S23 ULTRA

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass




Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23ULTRA(Series)	Aluminium Alloy
Material:	Titanium Alloy+ Glass	H Hard Glass Ultra-ThinProtector
Hardness:	9H	Certification




S23PLUS

Camera Lens Protector Aluminium Alloy & 9H Hard Glass



Colour






S23

Camera Lens Protector

Aluminium Alloy & 9H Hard Glass




Product Name	Electric Parameters	Product Features
Model:	PP-LS-S23PLUS(Series)	Aluminium Alloy
Material:	Titanium Alloy+ Glass	9H Hard Glass Ultra-ThinProtector
Hardness:	9H	Perfect Fit Certification REACH MSDS RoHS





Mobile Phone Case Film Series

















7 IN 1



6 IN	1	
iP16 S	hell Film	n Sets
Colour	•	
Product Name	Electric Parameters	Product Features
Model:	PP-S6G-IP16 PP-S6G-IP16PLUS PP-S6G-IP16PRO PP-S6G-IP16PROMAX PP-S6G-IP15PROMAX	Protect Mobile Phone ScreenScratch-Resistant Privacy Protection High Transparency Anti-Drop
Material:	TPU+PC+Tempered Glass	Anti-Yellowing TPU



5 IN 1

iP16 Shell Film Sets iPhone Protective Kit Colour





3 IN 1 iP15 Shell Film Set iPhone Protective Kit Colour Product Name Electric Parameters Product Features Model:

Model:	PP-S2-iPhone(Series)	Protect Mobile Phone
Material:	TPU+PC+Tempered Glass	ScreenScratch-Resistant Privacy Protection
Object:	1,Mobile Phone Case 2, (HD/Privacy) Film 3,Lens Film 4,Stand*2 5,Phone Back Film	High Transparency Anti-Drop Anti-Yellowing TPU
	6,Magnetic Holder 7,Alcohol Bag	Certification



6 IN 1


iPhone Shell Film Sets

iPhone Protective Kit



Product Name	Electric Parameters	Product Features
Model:	PP-S6-IP13-MPC PP-S6-IP13PRO-MPC PP-S6-IP13PROMAX-MPC PP-S6-IP14-MPC PP-S6-IP14PRO-MPC PP-S6-IP15-MPC PP-S6-IP15-MPC PP-S6-IP15PRO-MPC PP-S6-IP15PROMAX-MPC PP-S6-IP16PLUS-MPC PP-S6-IP16PRO-MPC PP-S6-IP16PRO-MPC PP-S6-IP16PROMAX-MPC	 Protect Mobile Phone ScreenScratch-Resistant Privacy Protection High Transparency Anti-Drop Anti-Yellowing TPU
Material:	TPU+PC+Tempered Glass	Certification
Object:	1,Mobile Phone Case 2, (HD/Privacy) Glass Film 3,Lens Film 4,Phone Back Film 5,Magnetic Holder 6,Alcohol Bag	REACH ROHS







HD (9H	
Mobile	Phone	Film
iPhone Protect	tive	
Colour		
Product Name	Electric Parameters	Product Featur
Model:	PP-GF-iPhone(Series)	High strength and hardne Resistant to falls
Model: Material:	PP-GF-iPhone(Series) PET	Resistant to falls Scratch resistant
		Resistant to falls
Material:	PET	Resistant to falls Scratch resistant Impact resistant
Material:	PET	Resistant to falls Scratch resistant Impact resistant Full size coverage
Material:	PET	Resistant to falls Scratch resistant Impact resistant Full size coverage
Material:	PET	Resistant to falls Scratch resistant Impact resistant Full size coverage



Privacy 6H Mobile Phone Film iPhone Protective



Product Name	Electric Parameters	Product Features
Model:	PP-CF-iPhone(Series)	HD High Transmittance 6H Color Anti-Snooping
Material:	PET	Anti-Fingerprint, Anti-Oil
Hardness:	6Н	Flaxible PET, can Be Wound, Never Broken Edge Eys Protection, Filer Styli. Vi and 90% Blaue Lighte Scratch Resistant



Privacy 9H Shell Film Set iPhone Protective

Product Name	Electric Parameters	Product Features
Model:	PP-AF-iPhone(Series)	Protect Mobile Phone
Material:	High Aluminum 0.33MM	ScreenScratch-Resistant Privacy Protection
Hardness:	9H	High Transparency Anti-Drop Anti-Vellowing TPU





360 Privacy 9H

Shell Film Set

iPhone Protective

Product Name	Electric Parameters	Product Features
Model:	PP-AF-iPhone(360 Series)	Privacy
Material:	High Aluminum 0.33MM	Glass Screen Protector 360° Angle anti-peeping
Hardness:	9Н	



Phone Bracket Series















Magnetic Phone Bracket

Supports Multi-stage Adjustment



Product Name	Electric Parameters	Product Features
Model:	PP-PH05	Strong suction power
Material:	Silicone	 Soft, no cuts Multi-angle easy swivel
Weight:	16.2G	 Suitable for mobile phones/iPads Stylish, mini and lightweight
Color:	Black/Silver/Dark Blue/Purple	
Description:	Five-Layer structure Finger control farewell hand slip, Applicable to iP12.13. 14.15 series mobile phones Suitable for mobile phone case with magnetic function	Certification MSDS RoHS





Phone Pla




Retractable Phone Bracket

Supports Multi-stage Adjustment



Product Name	Electric Parameters	Product Features
Model:	PP-PH06	Adjustable Flexible Finger Gip
Material:	TPU+Stainless steel+ Genuine 3M glue	 Self Standing (Horizontal/Vertical) Easy & Safe for one hand operation
Size:	81*25*4mm	 One finger is enough to carry the phone
Color:	Black/Silver/Dark Blue/Purple	Selfie? No Problem
Description:	Phone Grip Holder, Finger Cell Phone Grip, Silicone Phone Finger Strap, Telescopic Mobile Phone Holder for All Smartphones (4 Colors)	Certification



Data Cable Series












PJ-0	02 Us	3 2.0
	Data Transfer Cat	
Length	1.2m / 2m	1
Colour		
Product Name	Electric Parameters	Product Features
PJ-AL-002	USB-A to Lightning 5V/2.4A 12W	Aluminum Alloy Housing PP Braided cable
PJ-AM-002	USB-A to Micro 5V/2A	Thickened Tinned copper In-Shell injection Molding
PJ-AC-002	USB-A to Type-C 5V/3A	30,000 Times Bending 48 Hours Salt Resistance Te
PJ-CC-002	Type-C to Type-C 20V/3A (60W)	Certification
PJ-CL-002	Type-C to Lightning 15V/2A (30W)	

PP-004 USB 2.0 **PVC Moulding** Fast Charging/Data Transfer Cable Length 1.2m / 2m Colour Electric Parameters Product Features Product Name USB-A to Lightning PP-AL-004 PVC Moulding 5V/2.4A 12W Flame Retardant Materials USB-A to Micro Thickened Tinned Coppe PP-AM-004 5V/2A In-Shell Injection Molding 30,000 Times Bending USB-A to Type-C • 48 Hours Salt Resistance T PP-AC-004 5V/3A Certification Type-C to Type-C PP-CC-004 20V/3A (60W) Type-C to Lightning PP-CL-004 15V/2A (30W)





PP-003 USE 2.0





005	USB 2.0	
TPE Moulding Fast Charging/Data Transfer Cable		
Length	1.2m / 2m	1
Colour		
Product Name	Electric Parameters	Product Features
PJ-AL-005	USB-A to Lightning 5V/2.4A 12W	PVC Moulding PP Braided cable
PJ-AM-005	USB-A to Micro 5V/2A	Thickened Tinned copper In-Shell injection Molding
PJ-AC-005	USB-A to Type-C 5V/3A	30,000 Times Bending 48 Hours Salt Resistance Test
PJ-CC-005	Type-C to Type-C 20V/3A (60W)	Certification
PJ-CL-005	Type-C to Lightning 9V/2.4A (20W)	



Zinc Alloy Shell Fast Charging/Data Transfer Cable		
Length	1.2m / 2m	I.
Colour		
Product Name	Electric Parameters	Product Features
PP-CC-006-100W	Type-C to Type-C 20V/5A (100W)	Zinc Alloy Shell PP Braided cable
PP-CC-006-60W	Type-C to Type-C 20V/3A (60W)	Thickened Tinned copper In-Shell injection Molding
PP-AC-006	USB-A to Type-C 5V/3A 18W	30,000 Times Bending 48 Hours Salt Resistance Test
PP-AL-006	USB-A to Lightning 5V/2.4A 12W	Certification
PP-CL-006	Type-C to Lightning 9V/2.4A (20W)	

006 USB 2.0



007	USB 3.2	
20Gbps Superspeed+ Fast Charging/Data Transfer Cable		
Length	1.2m/2m	ı
Colour		
Product Name	Electric Parameters	Product Features
PP-CC-007	Type-C to Type-C 20V/5A 100W	Aluminum Alloy Shell PP Braided Cable Support 4K(§60H2 Display 200bps High Speed Transmissio 30,000 Times Bending 44 Hours Saft Resistance Test
		Certification



800	USB 2.0	
	Compatil /Data Transfer Cab	
ength	1.2m / 2m	I
Colour		
Product Name	Electric Parameters	Product Features
PJ-AC-008	USB-A to Type-C 111//6A (66W)	Aluminum Alloy Shell Flame Retardant Materials Thickened Tinned Copper In-Shell Injection Molding 30,000 Times Bending 48 Hours Salt Resistance Test
		Certification CE FC ROHS REACH LK CB







PP-0	PP-010-011 USB 2.0		
Fully Compatible Fast Charging/Data Transfer Cable			
Length	1.2m / 2m	1	
Colour			
Product Name	Electric Parameters	Product Features	
PP-CC-010-100W	Type-C to Type-C 20V/5A (100W)	Aluminum Alloy Shell PP Braided cable	
PP-CC-010-60W	Type-C to Type-C 20V/3A (60W)	Thickened Tinned copper In-Shell injection Molding	
PP-AC-010	USB-A to Type-C 5V/3A 18W	30,000 Times Bending 48 Hours Salt Resistance Test	
PP-CL-010	Type-C to Lightning 15V/2A (30W)	Certification	
PP-AL-010	USB-A to Lightning 5V/2.4A (12W)		






































PP-EC-CAUX

Type-C to Aux Audio





PP-EC-LAUX

Lightning to Aux Audio Audio Cable		
Length	12cm	
Colour		
Product Name	Electric Parameters	Product Features
PP-EC-LAUX-12-GY	Lightning to 3.5F Cable	Aluminum Alloy Housing PP Braided cable Thickened Tinned copper































PP-ACCL-018-120-GY 60W 4 IN 1 Cable USB-A/Type-C to Lightning or Type-C Colour		
Product Name	Electric Parameters	Product Features
Model:	PP-ACCL-018-120-GY	Support PD Fast Charge Protocol Bending Resistant Fashion
Material:	Aluminum Alloy shell	SR Net tail Design
Output:	15V/2A (60W)	Multi-in-one Multi-Function
Output: Type-C to Type-C :	15V/2A (60W) 60W	Multi-in-one Multi-Function
Type-C to		Multi-in-one Multi-Function
Type-C to Type-C : Type-C to	60W	Multi-in-one Multi-Function
Type-C to Type-C : Type-C to Lightning : USB-A to	60W 30W	Multi-in-one Multi-Function



PP-EC-LLL Lightning

Audio Dual Function


Lightning Audio + Charge RockStar

Length


15cm

Product Name	Electric Parameters	Product Features
Model:	PP-EC-LLL-15-GY	Allows you to listen to music,watch
Material:	Aluminum + TPE	videos, use audio navigationor take calls while still charging your phone at maximum speed.
Function:	Supports Charging + Audio Calls	
Power:	5V/2A	











PERIPHERAL MATERIALS



_	Phone Planet Goods Shelf (Metal)	
Support Poste	r Customization	
Goods Shelf (Metal)		
Product Name	Electric Parameters	
Model:	Goods Shelf (Metal)	
Material:	Lron Frame	
Hook:	70 Pcs	
Weight:	40kg	
Color:	Blue	



Phone Planet Goods Shelf (KT-Platte) Support Poster Customization Colour Product Name Electric Parameters Model Goods Shelf (KT-Platte) Material: KT-Platte Hook: 30 Pcs Weight: 20kg Color: Blue



Phone Planet Goods Shelf (KT-Platte)



Model: Goods Shelf (KT-Platte) Material: KT-Platte Hook: 12 Pcs Weight: 15kg Color: Blue	Product Name	Electric Parameters
Hook: 12 Pcs Weight: 15kg	Model:	Goods Shelf (KT-Platte)
Weight: 15kg	Material:	KT-Platte
	Hook:	12 Pcs
Color: Blue	Weight:	15kg
	Color:	Blue



High Quality Mobile Phone Accessories

Phone Planet Logo light

Product Name	Electric Parameters
Model:	Сар
Size:	550*300mm
Color:	Green,Blue



Phone Planet Big Gift Bag (Paper Bag)

Colour	
Product Name	Electric Parameters
Model:	Paper Bag
Material:	Paper Bag
Load Bearing:	10kg Max
Size:	L260*W100*H350mm
Color:	Blue



Phone Planet Small Gift Bag (Paper Bag)





Phone Planet Pen

Colour

Product Name	Electric Parameters
Model:	Pen
Color:	Blue



Phone Planet Work Card





Phone Planet Cap

Colour

Product Name	Electric Parameters	
Model:	Сар	
Material:	Weave	
Color:	White,Blue	




Phone Planet Paper Cup

Product Name Electric Parameters
Model: Paper Cup
Size: 250ML
Color: Blue

Phone Planet Mouse Pad







Phone Planet Packing Tape

Product Name	Electric Parameters
Model:	Packing Tape



Phone Planet Notebook






Phone Planet File Pocket






Phone Planet B5 Note Paper





Phone Planet Clavicle Pocket



Phone Plonet

Phone Planet Inflatable Arch

Product Name	Electric Parameters
Model:	Inflatable Arch
Size:	L5*W3m
Color:	Blue



Phone Planet T-shirt

Product Name	Electric Parameters
Model:	Goods Shelf (Metal)
Material:	Weave
Style:	T-shirt
Size:	L,XL,XXL,XXXL,XXXL
Color:	White,Blue

